UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Mr. James A. Armbruster, Ph.D. PBI/Gordon Corporation 1217 West 12th Street P.O. Box 14090

Kansas City, Missouri 64101

APR 0 1 1996

Dear Dr. Armbruster:

SUBJECT: Label Amendment -Product Name Change, Conversion from Manufacturing-Use to End-Use Product for Turfgrass

Trimec 901 Herbicide

EPA Registration No. 2217-663

Your Application Dated February 9, 1996

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following provisions:

- The product name as proposed is acceptable. We acknowledge the official name for this product to be "Trimec 901 Herbicide": Please use this name in all future correspondence with the Agency regarding this product.
- You must revise the statement "Causes eye damage" under Hazards to Humans and Domestic Animals to read as follows: "Causes irreversible eye damage."
- You must revise the Oral Statement of Practical Treatment to read as follows:

"IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol."

A stamped copy is enclosed for your records. Submit one copy of your final printed labeling before you release the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

RD:STANTON:PM Team 23:Rm. 235:CM-2:305-5218:Disk #2:S501723.LET

		 c	ONCURRENCES				
SYMBOL >	7505C			,			
SURNAME >	S. Stanton				,		
DATE -	Mar 26, 1996		***************************************	120 100 141 100 1100 100 100 100 100 100 1	***************************************	***************************************	

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

# TRIMEC® 901 HERBICIDE

ACTIVE INGRÉDIENTS:	
*Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	33.49%
"Dimethylamine salt of 2-(2-Methyl-4-chlorophenoxy) propionic acid	16.80%
"Dimethylamine salt of Dicamba (3,6-Dichloro-o-anisic acid)	2.89%
INERT INGREDIENTS	<u>46.82%</u>
	L 100.00%
THIS PRODUCT CONTAINS:	·

<sup>2.71</sup> lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 27.82%

TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION

# KEEP OUT OF REACH OF CHILDREN

# DANGER

See side panel for additional Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS 1, 2.5, 5, 15, 30, and 55 GALLONS

APXXXXXX
EPA REG. NO. 2217-663
EPA EST. NO. 2217-KSMfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

with COMMENTS In EPA Letter Dated APR 0 1 1996

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No. 22.7-1.63

Page 1 of 5

<sup>1.35</sup> lbs. 2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 13.88%

<sup>&</sup>quot;" 0.23 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 2.40% Isomer Specific by AOAC Methods

# STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

# PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive. Causes eye damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. When mixing, loading, or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical resistant gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

## **Engineering Control Statements:**

Containers over 1 gallon and less than 5 gallons in capacity: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

<u>Containers of 5 gallons or more in capacity:</u> Do not open pour from this container. A mechanical system (probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

## Statement of Practical Treatment

IF IN EYES: Hold eyelids open and flush with a steady stream of water for at least 15 minutes. Get medical attention.

IF SWALLOWED: Call a physician or a Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching throat with finger, or if available by administering Syrup of Ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash skin plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is intended to be applied by lawn care operators and landscape personnel for use in ornamental lawns and turf established in institutional, ornamental, and residential/domestic sites. Institutional sites are defined as turf areas around properties or facilities providing a service to public or private organizations including, but not limited to hospitals, nursing homes, schools, museums, libraries, sport facilities (golf courses), and office buildings. Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional buildings. Finally, residential/domestic sites are defined as areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.

## - APPLICATION SCHEDULES -

Apply this product to emerged broadleaf weeds that are actively growing. Sequential or follow-up applications may be required for dense infestations of perennial and biennial weeds. If required, the treatment interval between the first and second application should be 14 to 28 days.

## - APPLICATION RATES -

Dosage rates and spray volume recommendations of this product are presented in Table 1.

Generally, the lower application rates within the specified range will provide satisfactory control of sensitive weed species. The higher application rates within the specified range will be required for dense infestations of perennial weeds, for adverse/extreme environmental conditions, or for weeds beyond the appropriate growth stages.

The maximum application rate to turf is 1.3 pounds 2,4-D acid equivalent per acre per application site. The maximum number of broadcast applications per treatment site is 2 per year.

Table 1. Rate Recommendations for Ornamental Turfgrass.					
	Amoun	of Product	Spray Volume		
Species	Pints/Acre	Fl.oz/1000sq.ft.	Gallons/Acre	Gallons/1000sq.ft	
I. Cool Season Turf					
Kentucky Bluegrass	2.9 - 3.75	1.07 - 1.38	20 to 175	0.5 to 4.0	
Perennial Ryegrass	16	11	"	91	
Tall Fescue	**	11	"	ır	
Fine leaf Fescues Hard Fescue's Sheeps Fescue Red Fescue (Chewings Fescue, Slender Creeping Fescue, Spreading Fescue)	n .	ч		v	
Creeping Bentgrass	1.8 - 2.0	0.66 - 0 73	40 to 175	1.0 to 4.0	
II Warm Season Turf				-	
Common Bermudagrass	2.9 -3.75	1.07 - 1.38	20 to 175	0.5 to 4.0	
Hybrid Bermudagrass	2.0 - 3.0	0.73 - 1.10	"	1 49 1 5	
Zoysiagrass	2.9 - 3.75	1.07 - 1.35	"	, "	

#### - WEED SPECTRUM -

This product controls a wide variety of problem weed species including the following:

	WEEDS	
Bedstraw	He <b>nb</b> it	Purslane
Black Medic	Knotweed	Ragweed
Buckhorn	La <b>mb</b> squarters	Sheep Sorrel
Burdock	Lespedeza	Shepherdspurse
Chicory	Mallow	Speedwell
Chickweed	<b>Mom</b> ingglory	Spurge
Clover	P <b>ep</b> pergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	P <b>lan</b> tains	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow

# - USE PRECAUTIONS AND LIMITATIONS -

- Do not apply this product through any type of irrigation system.
- Avoid drift of spray mist to vegetables, flowers, omamentals, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants.
- Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present.
- Coarse sprays are less likely to "wind-drift." Avoid fine mists. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
- Do not apply to newly seeded grasses until well established.
- Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F.
- Seed can be sown 3 to 4 weeks after application at recommended rates.
- After using this product, clean sprayer with Gordon's Spray Tank Cleaner and water, and rinse thoroughly before applying other pesticides.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** FOR METAL CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or by other procedures approved by state and local authorities. FOR PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned stay out of smoke.

## LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.