Please read instructions on	reverse before completing form.	Form Approved	. OMB No. 2070	0-0060. Approval Expires 2-28	
⊕ EPA	United States Environmental Protection Washington, DC 20460		Registratio Amendment Other	· ·	
	Application for	Pesticide - Section			
1. Company/Product Nur	nber 2217-655	2. EPA Product Manager Joanne I. Mi		3. Proposed Classification	
4. Company/Product (Name) Trimec® Broadleaf Herbicide for Sensitive Grasses		PM# Product Manager, Team 23 Restricted			
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling EPA Reg. No. Product Name			
Crieck ii ti		ction - II			
Amendment - Explain		Final printed labels Agency letter dated		February 11, 2000	
Resubmission in res	ponse to Agency letter dated	"Me Too" Application		NOTIFICATION	
Notification - Explain	below.	Other - Explain belo	Other - Explain below.		
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures:	icide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label.	0—04/04/03 broadcast application rate per acre, and we ask to in chedules and application r	iclude the equ	uivalent dosage rate as	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is consicted and the consistent with the terr	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. (4) Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement to ms of PR Notice 98-10 and 40 CFR 15	broadcast application rate per acre, and we ask to in chedules and application rate applica	nclude the equinethods have ons at 40 <u>CFF</u> product. I understand that if	uivalent dosage rate as it been maintained without bee	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is consicted and the consistent with the terr	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. (4) Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement to ms of PR Notice 98-10 and 40 CFR 15 t action and penalties under Section 12	broadcast application rate per acre, and we ask to in chedules and application rate of the second se	nclude the equinethods have ons at 40 <u>CFF</u> product. I understand that if	uivalent dosage rate as fee been maintained withon. 1 152.46, and no other derstand that it is a violation this notification is not	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is consicted and the consistent with the terr	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. (4) Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement to ms of PR Notice 98-10 and 40 CFR 15 t action and penalties under Section 12	broadcast application rate per acre, and we ask to in chedules and application rate applica	ons at 40 <u>CFF</u> product. I understand that if in violation o	uivalent dosage rate as it been maintained without bee	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is cons changes have been made in the subject to enforcement	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement to ms of PR Notice 98-10 and 40 CFR 15 t action and penalties under Section 12 Sec I Be Packaged In: Unit Packaging Wate Yes No	broadcast application rate per acre, and we ask to inchedules and application rate per acre, and we ask to inchedules and application rate per acre, and EPA regulation rate per acre, and EPA regulation rate per acre, and EPA regulation to the EPA. I further under 12.46, this product may be 2 and 14 of FIFRA. Stion — III Prescriptor Soluble Packaging yes No	ons at 40 <u>CFF</u> product. I understand that if in violation o	uivalent dosage rate as fee been maintained without the been maintained without the saviolation is not of FIFRA and I may be	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is consistent with the terr subject to enforcement 1. Material This Product Will Child-Resistant Packaging Yes*	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement to ms of PR Notice 98-10 and 40 CFR 15 t action and penalties under Section 12 Sec II Be Packaged In: Unit Packaging Wate If "Yes" No. per If "Yes"	broadcast application rate per acre, and we ask to inchedules and application rate per acre, and we ask to inchedules and application rate per acre, and EPA regulation rate per acre, and EPA regulation rate per acre, and EPA regulation to the EPA. I further under 12.46, this product may be 2 and 14 of FIFRA. Stion — III Prescriptor Soluble Packaging yes No	ons at 40 CFF product. I understand that if in violation of the product. 2. Type of Conta	uivalent dosage rate as fee been maintained without the second that it is a violate this notification is not of FIFRA and I may be an	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is consistent with the terr subject to enforcement 1. Material This Product Will Child-Resistant Packaging Yes* No Certification must be submitted	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement t ms of PR Notice 98-10 and 40 CFR 15 t action and penalties under Section 12 Sec I Be Packaged In: Unit Packaging Yes No. per Unit Packaging wgt. container If "Yes" Unit Packaging wgt. container	broadcast application rate per acre, and we ask to in chedules and application rate per acre, and we ask to inchedules and application rate per acre, and EPA regulated terment of Formula of this to the EPA. I further unde 2.46, this product may be 2 and 14 of FIFRA. Ition — III Per Soluble Packaging Yes No Ber No. per lage wgt. Container 5. Loc	ons at 40 CFF product. I understand that if in violation of 2. Type of Conta Metal Plastic Glass Paper Other (S) ation of Label Di	uivalent dosage rate as felbeen maintained without the been maintained without the saviolation is not of FIFRA and I may be saving the saviolation is not of FIFRA and I may be saving the saviolation is not of FIFRA and I may be saving the sav	
Notification per Pesti We ask to present the The broadcast dosage ounces of product per change. Please refer t Enclosures: 1. Application for 2. One (1) copy of This notification is consicted and the subject to enforcement 1. Material This Product Will Child-Resistant Packaging Yes* No Certification must be submitted	lcide Registration Notice (PRN) 94-1 equivalent dosage rate ranges for the rate is expressed as pints of product p 1,000 sq. ft. Finally, the application so to pages xx of the label. Pesticide Amendment, EPA Form 857 of the labeling. sistent with the provisions of PR Notice ade to the labeling or Confidential Stat to willfully make any false statement t ms of PR Notice 98-10 and 40 CFR 15 t action and penalties under Section 12 Sec I Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per Unit Packaging wgt. A. Size(s) Retail Container	broadcast application rate per acre, and we ask to in chedules and application rate per acre, and we ask to inchedules and application rate per acre, and EPA regulated terment of Formula of this to the EPA. I further unde 2.46, this product may be 2 and 14 of FIFRA. Ition — III Per Soluble Packaging Yes No Ber No. per lage wgt. Container 5. Loc	ons at 40 CFF product. I understand that if in violation of 2. Type of Conta Metal Plastic Glass Paper Other (S) ation of Label Di	uivalent dosage rate as fe been maintained without the been maintained without the stand that it is a violate this notification is not of FIFRA and I may be siner	

	Section - IV		, ,
 Contact Point (Complete items directly below for ident 	ification of individual to be contacted, if necessary, to process t	his applicat	tion.)
Name Craig Martens	Title Manager of Regulatory Services	Telephone	e No. <i>(Include Area Code</i> 816-460-6287
I certify that the statements I have made on this for	Certification In and all attachments thereto are true, accurate and complete, ag statement may be punishable by fine or imprisonment or		6. Date Application Received (Stamped)
Signature Can Mayhum	3. Title Manager of Regulatory Services	,	
Typed Name araig Martens	5. Date April 8, 2003		
PA Form 8570-1 (Rev. 3-94) Previous editions are obso	white - EPA File Conv	/ (original)	Yellow - Applicant Co

GORDON'S TRIMEC® BROADLEAF HERBICIDE FOR SENSITIVE GRASSES

Bermudagrass, Bentgrass, Bluegrass, Fescues, Zoysiagrass, Centipedegrass, and St. Augustinegrass

- KEEP FROM FREEZING -

NOTIFICATION

APR 2 2 2003

ACTIVE INGREDIENTS:

Dimethylamine salt of (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid	17.37%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	18.74%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)	3.85%
INERT INGREDIENTS:	60.04%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

1.32 lbs. (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 14.35%.

1.44 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 15.57%.

0.30 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 3.20%.

Isomer Specific by AOAC Methods.

Contains the single isomer form of Mecoprop-p.

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS ____ U.S. GALLON

896/ AP0400803 EPA REG. NO. 2217-655 EPA Est. No. 2217-KS-1 MANUFACTURED BY:

An Employee Owned Company
1217 Weat 12th Street
Kanesa City, Missoun 64101
1-800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive. Causes damage to eyes. Do not get into eyes, on skin or clothing. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wear face shield or goggles when mixing, loading or applying this product. When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, brow, and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Engineering Control Statements:

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: Do not open-pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

First Aid

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
if inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
	ct container or label with you when calling a poison control center or doctor or going for additional information in case of emergency, call toll free 1-877-800-5556.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

For use on residential and other turf sites excluding sod farms.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposai.

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. If burned stay out of smoke.

OTHER USE PRECAUTIONS - OBSERVE CAREFULLY.

Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Do not use on lippia or dichondra nor on lawns or turf where desirable clovers are present.

Use only lawn type sprayers. *Note:* Coarse sprays are less likely to drift. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species.

Do not spray while grass is emerging from dormancy. Do not apply to newly seeded lawns until after the second or third mowing. Do not spray when air temperatures exceed 85°F. Seed can be sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation waters.

Be careful not to overdose centipedegrass or St. Augustinegrass. These species are sensitive to 2,4-D, a component of this product.

After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

Do not apply this product through any type of irrigation system.

HOW MUCH TO USE AND WHERE:

The maximum application rate to turf is 0.6 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

Bermudagrass and Bentgrass:

Use 0.75 fluid ounces per 1,000 sq. ft., or use 2.0 pints of product per acre. Do not overdose closely-mowed bentgrass. Read the use precautions and observe carefully. Do not use more than the recommended rate. Bermudagrass and bentgrass are moderately sensitive to 2,4-D.

Bluegrass, Fescues, and Zoysiagrass:

Use 0.75 to 1.1 fluid ounces per 1,000 sq. ft., or use 2.0 to 3.0 pints of product per acre. These species are tolerant to 2.4-D. However, do not overdose.

St. Augustinegrass and Centipedegrass:

Use 0.37 to 0.55 fluid ounces per 1,000 sq. ft., or use 1 to 1.5 pints of product per acre. Repeat after 3 weeks if necessary. Do not overdose. Do not apply this product to St. Augustinegrass or centipedegrass during spring green-up which is the transition period between dormancy and active growth. Do not make applications when ambient temperature is below 50°F or above 90°F, or expected to be within 72 hours of application. Do not make applications when grass is under stress from drought, insects, or other herbicides.

St. Augustinegrass and centipedegrass are sensitive to 2,4-D and great care should be taken to prevent overdosing. Cultivars vary in tolerance to this product. Do not apply this product to 'Floratam' St. Augustinegrass.

GENERAL:

Mix in 5 to 300 gallons of water per acre. Use higher rates when weeds are dense or in flower. If hardy weeds persist, make a second application after three weeks. Apply when weeds are young and actively growing. Avoid applications during long excessively dry or hot periods. When grasses are under stress use reduced rates to reduce potential injury. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third mowing. Seed can be sown 3 to 4 weeks after application at recommended rates.

	- BROADLEAF WEEDS -	
Aster, white heath & white prairie	False dandelion (*spotted catsear & common catsear)	Poison ivy
Bedstraw	Field bindweed (*morningglory & creeping jenny)	Poison oak
Beggarweed, creeping	Field oxeye-daisy (*creeping oxeye)	Prostrate knotweed (*knotweed)
Bindweed	Filaree, whitestem & redstem	Puncturevine
Black medic	Florida pusley	Purslane
Broadleaf plantain	Ground ivy	Ragweed
Buckhorn plantain	Groundsel	Red sorrel (*sheep sorrel)
Bull thistle	Hawkweed	Shepherdspurse
Burclover	Healall	Spotted spurge
Burdock, common	Henbit	Spurge
Buttercup, creeping	Lambsquarters	Thistle
Carpetweed	Lawn burweed	Veronica (*corn speedwell)
Chickweed, common	Lespedeza, common	Virginia buttonweed
Chicory	Mallow, common	White Clover (*Dutch clover, honeysuckle clover, white trefoil & purplewort)
Cinquefoil	Matchweed	Wild carrot
Clover	Mouseear chickweed	Wild garlic
Compassplant	Oxalis (*yellow woodsorrel & creeping woodsorrel)	Wild geranium
Curly dock	Parsley-piert	Wild mustard
Dandelion	Pennsylvania smartweed	Wild onion
Dayflower	Pennywort (*dollarweed)	Wild strawberry
Deadnettle	Pepperweed	Wild violet
Dock	Pigweed	Yarrow
Dogfennel	Pineappleweed	Yellow rocket
English daisy	Plantain	and many other broadleaf weeds.

^{*}Synonyms

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product inder abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.