

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

1 6 1994

James A. Armbruster, Ph.D. Chemical Consultants International

Agent for: PBI/GORDON CORPORATION

7270 W. 98th Terrace, Suite 100

Overland Park, KS 66212

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/30/93 in Response to PR Notice 93-7

EPA Reg. No. 2217-676

CASORON (R) 50W DICHLOROBENIL HERBICIDE

## Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.


Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(t)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

# **BEST AVAILABLE COPY**

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)



## CASORON® 50W DICHLOBENIL HERBICIDE

A SELECTIVE PREEMERGENT HERBICIDE FOR CONTROL OF CRABGRASS, FOXTAIL, DANDELION, HORSETAIL, PIGWEED, RAGWEED, and CERTAIN OTHER WEEDS.

ACTIVE INGREDIENT:		
Dichlobenil: 2,6-dichlorobenzonitrile		. 50%
INERT INGREDIENTS		
	TOTAL	

## KEEP OUT OF REACH OF CHILDREN

ACCEPTED
with COMMENTS
In EPA Letter Dated

FFB 16 1994

CAUTION

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

See subsequent panels for Precautionary Statements

NET WEIGHT \_\_\_\_ POUNDS

507/993WPS AP EPA REG. NO. 2217-676 EPA EST. NO. XXXX-XX-X

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

# STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting by drinking water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush with plenty of water. Get medical attention if imitation persists.

IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, to areas where surface water is present or to intertifial areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original bag in a locked storage area inaccessible to children or pets. Storage area should be cool and dry. Keep bag tightly closed. Reseal bag by rolling down top to product level and taping or clipping.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT! Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting. Before removing gloves, wash them with soap and water. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is a danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. See Statement of Practical Treatment.

### GENERAL DIRECTIONS -

Apply this product over all as a directed spray either in early spring before seeds of annual weeds germinate or after cultivation has removed the growing weeds. Apply in sufficient water for uniform coverage (at least 50 gallons per acre). If treatment is followed by application of 1/2 to 1 inch of water by everhead irrigation, then lower rates are recommended. Shallow incorporation immediately after application is recommended in southern areas. In other areas, shallow incorporation or sprinkler irrigation is suggested when applications are made during periods of high temperatures. This product may be used for weed control on the plants listed below.

PRECAUTIONS: Do not apply this product through any type of irrigation system. Do not use in seedbeds, transplant or cutting beds or greenhouses. Do not apply until 6 months after rooting of cuttings in the field, or after planting rooted cuttings. Do not apply to areas on slopes above lawns or susceptible crops as run off water from treated area could cause injury. Do not apply on fruit stock within 3 months prior to or following grafting or budding of root stocks or planting of new grafts. Do not apply more than the maximum recommended amount per growing season. Do not use on "St. Lucie fine sand,""Arzell fine sand" or other light sandy soil. Do not graze livestock in treated areas. Store in a tightly closed container in a dry place.

WOODY ORNAMENTALS (ESTABLISHED and NURSERY STOCK): This product may be used for weed-control on the plants listed below. Apply 8 to 12 pounds per acre; based on area actually-treated. Do-not-apply until 4 weeks after transplanting. Follow general directions above:

**Amur-Corktree** Filhort Flowering Almond **Arborvitae** Flowering Quince Ash Azalea<sup>1</sup> Forsythia **Barberry** Gardenia **Beauty Buch Goldenraintree** Birch Hackberry Boxelder Heather Boxwood Holly (Hex spp.)2 <del>Camellia</del> Honeysuckle Caragana Ivy (Hedera helix) Cleyera japonica **Juniper** Cotoneaster **Kinnikinnick** 

Cottonwood aurel Crabapple Leucothoe **Doutzia** Lilac Dogwood Linden Eastern-Red Cedar Locust Elm

Rockrose Rose Russian Olive **Spirea** Squaw carpet Weigela Willow Magnolia Maple Yew (Taxus)

English walnut **Mock Orange Euonymus** Mountain Ash

Elwood Cypress

WEED CONTROL: This product is recommended for control of annual grass and broadleaf weeds and certain perennial weeds such as:

**Annual Bluegrass** Gisekia (Poa annua) Groundsel Bluegrass Henbit **Bull Thistle** Horsetail Camphorweed Jerusalemoak Carpetweed Goosefoot Chickweed Knotweed Citronmelon Lambsquarters Coffeeweed Maypops Crabgrass Milkweed Vine Cudweed (Morrenia Odorata) Dandelion | **Miners Lettuce** Dogfennel **Natalgrass** Evening Primrose **Old Witchgrass** Fiddleneck Peppergrass

Florida Purslane (Pusley) Pineapple Weed Foxtail Plantain

Ragweed Red Deadnettle Redroot Pigweed Rosarypea Russian Thistle Shepherdspurse Smartweed Spanishneedles Spurge Teaweed **Texas Panicum** (Hurrahgrass) Wild Barley Wild Mustard Wild Radish Yellow Woodsorrel

Purslane

**Nandina** Oak

**Osmanthus** 

Paxistima |

Pecan

**Photinia Pittosporum** 

Poplar

**Privet** 

Pyracantha

Rhododendron

(Holly-Olive)

FOR PRE-PAVING TREATMENTS UNDER ASPHALT: For general weed control under asphalt (in areas such as roadways, parking lots, recreational areas), after final grade is achieved, apply 20 to 24 pounds in 75 to 100 gallons of water per acre (7 1/2 to 9 ounces per 1,000 square feet in 1 1/2 to 2 1/2 gallons of water). Treated area should be covered with asphalt as soon as possible. For resurfacing work, existing weeds should be sprayed with a contact herbicide prior to application of this product.

<sup>&</sup>lt;sup>4</sup>Kurume, Mollis, hardy hybrid types and hardy native Azalea species only.

<sup>&</sup>lt;sup>2</sup>Except llex crenata, llex retunda, llex vemitoria

FOR MANUFACTURING GROUTS AND SEWAGE LINK SEALANTS: To inhibit the penetration of roots into polyacrylamide gels used as sealants of sewer-pipe joints, incorporate 0.04 percent by weight of this product in the mixture of acrylamide monomers used to produce the gel.

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with tabel instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, humicanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.