SEP 2 1 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 7-

# **USE PRECAUTIONS:**

**Bull Thistle** 

Citron Melon

Crabgrass

Cudweed

Dandelion

(Pusley)

Use only on the ornamental plants listed on the label. Do not apply to transplant or cutting beds or to newly set transplants, and do not seed or transplant into treated areas. Do not use on extremely light sandy soils. Do not use on plants, any part of which is used for human or animal consumption. This product, when applied to the soil as directed. will give selective control of annual grassy and broadleaved weeds and certain perennial weeds such as:

Plantain Annual Bluegrass Gleekie Pursiane Ragweed Groundse Redroot Plaweed Henhit Horsetail Reservoes Aussian Thistle Jerusalemoal Goosefoot Shanbardenurea Knotweed Smartweed Snamishnaedle: Spurge Morrenia Evening Primrose Fiddleneck Texas Panicum ordorata) (Hurrahgrass) Nataigrass Wild Mustard Florida Pursiana Peppergrass
Pineapole Weed Yellow Woodsorrel


### WOODY ORNAMENTALS

This product is to be applied only to established Woody Plants - Those which have been clanted for at least four months. May be used for

likari	Mountain Ash
	Nanadina
	Oak
	Osmanthus
	(Holly-Olive)
ioldenraintree	Pachistim a
leckberry	Pecan
eather	Photinia
lolly <sup>2</sup>	Pittosporum
onevsuckie	Poplar
ry (Hadere	Privet
	Pyracantha
	Rhododendron
	Rockrose
	Rose
	Russian Olive
	Spirea
	Squaw-carpet
	Weigella
	Willow
	Yew (Taxus)
	eather olly <sup>2</sup>

Kurume, Mollis, Hardy Hybrid types and hardy native species only.
 Except I. Crenata, I. Rotunda, I. Vomitoria

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.



STOP! READ THE ENTIRE LAREL FIRST. OBSERVE ALL PREGAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin.

Statement of Practical Treatment
If Swallowed: Induce vomiting by drinking water and touching back of throat with finger.

if Inhaled: Remove to fresh air.

If in Eyes: Rinse with water for 15 minutes.

If On Skin: Wash with soap and water.

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in original container in a locked, cool storage area. Keep container cap tightly closed. Do not store near seeds, bulbs, or in greenhouses. PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

# **BEFORE APPLICATION:**

Remove existing weeds.
 Thoroughly work and smooth the area to be treated.

· Carefully measure area to be treated and determine the number of

NOTE: If area to be treated is large, it should be divided into smaller sections, and each treated individually.

## **APPLICATION AND RATE:**

Shake granules uniformly on the soil at the rate of 34 ounce (3 level tablespoons) for each 10 square feet to be treated. The 20 ounce shaker package treats 270 square feet, the 5 pound bag treats 1,080 square feet. As a guide for proper application and uniformity of distribu-tion of granules, consult the following diagram.

· Rates higher than those indicated may cause injury.

· More accurate and uniform application can be obtained by applying one-half of the required material over the entire treatment area and repeating the application with the remaining material.

 This product should not be used on sloping areas, as run-off may result in injury to lawn or other plants in adjacent areas.

# AFTER APPLICATION:

• Unless the soil is wet, sprinkle lightly to moisten the soil 1/4 to 1/2 inch deep. Do not flood, avoid puddling and washing.

· Avoid disturbing soil in the treated area as long as weed control is being

EPA REG. NO. 2217-678-33955 EPA EST. NO. 2217-KS-1



