Reg-# 2217-678 PM-25 d instructions on reverse before completing form. Form Approved, OMB No. 2070-00 OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) Amendment Washington, DC 20460 Application for Pesticide: Öther Section I 2. EPA Product Manager Proposed Classification Company/Product Number <u> 2217-678</u> R. Taylor Restricted 4. Company/Product (Name): 3 Barrier 2% Dichlobenil Granules Expedited Review. In accordance with FIFRA Section 3(c)(3). 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling **PBI/Gordon Corporation** PO Box 4090 1217 West 12th Street EPA Reg. No.\_ Kansas City, MO 64101

Check if this is a new address **Product Name** Section I I Final printed labels in response to Amendment · Explain below Agency letter dated\_ Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993 This is to certify that this notification meets every requirement of PR-Notice 88-6. NOTIFICATION Three copies of the revised labeling are enclosed. LABEL NOT REVIEWED BEST AVAILABLE COPY PER PR NOTICE 88-6 Section III 1. Material This Product Will Be Packaged In: 2. Type of Container Water Soluble Packaging Child-Resistant Packaging **Unit Packaging** Yes Metal Yes\* Yes Plastic Glass No No Paper If Yes, If "Yes," No. per No. per Other (Specify) Unit Package wgt. container Package wgt. container Certification must be submitted. 4. Size(s) of Retail Container Location of Label Directions 3. Location of Net Contents Information On Label \_ Container On Labeling accompanying product 6. Manner in Which Label Is Affixed To Product Lithograph Other ( Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) cloct one No. (Include Area Code) (816)421-4070 Name Mgr. Regulatory Services James A. Armbruster, Ph.D. Certification **Date Application** Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete, , , I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or ! (Stamped) both under applicable law. 3. Title Mgr. Regulatory Services 2. Signature Typed Name

EPA Form 8570-1 (Rev. 12-90)

James A. Armbruster, Ph.D.

Previous editions are obsolete.

White - EPA File Copy (original)

### **BARRIER® 2% DICHLOBENIL GRANULES**

Controls Weeds & Grasses in ROSES, EVERGREENS, and OTHER SHRUBS.

**ACTIVE INGREDIENT:** 

**KEEP OUT OF REACH OF CHILDREN** 

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-4
ATR. 7/2/93

CAUTION

SEE OTHER PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**NET WEIGHT POUNDS** 

503 AP052093

EPA REG. NO. 2217-678 EPA EST. NO. 2217-KS-1

Mfd by PBI GORDON CORPORATION KANSAS CITY, MISSOURI 64101

## STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

### **PRECAUTIONARY STATEMENTS**

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin.

IMPORTANT! Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is a danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See Statement of Practical Treatment.

### Statement of Practical Treatment

IF SWALLOWED: Induce vomiting by drinking water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty soap and water.

Environmental Hazards: Cover, collect, or incorporate granules spilled on the soil surface. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. . Do not contaminate water when disposing of equipment washwaters.

### **D!RECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE & DISPOSAL

STORAGE: Store in original container in a locked, cool storage area. Keep container bag tightly closed. Do not store near seeds, bulbs, or in greenhouses. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### '(10 LB. BAG)

CONTAINER DISPOSAL: Completely empty bag into filling equipment. Then dispose of empty bag in sanitary landfill or by incineration, or, if allowed by State and local athorities, by burning. If burned, stay out of smoke.

### '(1.25 LB. SHAKER CONTAINER)

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

(ALTERNATE STORAGE & DISPOSAL FOR 5 LB. SPRED-RITE G APPLICATOR/CONTAINER.)

### STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Storage area should be cool and dry. Keep container tightly closed using disc seal inside cap. Do not store near seeds, bulbs, or in greenhouse. Do not contaminate water, food or feed by storage or disposal.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discord in trash.

CONTAINER DISPOSAL: Refill the SPRED-RITE® applicator with BARRIER® 2G granules available in 5 lb. bags. Do not use this applicator for any other purpose. When applicator becomes inoperable, or is no longer wanted, rinse thoroughly and place in trash collection.

### **BEFORE APPLICATION:**

- Remove existing weeds.
- Thoroughly work and smooth the area to be treated.
- Carefully measure area to be treated and determine the number of square feet.

NOTE: If area to be treated is large, it should be divided into smaller sections, and each treated individually.

APPLICATION AND RATE: Shake granules uniformly on the soil at the rate of 3/4 ounce (3 level tablespoons) for each 10 square feet to be treated. The 20 ounce shaker package treats 270 square feet, the 5 pound bag treats 1,080 square feet. As a guide for proper distribution of granules, consult the following diagram.

### (DIAGRAM)

- Rates higher than those indicated may cause injury.
- More accurate and uniform application can be obtained by applying one-half of the required material over the entire treatment area and repeating the application with the remaining material.
- This product should not be used on sloping areas, as runoff may result in injury to lawn or other plants in adjacent areas.

### **AFTER APPLICATION**

- Unless the soil is wet, sprinkle lightly to moisten the soil 1/4 to 1/2 inch deep. Do not flood, avoid puddling and washing.
- Avoid disturbing soil in the treated area as long as weed control is being maintained.

USE PRECAUTIONS. Use only on the ornamental plants listed on the label. Do not apply to transplant or cutting beds or to newly set transplants, and do not seed or transplant into treated areas. Do not use on extremely light sandy soils. Do not use on plants, any part of which is used for human or animal consumption. This product, when applied to the soil as directed, will give selective control of annual grass and broadleaf weeds and carrain perennial weeds such as:

Arinual Bluegrass	<b>Evening Primrose</b>	Knotweed	Rosarypea
Bluegrass	Fiddleneck	Lambsquarters	Russian Thistle
Bull Thistle	Florida Purstane	Milkweed Vine	Shepherdspurse
Camphorweed	(Pusley)	(Morrenia odorata)	Smartweed
Carpetweed	Foxtail	Natalgrass	Spanishneedles
Ch <sup>i</sup> ckweed	Gisekia	Peppergrass	Spurge
Citronmelon	Groundsel	Pineapple Weed	Teaweed
Coffeeweed	Henbit	Plantain	Te≍as Panicum
Crabgrass	Horsetail	Purslane	(Hurrahgrass)
Cudweed	Jerusalemoak	Ragweed	Wild Mustard
Dandelion	Goosefoot	Redroot Pigweed	Yellow Woodsorrel

FRUIT IN CRCHARDS AND NURSERIES: Do not plant rotational crops, on which Dichiobenil is not registered, in treated soil within one (1) year after application. This product may be used on the following crops; do not allow livestock to graze treated orchards:

5 g. ?

- A. Apple, Blueberry, Cherry, Grape, Nectarine, Peach, Pear, Prune Plum: May be used on bearing, non-bearing and nursery stock. Do not apply until 4 weeks after transplanting. Do not make application within one month of harvest on stone fruits. Apply 200 to 300 pounds per acre for annual weed control based on area actually treated. For control of perennial weeds apply 300 pounds per acre. Follow General Directions for use.
- B. Blackberry and Raspberry: For control of annual weeds follow General Directions for Use, except use only on established plantings and do not apply more than 200 pounds per acre. Do not apply during new shoot emergence.

RATE CONVERSION CHART				
BARRIER 2G	BARRIER 2G			
LBS. PER ACRE	LBS. PER 1,000 SQ.FT.			
===========	385888888888888888			
150	3.50			
200	4.66			
250	5.75			
500	7.00			

WOODY ORNAMENTALS: This product is to be applied only to established woody plants - Those which have been planted for at least four months. May be used for weed control on the following plants.

Amur Corktree	Dogwood	Ivy (Hedera Helix)	Paxistima
Arborvitae	Eastern Red Cedar	Juniper	Pecan
Ash	Elm	Kinnikinnick	Photinia
Azalea¹	Elwood Cypress	Laurel	Pottpsporum
Вагрепу	English Walnut	Leucothoe	Poplar
Beauty Bush	Euonymous	Lilac	Privet
Birch	Filbert	Linden	Pyracantha
Boxelder	Flowering Almond	Locust	Rhododendron
Boxwood	Flowering Quince	Magnolia	Rockrose
Camellia	Forsythia	Maple	Rose
Caragana	Gardenia	Mock Orange	Russian Olive
Cleyera Japonica	Goldenraintree	Mountain Ash	Spirea
Cotoneaster	Hackberry	Nanadina	Squaw-carpet
Cottonwood	Heather	Oak	Weigelia
Crabapple	Holly <sup>2</sup>	Osmanthus	Willow
Deutzia	Honeysuckle (Holly-Olive)	Yew (Taxus)	

<sup>&</sup>lt;sup>1</sup> Kurume, Mollis, hardy hybrid types and hardy native species only.

### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOP A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

<sup>&</sup>lt;sup>2</sup> Except Illex Crenata, I. Rotunda, I. Vomitoria.

### - SUPPLEMENTAL -

## (FOR SPRED-RITE® GRAVITY-FLOW APPLICATOR/CONTAINER ONLY)

### HOW TO ASSEMBLE THE SERED-RITE® GRAVITY-FLOW APPLICATOR

Instructions for assembly of spreader:

- 1. Illustration of Spreader, Tube Deflector
- 2. Illustration of Slide Tube Through Cap
- 3. Place Disk in Cap
- 4. Secure Cap onto Spreader
- 5. Attach Deflector to Tube

(DIAGRAM)

### **DIRECTIONS FOR USE:**

- 1. To start the flow of granules: Tilt the spreader down until granules flow through the tube and across the deflector.
- 2. To start the granule flow: Tilt the spreader back toward the upright position.
- 3. Use the "B" disc for most applications and return the solid disc to the cap for storing after use. The "A" disc will slow down the rate of granular delivery and should be used only for applications to cracks and other very narrow areas. When used in this manner the deflector head should be removed entirely.
- IMPORTANT: Do not use without either orifice disc since this will result in an extremely rapid flow of granules that may cause over application and risk of damage to desirable plantings or result in waste of the product.
- 4. To adjust the width of the band of granules: Hold the deflector close to the ground to produce a narrow band. As the deflector is raised, the band applied will widen. The spreader will apply a band of granules 30 to 36 inches wide when the deflector is held about 3 feet above the ground. By turning the deflector sideways, a 2 to 4 inch band will result.
- 5. Side delivery of granules: The operator can direct the granules out to the side and under hedges, bleachers, guard rails, etc. while walking straight ahead. Hold spreader parallel to the body, but with deflector positioned sideways.
- 6. The amount of granules applied will depend on the orifice disk used and the speed the person walks while making the application.

Refer to the rate diagrams for the pattern of granules for the various recommended rates. These patterns should be duplicated as nearly as possible for best results.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.