

2217-678

5/14/2010

lot 13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. James L Kunstman, Ph.D
PBI/Gordon Corporation
Post Office Box 014090
Kansas City, Missouri 64101

MAY 14 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated April 22, 2010 for:

EPA Registration 2217-678

Barrier® 2% Dichlobenil Granules

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

706V

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number <p style="text-align: center;">2217-678</p>	2. EPA Product Manager <p style="text-align: center;">James A. Tompkins</p>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <p style="text-align: center;">Barrier® 2% Dichlobenil Granules</p>	PM# <p style="text-align: center;">Product Manager—Team 25</p>	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

NOTIFICATION
MAY 14 2010

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION:

Labeling notification per Pesticide Registration Notice (PRN) 2007-4:


1. We ask to revise the disposal instructions and to adopt the exact language of Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment."
2. Please refer to cover letter for details and certification statement.

FAX: 816-421-2731 e-mail to jkunstman@pbigordon.com

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container <p style="text-align: center;">1 to 20 pounds</p>	
		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <p style="text-align: center;">James L. Kunstman, Ph.D.</p>	Title <p style="text-align: center;">Director of Regulatory Services</p>	Telephone No. (Include Area Code) <p style="text-align: center;">816-460-6292</p>
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title <p style="text-align: center;">Director of Regulatory Services</p>	
4. Typed Name <p style="text-align: center;">James L. Kunstman, Ph.D.</p>	5. Date <p style="text-align: center;">April 22, 2010</p>	

3013



1217 WEST 12TH STREET • P.O. BOX 014090
KANSAS CITY, MISSOURI 64101-0090
816-421-4070 • 1-800-821-7925
FAX: 816-474-0462

April 22, 2010

Document Processing Desk (PRN)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Mr. Jim Tompkins (PM-25)

Dear Mr. Tompkins:

**Subject: Labeling notifications according to Pesticide Registration Notices (PRN) 2007-4.
Barrier® 2% Dichlobenil Granules (EPA Reg. No. 2217-678)**

I. Labeling notification per Pesticide Registration Notice (PRN) 2007-4:

- 1. **Labeling revisions:** We ask to revise the disposal instructions and to adopt the exact language of Pesticide Registration Notice (PRN) 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containmentment."

Please refer to page 3 of the draft labeling.

- 2. **Certification:** This notification is consistent with the guidance of PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this amended labeling is not consistent with the terms of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

II. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy of the annotated draft labeling
- 3. One (1) copy of the draft labeling without notations

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,

James L. Kunstman, Ph.D.
Director of Regulatory Services

40 of 13

NOTIFICATION

MAY 14 2010


BARRIER[®] 2% DICHLOBENIL GRANULES

ACTIVE INGREDIENT:		
Dichlobenil: 2,6-dichlorobenzonitrile.....		2.0%
INERT INGREDIENTS:.....		<u>98.0%</u>
	TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional Precautionary Statements and First Aid.



NET WEIGHT: 1.25, 5, 10, or 20 POUNDS

503/ AP042210
EPA REG. NO. 2217-678
EPA EST. NO. XXX-XX-X
MANUFACTURED BY:



An Englewood-Clowes Company
2217 West 11th Street
Kansas City, Missouri 64111

Telephone: 1-800-821-7925

5 of 13



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt and long pants, socks and shoes, and chemical-resistant gloves (see Personal Protective Equipment section for examples). Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment:

Applicators and handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves, such as butyl rubber ≥14 mils, neoprene rubber ≥14 mils, or nitrile rubber, ≥14 mils

IMPORTANT! Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is a danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid Section.

First Aid

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p>	

ENVIRONMENTAL HAZARDS:

Cover, collect, or incorporate granules spilled on the soil surface. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

60013

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes and being grown in ornamental gardens or lawns and grounds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Storage area should be cool and dry. Keep container tightly closed using disc seal inside cap. Do not store near seeds, bulbs, or in greenhouse.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

BEFORE APPLICATION:

- ◆ For the best results, the area to be treated should be free of existing weeds, surface debris, litter, decaying leaves or vegetation. Trash-free areas are ideal for the movement of this herbicide into the root zone following rainfall or irrigation.
- ◆ Thoroughly work and smooth the area to be treated.
- ◆ Carefully measure area to be treated and determine the number of square feet. If area to be treated is large, it should be divided into smaller sections, and each treated individually.
- ◆ For established plantings with bark, wood chips or decorative cover, thoroughly wet the bark, wood chips or decorative cover before Barrier® 2% Dichlobenil Granules are applied. Treat area as directed. If additional bark is desired, spread bark over treated area before final watering.

APPLICATION RATE FOR 1.25 LBS. SHAKER CONTAINER -

APPLICATION RATE:


Shake granules uniformly onto soil at the rate of 3/4 ounce of product for each 10 square feet to be treated. This 20 ounce (1.25 lbs.) shaker package treats up to 270 square feet. As a guide for proper distribution of granules refer to the following diagram

FOR ANNUAL WEED CONTROL:


- Apply in early spring before weeds emerge and after removing existing weeds.

FOR PERENNIAL WEED CONTROL:

- Apply anytime between late fall (after a killing frost) and mid-winter.



4.6 lbs. of product/1,000 sq.ft.



APPLICATION RATE FOR CONTAINER SIZES OF 5, 10, AND 20 POUNDS -

7 of 13

APPLICATION RATE:

FOR ANNUAL WEED CONTROL:


- Apply in early spring before weeds emerge and after removing existing weeds.
- Apply 4.6 pounds of product per 1,000 square feet for annual weed control.

FOR PERENNIAL WEED CONTROL:

- Apply anytime between late fall (after a killing frost) and mid-winter.
- Apply 7.0 pounds of product per 1,000 square feet for perennial weed control. Application rates above the recommended rate may cause injury to ornamentals.

Table 1. Application rates of Barrier® 2% Dichlobenil Granules for annual and perennial weed control in landscape plantings.

WEEDS	Pounds per 1,000 Sq.Ft.	Product Ounces per 10 Sq.Ft.	Bag Size, Pounds	Approximate Treated Area for this Bag Size, Sq.Ft.
Annual Weeds:	4.6 lbs.	¾ oz.	5 lb.	1,100 sq.ft.
			10 lb.	2,220 sq.ft.
			20 lb.	4,400 sq.ft.
Perennial Weeds:	7.0 lbs.	1 1/8 oz.	5 lb.	715 sq.ft.
			10 lb.	1,430 sq.ft.
			20 lb.	2,860 sq.ft.




80 of 13


EQUIPMENT CALIBRATION:

- ◆ Determine the size of the treatment area, follow the recommended application rate and calibrate the granular spreader.
- ◆ Drop spreaders, rotary (centrifugal) spreaders, and hand cranked centrifugal spreaders may be used.
- ◆ A single pass distribution is recommended. Operate the equipment in intervals corresponding to the width or swath of the spreader. For drop spreaders, overlap the wheel tracks to ensure complete coverage. Close the spreader openings when turning to change the directions or when stopping.

These diagrams show the distribution pattern of the granules and will help with your equipment calibration.



4.6 lbs. of product/1,000 sq.ft.



7.0 lbs. of product/1,000 sq.ft.

AFTER APPLICATION:

- ◆ Water, sprinkle, or irrigate the soil to ¼ to ½ inch depth. Do not flood; avoid puddling and washing. Rainfall or irrigation moves the dichlobenil into the root zone.
- ◆ If practical, shallow incorporation may increase the effectiveness of weed control. Apply and incorporate immediately after application. Avoid disturbing soil in the treated area to maintain weed control.
- ◆ If desired, spread bark, wood chips or other decorative cover over treated area after it has been watered.

WEEDS CONTROLLED:

When used as directed, this product will control annual and perennial weeds such as, but not limited to:

Annual Bluegrass	Foxtail	Redroot Pigweed
Artemesia	Gisekia	Rosarypea
Bluegrass	Groundsel	Russian Knapweed
Bull Thistle	Henbit	Russian Thistle
Camphorweed	Horsetail	Shepherdspurse
Canada Thistle	Jerusalem oak	Smartweed
Carpetweed	Goosefoot	Smooth Brome
Chickweed	Knotweed	Spanishneedles
Citronmelon	Leafy Spurge	Spurge
Climbing Milkweed	Lambsquarter	Stranglevine
Coffeeweed	Maypop	Teaweed
Crabgrass	Passionflower	Texas Panicum
Cudweed	Morningglory	Timothy
Curly Dock	Natalgrass	Wild Artichoke
Dandelion	Orchardgrass	Wild Carrot
Dogfennel	Pepperweed	Wild Mustard
Evening Primrose	Pineappleweed	Wild Radish
Falsedandelion	Plantain	Witchgrass
Fescue	Purslane	Yellow Rocket
Fiddleneck	Quackgrass	Yellow Woodsorrel
Florida Purslane (Pusley)	Ragweed	
	Red Deadnettle	

90f13

LANDSCAPE PLANTINGS:

Barrier® 2% Dichlobenil Granules is recommended for use around the established landscape ornamentals listed below: Established ornamentals are described as plants that have been planted or transplanted at least four (4) months.

Barrier® 2% Dichlobenil Granules is not recommended for flower gardens, wildflowers, foliage plants, or flowering bulbs.

Amur corktree	Filbert (Ornamental)	Mountain ash
Arborvitae	Flowering almond	Nandina
Ash	Flowering quince	Oak
Azalea ¹	Forsythia	Osmanthus (Holly-olive)
Barberry	Gardenia	Paxistima
Beauty bush	Goldenraintree	Pecan (Ornamental)
Birch	Hackberry	Photinia
Boxelder	Heather	Pine*
Boxwood	Holly (<i>Ilex</i> spp.) ²	Pittosporum
Camellia	Honeylocust	Podocarpus
Caragana	Honeysuckle	Poplar
Cleyera (<i>Cleyera japonica</i>)	Ivy (<i>Hedera helix</i>)	Privet
Cotoneaster	Juniper	Pyracantha
Cottonwood	Kinnikinnick	Rhododendron
Crabapple (Ornamental)	Laurel	Rockrose
Deutzia	Leucothoe	Rose
Dogwood	Lilac	Russian olive
Eastern red cedar	Linden	Spirea
Elm	Locust	Squawcarpet
Elwood false cypress*	Magnolia	Weigela
English walnut (Ornamental)	Maple*	Willow*
Euonymus	Mock orange	Yew (<i>Taxus</i>)
¹ Kurume hybrid azalea, Mollis hybrid azalea, hardy hybrids and hardy native species only.		
² Except <i>I. crenata</i> , <i>I. rotunda</i> , <i>I. Vomitoria</i>		
*Not for use on these species within the State of California. Pine species are sensitive to injury from Barrier® 2% Dichlobenil Granules if applied within two years after transplanting.		

USE PRECAUTIONS FOR LANDSCAPE PLANTINGS:

- ◆ Use only on the ornamental plants listed on this label. Do not apply to transplant or cutting beds of to newly set transplants, and do not seed or transplant into treated areas. Do not use in greenhouses or enclosed areas.
- ◆ Do not use on extremely light, sandy soils. Do not apply to sloping areas as runoff may occur and result in injury to lawns and other plants in adjacent areas.
- ◆ Do not exceed recommended rates as injury may occur.
- ◆ Avoid applications which will allow this product to lodge in the foliage of plants, particularly coniferous species. Do not allow this product to accumulate and be in contact with trunks at or below the soil line.
- ◆ Do not plant rotational crops, on which dichlobenil is not registered, in treated soil within one (1) year after application.
- ◆ Do not apply over snow or frozen soil.

APPLE, BLUEBERRY, CHERRY, GRAPE, AND PEAR:

Apply only to established plants which have been planted for at least four (4) months. Do not apply within three (3) months before or following grafting or budding of root stocks or planting new grafts. Wait thirty (30) days after application before harvesting stone fruits (cherry).

FOR 1.25 LBS. SHAKER CONTAINER -

- Apply 3/4 ounce of product per 10 square feet of area for annual weed control.
- Apply 1 1/8 ounce of product per 10 square feet of area for perennial weed control.

FOR CONTAINER SIZES OF 5, 10, AND 20 POUNDS -

- Apply 4.6 pounds of product per 1,000 square feet of area for annual weed control.
- Apply 7.0 pounds of product per 1,000 square feet of area for perennial weed control. Refer to the Equipment Calibration section.

Table 2. Application rates of Barrier® 2% Dichlobenil Granules for annual and perennial weed control for apple, blueberry, cherry, grape, and pear established in home gardens.

WEEDS	Pounds per 1,000 Sq.Ft.	Product Ounces per 10 Sq.Ft.	Bag Size, Pounds	Approximate Treated Area for this Bag Size, Sq.Ft.
Annual Weeds:	4.6 lbs.	3/4 oz.	5 lb.	1,100 sq.ft.
			10 lb.	2,220 sq.ft.
			20 lb.	4,400 sq.ft.
Perennial Weeds:	7.0 lbs.	1 1/8 oz.	5 lb.	715 sq.ft.
			10 lb.	1,430 sq.ft.
			20 lb.	2,860 sq.ft.

BLACKBERRY AND RASPBERRY:

FOR 1.25 LBS. SHAKER CONTAINER -

- Apply this product only to established plantings.
- Use this product before new shoots emerge in the spring. Apply 3/4 ounce of product per 10 square feet of area.

FOR CONTAINER SIZES OF 5, 10, AND 20 POUNDS -

- Apply this product only to established plantings.
- Use this product before new shoots emerge in the spring. Apply 4.6 pounds of product per 1,000 square feet of area for annual and perennial weed control. Refer to the Equipment Calibration section.

Table 3. Application rates of Barrier® 2% Dichlobenil Granules for annual and perennial weed control in blackberry and raspberry establishment in home gardens.


WEEDS	Pounds per 1,000 Sq.Ft.	Product Ounces per 10 Sq.Ft.	Bag Size, Pounds	Approximate Treated Area for this Bag Size, Sq.Ft.
Annual and Perennial Weeds:	4.6 lbs.	3/4 oz.	5 lb.	1,100 sq.ft.
			10 lb.	2,220 sq.ft.
			20 lb.	4,400 sq.ft.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.




12 of 13

APPENDIX - Supplemental advertising that may be offered to end users.


Barrier® 2% Dichlobenil Granules with its preemergent action is ideal for vegetation control under mulch or bark, around roses and ornamentals, or in flagstone and gravel walkways. It works its way down to the soil and forms a vapor barrier which provides season-long weed control.

1. This remarkable herbicide of razor-thin crystals is uniquely processed to make a precise granule.




2. Granules are spread on soil surface. Rainfall, irrigation, or shallow incorporation moves the herbicide into the root zone. Because of soil adsorption, lateral movement is minimal.

3. Temperature and soil moisture activate the barrier crystals and they begin to form a herbicide barrier. This continues for an entire growing season, and the spent crystals disappear.



4. In this vapor barrier no plant cell division can occur. Seeds trying to germinate in the barrier will die. Sprouts below this zone will be killed as they try to penetrate the barrier.



5. Existing vegetation such as shallow-rooted grasses, and annual weeds in this barrier will likewise be affected and die after two to three weeks.



6. Certain perennial weeds coming out of dormancy and attempting new growth within the treated barrier will run into the same dead end: they will be killed by the vapor.



7. Woody ornamentals, shrubs and trees that have deep roots extending well below the treated zone are tolerant to the soil applications of Barrier® 2% Dichlobenil Granules.



• **How Can Barrier® 2% Dichlobenil Granules Help You?**

You spent a lot of time and money putting in those shrubs and you expect your ornamental beds to improve the appearance of your house and increase its value. Besides looking awful, weeds rob your plants of nutrients, water, and even sunlight. They are hard to dig out and come back again and again.

Your time is better spent enjoying the yard than maintaining it.

Barrier® 2% Dichlobenil Granules stop weeds and grasses before they get started and ends hand-weeding chores.

Barrier® 2% Dichlobenil Granules - the long lasting and economical solution to ornamental weed control.

130A13

- How Do Barrier® 2% Dichlobenil Granules Work?

Barrier® 2% Dichlobenil Granules are spread over the soil surface and are activated by moisture in the soil and by watering after application. Once activated, Barrier® 2% Dichlobenil Granules form a 'gas blanket' just beneath the soil surface. This herbicide layer remains in undisturbed soil for 6 to 8 months.

The herbicide in Barrier® 2% Dichlobenil Granules is absorbed by actively growing roots and shoots which enter this active layer. Once it is absorbed, growth stops and the root or germinating seedling gradually dies.

- Why Apply Barrier® 2% Dichlobenil Granules In The Fall?

Apply Barrier® 2% Dichlobenil Granules in the fall to get extended weed control of many grasses plus hard-to-kill perennials.

An application of Barrier® 2% Dichlobenil Granules in October or November gives control of weeds throughout the winter and is still active for that flush of weed seed germination in the spring. A year's worth of weeding with only one treatment!

Fall application is also the best time to get the upper hand on those tough perennial weeds such as thistle, horsetail, field morningglory, dock, and dandelion.

Apply as directed on label. If fall rains are expected - let Nature do the watering.

