

(Front Panel)

TRIMEC(R) LIQUID WEED & FEED

15 - 0 - 0

Contains TRIMEC(R) Turf Herbicide

- KEEP FROM FREEZING -

1 QUART COVERS UP TO 5,000 SQ. FT.

TRIMEC
3217-60

KILLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on the side panel.

The fast, easy way to weed control and fertilize your lawn.

No Spreading - No Complicated Mixing -
Just attach to a garden hose & spray.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid.....	5.670%	✓
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	2.736%	✓
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.619%	✓
<u>INERT INGREDIENTS</u>	90.975%	
TOTAL	100.00%	✓

This Product Contains:

- *0.44 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 4.711%
- **0.211 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 2.261%.
- ***0.048 lb. Dicamba (3,6-dichloro-o-anisic acid) per gallon or 0.514%

KEEP OUT OF REACH OF CHILDREN ← 14 pt. bold
 CAUTION ← 18 pt. bold

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

TRIMEC(R) is a registered trademark of PBI/Gordon Corporation.

U.S. Patent No. 3,284,186.

NET CONTENTS ONE QUART

BEST DOCUMENT AVAILABLE

SIMPLE
MEASURING
GUIDE

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL
PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

1000

sq.ft.coverage

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals):

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops get medical attention. Avoid contamination of food or feedstuffs.

2000

sq.ft.coverage

Environmental Hazards:

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

3000

sq.ft.coverage

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

4000

sq.ft.coverage

STORAGE & DISPOSAL ← 14 pt. bold

Do not store near food or feedstuffs. Do not store near fertilizers, seeds, insecticides or fungicides. Do not reuse empty container. Wrap and put in trash collection.

5000 sq.ft.
coverage when
empty.

OTHER USE PRECAUTIONS:

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the

4000

sq.ft.coverage

5000 sq.ft.
coverage when
empty.

STORAGE & DISPOSAL ← 14 pt. bold

✓ Do not store near food or feedstuffs. Do not store near fertilizers, seeds, insecticides or fungicides. Do not reuse empty container. Wrap and put in trash collection.

OTHER USE PRECAUTIONS:

✓ Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85°F. Seed can be safely sown 3-4 weeks after application. Do not contaminate domestic or irrigation waters. Do not use on carpetgrass, dichondra, St. Augustine, Centipede, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species.

WHERE TO USE: TRIMEC(R) LIQUID WEED & FEED may be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition TRIMEC(R) LIQUID WEED & FEED controls most other broadleaf weeds, including sensitive weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantain. A partial list is given on this label.

WHEN TO USE:


1. Spray at any time during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolens down in the bare spots.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow 1 to 2 days before treating.
5. Do not water lawn within 24 hours after treatment.

HOW TO USE:

SHAKE WELL BEFORE USING.

*Connect spray nozzle to garden hose; remove safety cap from container, attach tube to tube top and insert tube section. Attach container to end of nozzle.

*Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC(R) LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this liquid has been used.)



WEEDS CONTROLLED:

BEDSTRAW	KNOTWEED	RAGWEED
BLACK MEDIC	LAMBSQUARTER	SHEEP SORREL
BUCKHORN	LESPEDEZA	SHEPHERD'S PLRSE
BURDOCK	MALLOW	SPEEDWELL
CHICORY	MORNING GLORY	SPURGE
CHICKWEED	OXALIS	THISTLE
CLOVER	PEPPERGRASS	WILD CARROT
DANDELION	PIGWEEED	WILD GARLIC
DOCK	PLANTAINS	WILD LETTUCE
GROUND IVY	POISON IVY	WILD ONION
HEAL-ALL	POISON OAK	YARROW
HENBIT	PURSLANE	

FERTILIZER GUARANTEE

Total Nitrogen (not less than).....15%
Available Phosphoric Acid0%
Soluble Potash.....0%

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, seller makes no claims other than those stated on this label.

803/782

EPA REG. NO. 2217-
EPA EST. NO. 2217-KS-1

Mfd. by PBI/Gordon Corporation
Kansas City, Kansas 66118

