

PN 23

2217-681

176

TRIMEC(R) LIQUID WEED & FEED 15-0-0

AFTER

Contains TRIMEC(R) Turf Herbicide

— KEEP FROM FREEZING —

1 QUART COVERS UP TO 5,000 SQ. FT.

OR

2 QUARTS COVERS UP TO 10,000 SQ. FT.

KILLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on the outside of box.

The fast, easy way to weed control and fertilize your lawn. No Spreading — No Complicated Mixing

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	5.670%
** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.736%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.619%
INERT INGREDIENTS	90.975%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- * 0.440 lb. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 4.711%
- ** 0.211 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 2.261%
- *** 0.048 lb. Dicamba (3,6-dichloro-o-anisic acid equivalent per gallon or 0.514%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

TRIMEC(R) is a registered trademark of PBI/GORDON CORPORATION.

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS 5 OZ)
OR NET CONTENTS TWO QUARTS (NET WEIGHT: 4 LBS 10 OZ)

803/590 AP
EPA REG. NO. 2217-681
EPA EST. NO. 2217-KS-1
Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, KS 66118

ACCEPTED

OCT 1 1990

Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under EPA Reg. No. 2217-681

BEST AVAILABLE COPY

2 of 6

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. When handling this product, wear chemical resistant gloves. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops get medical attention. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides, or seeds.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85°F. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, Dichondra, St. Augustine, Centipede, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species.

BEST AVAILABLE COPY

GUARANTEED ANALYSIS

Total Nitrogen (N), Not less than 15.00%
15% Urea Nitrogen -- Derived from Urea

OPTION A OR B TO BE USED DEPENDING ON THE SUBREGISTRATION

OPTION (A)

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies 0.069 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local Agricultural Extension agent for the proper amount of nitrogen to be applied in your area.

OPTION (B)

Liquid Weed & Feed should be supplemented by Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions concerning a regular fertilizer program.

WHERE TO USE:

LIQUID WEED & FEED may be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition LIQUID WEED & FEED controls most other broadleaf weeds, including sensitive weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantain.

WHEN TO USE:

1. Spray at any time during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow 1 to 2 days before treating.
5. Do not water lawn within 24 hours after treatment.

HOW TO USE:

SHAKE WELL BEFORE USING.

OPTIONS C thru K (ONE TO BE USED DEPENDING ON LABEL)

OPTION (C)

Connect spray nozzle to Garden hose; remove safety cap from container; attach tube to applicator and insert tube section.



4 of 6

Attach container to end of nozzle. Turn on water; place finger over hole on right side of nozzle and proper ratio of LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly.

OPTION (D)

This half-gallon package is intended as a refill for the quart hose-end sprayer applicator/container of LIQUID WEED & FEED. However, this product may be used in any hose-end sprayer in which herbicides have been used.

Add LIQUID WEED & FEED to the hose-end sprayer jar. DO NOT ADD WATER TO THE JAR. Shake jar well. One-half gallon will fill your quart hose-end sprayer twice. One quart covers 5,000 square feet. One-half gallon will cover up to 10,000 square feet.

OPTION (E)

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

OPTION (F)

1. Attach garden hose to connector on dispenser.
2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
3. Remove both parts of separated lock ring.
4. Turn arrow on activator switch to OFF position.
5. Push activator switch securely down against top of sprayer. This will pierce the safety seal inside the dispenser.
6. To begin spraying, turn on water and then move activator switch to the ON position.
7. To stop dispensing the product, turn off water.

OPTION (G)

1. Connect spray nozzle to garden hose. Be sure that valve is in "OFF" position.
2. Remove bottle cap and screw bottle onto nozzle. Turn on water.
3. Turn valve to "ON" position to start flow of water. Use valve to shut off flow of water at any time.

576

OPTIONS H OR I (ONE TO BE USED DEPENDING ON PACKAGING USED)

OPTION H

Check handy measuring guide to determine remaining area to be covered.

OPTION I

Check handy measuring guide to see how much of this liquid has been used.

OPTION J to be used on label for 1/2 gallon (2 quart) container

HOW TO USE: 1)SHAKE WELL BEFORE USING. 2)Unscrew the cap from this container and carefully remove the foil seal. 3)Fill the hose-end sprayer jar with the amount of product specified in the chart below. DO NOT DILUTE THIS PRODUCT WITH WATER when filling the sprayer jar. 4)Attach the sprayer to garden hose. 5)Turn water on at full volume. 6)Hold the sprayer at waist level with the nozzle pointed away from the face and body. 7)Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

OPTION K to be used on label for 1 quart container


HOW TO USE: 1)SHAKE WELL BEFORE USING. 2)Connect spray nozzle to garden hose. 3)Remove white cap from bottle and screw bottle into the spray nozzle. 4)Turn the black "on-off" lever to the "off" position by turning to the right, turn water on full volume. 5)Hold the sprayer at waist level with nozzle pointed away from the face and body. 6)To spray, turn the black "on-off" lever to the center "on" position. 7)Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

WEEDS CONTROLLED

Bedstraw
Black Medic
Buckhorn
Burdock
Chicory
Chickweed
Clover
Dandelion
Dock
Ground Ivy
Heal-All
Henbit

Knotweed
Lambsquarter
Lespedeza
Mallow
Morningglory
Oxalis
Peppergrass
Pigweed
Plantains
Poison Ivy
Poison Oak
Purslane

Ragweed
Sheep Sorrel
Shepherdspurse
Speedwell
Spurge
Thistle
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Yarrow



TRIMEC^(R) LIQUID WEED & FEED 15-0-0

Contains TRIMEC^(R) Turf Herbicide

— KEEP FROM FREEZING —

1 QUART COVERS UP TO 5,000 SQ. FT.
OR
2 QUARTS COVERS UP TO 10,000 SQ. FT.

KILLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on the outside of box.

The fast, easy way to weed control and fertilize your lawn.
No Spreading — No Complicated Mixing

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	5.670%
** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.736%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.619%
INERT INGREDIENTS	90.975%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- * 0.440 lb. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 4.711%
- ** 0.211 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 2.261%
- *** 0.048 lb. Dicamba (3,6-dichloro-o-anisic acid equivalent per gallon or 0.514%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT


In case of contact, wash skin with plenty of soap and water; For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION.

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS 5 OZ)
OR NET CONTENTS TWO QUARTS (NET WEIGHT: 4 LBS 10 OZ)

803/590 AP
EPA REG. NO. 2217-681
EPA EST. N. 2217-KS-1
Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, KS 66118



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. When handling this product, wear chemical resistant gloves. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops get medical attention. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides, or seeds.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85°F. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, Dichondra, St. Augustine, Centipede, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species.



GUARANTEED ANALYSIS

Total Nitrogen (N), Not less than 15.00%
15% Urea Nitrogen -- Derived from Urea

OPTION A OR B TO BE USED DEPENDING ON THE SUBREGISTRATION

OPTION (A)

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies 0.069 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local Agricultural Extension agent for the proper amount of nitrogen to be applied in your area.

OPTION (B)

Liquid Weed & Feed should be supplemented by Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions concerning a regular fertilizer program.

WHERE TO USE:

LIQUID WEED & FEED may be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition LIQUID WEED & FEED controls most other broadleaf weeds, including sensitive weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantain.

WHEN TO USE:

1. Spray at any time during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow 1 to 2 days before treating.
5. Do not water lawn within 24 hours after treatment.

HOW TO USE:

SHAKE WELL BEFORE USING.

OPTIONS C thru K (ONE TO BE USED DEPENDING ON LABEL)

OPTION (C)

Connect spray nozzle to Garden hose; remove safety cap from container; attach tube to applicator and insert tube section.



436

Attach container to end of nozzle. Turn on water; place finger over hole on right side of nozzle and proper ratio of LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly.

OPTION (D)

This half-gallon package is intended as a refill for the quart hose-end sprayer applicator/container of LIQUID WEED & FEED. However, this product may be used in any hose-end sprayer in which herbicides have been used.

Add LIQUID WEED & FEED to the hose-end sprayer jar. DO NOT ADD WATER TO THE JAR. Shake jar well. One-half gallon will fill your quart hose-end sprayer twice. One quart covers 5,000 square feet. One-half gallon will cover up to 10,000 square feet.

OPTION (E)

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

OPTION (F)

1. Attach garden hose to connector on dispenser.
2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
3. Remove both parts of separated lock ring.
4. Turn arrow on activator switch to OFF position.
5. Push activator switch securely down against top of sprayer. This will pierce the safety seal inside the dispenser.
6. To begin spraying, turn on water and then move activator switch to the ON position.
7. To stop dispensing the product, turn off water.

OPTION (G)

1. Connect spray nozzle to garden hose. Be sure that valve is in "OFF" position.
2. Remove bottle cap and screw bottle onto nozzle. Turn on water.
3. Turn valve to "ON" position to start flow of water. Use valve to shut off flow of water at any time.

OPTIONS H OR I (ONE TO BE USED DEPENDING ON PACKAGING USED)

OPTION H

Check handy measuring guide to determine remaining area to be covered.

OPTION I

Check handy measuring guide to see how much of this liquid has been used.

OPTION J to be used on label for 1/2 gallon (2 quart) container

HOW TO USE: 1)SHAKE WELL BEFORE USING. 2)Unscrew the cap from this container and carefully remove the foil seal. 3)Fill the hose-end sprayer jar with the amount of product specified in the chart below. DO NOT DILUTE THIS PRODUCT WITH WATER when filling the sprayer jar. 4)Attach the sprayer to garden hose. 5)Turn water on at full volume. 6)Hold the sprayer at waist level with the nozzle pointed away from the face and body. 7)Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

OPTION K to be used on label for 1 quart container

HOW TO USE: 1)SHAKE WELL BEFORE USING. 2)Connect spray nozzle to garden hose. 3)Remove white cap from bottle and screw bottle into the spray nozzle. 4)Turn the black "on-off" lever to the "off" position by turning to the right, turn water on full volume. 5)Hold the sprayer at waist level with nozzle pointed away from the face and body. 6)To spray, turn the black "on-off" lever to the center "on" position. 7)Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

WEEDS CONTROLLED

Bedstraw
Black Medic
Buckhorn
Burdock
Chicory
Chickweed
Clover
Dandelion
Dock
Ground Ivy
Heal-All
Henbit

Knotweed
Lambsquarter
Lespedeza
Mallow
Morningglory
Oxalis
Peppergrass
Pigweed
Plantains
Poison Ivy
Poison Oak
Purslane

Ragweed
Sheep Sorrel
Shepherdspurse
Speedwell
Spurge
Thistle
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Yarrow

6/6

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions, Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.