TRIMEC(R) 900 HERBICIDE

FOR SALE TO, USE AND STORAGE BY, PROFESSIONAL TURF MAJETANCE PERSONNEL ONLY.

KILLS: Dandelion, Chickweed, Knotweed, Plantains, Cocklebur Thistles and many other species of broadleaf weeds; some of which are listed on this label.

- KEEP FROM FREEZING -

th con

ACTIVE INGREDIENTS:

This Product Contains:

*2.32 lbs. 2-Methyl-4-chlorophenoxyacetic acid per gallon or 24.17

**1.04 lbs. 2-12-methyl-4-chlorophenoxy) propionic acid per gallon or 10.83%.

***0.52 lbs. 3.6-dichloro-o-anisic acid per gallon or 5.42%

TRIMEC(R) is a registered trademark of PBI/Gordon Corporation

Act and Aut

TOTAL

100.007 973%

KEEP OUT OF REACH OF CHILDREN ← 14 vol. bold

DANGER - 18 pt. Noold

Statement of Practical Treatment

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply respiration-if indicated.

If On Skin: Wash promptly with soap and water. Rinse thoroughly. IF irritation develops, get medical attention.

If In Eves: Immediately flush with plenty of water for 15 minutes. Consult a physician immediately.


NOTE: Washing of eyes is considered normal first aid procedure. In animal studies with this product, washing of eyes has shown to be of doubtful value. Therefore, extreme care should be taken to avoid eye contact. If eye contact occurs, a phys mian should be consulted without delay.

See side panels for additional precautionary statements.

U.S. Patent No. 3,284,186.

L

NET CONTENTS: ONE U.S. GALLON



PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear goggles, face shield, or safety glasses and rubber gloves when handling. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wash thoroughly after handling.

Environmental Hazards

Do not apply directly to any body of water. Do not apply when weather conditions favor drift away from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Hod. Lg-11 ->

- KEEP FROM FREEZING -

<u>Prohibitions</u>: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides or seeds.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation & Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, or dispose of in a sanitary landfill, or by other approved State and local procedures.

USE PRECAUTIONS/BROADLEAF WEEDS IN ORNAMENTAL LAWNS & TURF

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on carpetgrass, dichondra, St. Augustine, bentgrasses, nor on lawns or turf where desirable clovers are present. Use only lawn-type sprayers. Avoid fine sprays; coarse sprays are less likely to wind-drift. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 85 degrees F. Seed can be sarely sown 3 to 4 weeks after application. After using this product, clean sprayer with soap or detergent and rinse thoroughly before using other pesticides in it.

900/782

EPA REG. NO. 2217-EPA EST. NO. 2217-KS-1



ORNAMENTAL LAWNS & TURFS (cool season grasses other than Bentgrass)

Maximum kill of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid spraying during long, excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours after application. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at recommended rates. Do not use on dichondra, carpetgrass, or St. Augustine grass.

GENERAL APPLICATION: Apply at the rate of 2 to 3 pints in 20 to 240 gallons of water per acre (3/4 oz. to 12 oz. in 1 to 4 gallons of water per 1,000 square feet). Use higher rates when using the higher volume of water per acre.

WEEDS CONTROLLED:

Bindweed Knotweed Plantain Carpetweed Kochia Ragweed Chickweed Lambsquarters Sheperdspurse Cocklebur Mustards Thistles Dandelion Nettle, stinging Wild carrot Wild radish Dock Pigweed Goldenrod

WARRANTY:

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty, nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

	LEDA BE STONE AND	11.75 05 155 155
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (#18-567) MASHINGTON C.C. 1046	EPA RE STRATION NO.	TATE OF ISSUANCE
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: HE GISTRAT IN	HAME OF PESTICIOE PROCUC	<u> </u>
(Under the Federal Insecticide, Fundreide, and Rodentielde Act, a an ended,		
AME AND ADDRESS OF HEGISTRANT (Include ZIP code)	·_ 	
-	٦	
L		
	·	
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Diversion proproductalways refer to the above U.S. EPA registration on numbers.	or o use of the label in commerc	n with this registration must be e. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	e above named posticide is here!	ov Registered/Reregistered under
A copy of the labeling accepted in connection with this R	egistration/Reregistration is rep	urned herewith.
Registration is in no way to be construed as an indorseme health and the environment, the Administrator, on his motificide in accordance with the Act. The acceptance of any ract is not to be construed as giving the registrant a right by others.	on, may at any time suspend or connection with the regis	cancel the registration of a pest- tration of a product under this
<i>,</i>		
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
		ſ

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

•