



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Corrosive Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear goggles, face shield, or safety glasses and rubber gloves when handling. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wash thoroughly after handling.

Statement of Practical Treatment

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply respiration if indicated.

If On Skin: Wash promptly with soap and water. If irritation develops, get medical attention.

If In Eyes: Immediately flush with plenty of water for 15 minutes. Consult a physician immediately.

NOTE: Washing of eyes is considered normal first aid procedure. In animal studies with this product, washing of eyes has shown to be of doubtful value. Therefore, extreme care should be taken to avoid eye contact. If eye contact occurs, a physician should be consulted without delay.

Environmental Hazards

Do not apply directly to any body of water. Do not apply when weather conditions favor drift away from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Storage: Store in original container in a locked storage area. Keep from freezing. To avoid cross-contamination, do not store near other pesticides, fertilizers, or seeds.

Product Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill.



USE PRECAUTIONS:

Avoid drift or spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on carpetgrass, dichondra, St. Augustine, bentgrasses, nor on lawns or turf where desirable clovers are present. Use only lawn-type sprayers. Avoid fine sprays; coarse sprays are less likely to wind-drift. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 85 degrees F. Seeds can be safely sown 3 to 4 weeks after application. After using this product, clean sprayer with soap or detergent and rinse thoroughly before using other pesticides in it.

ORNAMENTAL LAWNS & TURFS

(cool season grasses other than Bentgrass) Maximum kill of weeds will be obtained from spring early fall applications when weeds are actively growing. Avoid spraying during long, excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours after application. Do not apply to newly sown turf until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at recommended rates. Do not use on dichondra, carpetgrass, or St. Augustine grass.

GENERAL APPLICATION:

Apply at the rate of 3 to 4 pints in 20 to 240 gallons of water per acre (1.2 to 1.5 oz. in 1 to 4 gallons of water per 1,000 square feet). Use higher rates when using the higher volume of water per acre.

WEEDS CONTROLLED:

Burdock	Knotweed	Plantain
Carpetweed	Kochia	Ragweed
Chickweed	Lambquarters	Shepherd's Purse
Cocklebur	Mustards	Thistles
Dandelion	Nettle, stinging	Wild Carrot
Dock	Pigweed	Wild Radish
Goldenrod		

WARRANTY:

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for those uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty, nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

900/1B6

EPA REG. NO. 2217 693

EPA EST. NO. 2217-KS-1

TRIMEC® 900 BROADLEAF HERBICIDE

**FOR SALE TO, USE AND STORAGE BY,
PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY.**

KILLS: Dandelion, Chickweed, Knotweed, Plantains, Cocklebur, Thistles and many other species of broadleaf weeds; some of which are listed on this label.

— KEEP FROM FREEZING —

ACTIVE INGREDIENTS:

'Diethanolamine Salt of 2-methyl-4-chlorophenoxyacetic acid	19.25%
'Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	15.47%
"Diethanolamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	8.63%
"Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	7.01%
"Diethanolamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	1.95%
"Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)59%
TOTAL	46.10%

INERT INGREDIENTS

THIS PRODUCT CONTAINS:

- 2.4 lbs. 2-methyl-4-chlorophenoxyacetic acid per gallon or 25.26%.
- 1.1 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 11.58%.
- 0.25 lbs. 3,6-dichloro-o-anisic acid per gallon or 2.63%.

TRIMEC® is a registered trademark of PB/Gordon Corporation
U.S. Patent No. 3,284,186.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panels for additional precautionary statements and Statement of Practical Treatment.

