

REED
 with comments
 OCT 21 1982
 EPA Reg. No. 2217-694

TRIMEC® 899

BROADLEAF HERBICIDE

FOR SALE TO, USE AND STORAGE BY
 PROFESSIONAL TURF MAINTENANCE
 PERSONNEL ONLY.

KILLS: Dandelion, Knotweed, Henbit, Chick-
 weed, Plantain, Spurge, and many other broad-
 leaf weeds; some of which are listed on this
 label.

ONE GALLON COVERS UP TO 3½ ACRES.
KEEP FROM FREEZING

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	30.56%
Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.32%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	2.72%
INERT INGREDIENTS	50.33%
TOTAL	100.00%

This product Contains:

- 7.44 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 25.36%
- 1.91 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 13.50%
- 0.22 lb. 3,6-dichloro-o-anisic acid per gallon or 2.30%

*Nomenclature by AOAC Method 6 (1955)

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of First Aid Treatment

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.
If On Skin: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.
If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.
If Inhaled: Remove victim to fresh air and apply respiration if indicated.

U.S. Patent No. 3,284,185

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

NET CONTENTS 55 U.S. GALLONS

BEST DOCUMENT AVAILABLE

2217-694



READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS
AND FOLLOW
DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals
DANGER: Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed.

Environmental Hazards

Do not apply directly to water except as directed on labeling. Do not apply when conditions favor drift away from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

KEEP FROM FREEZING

Precautions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides.

Pesticide Disposal: Pesticide, spray mixture or waste that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation & Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, or dispose of in a sanitary landfill or by other approved State and local procedures.

USE PRECAUTIONS:

Avoid drift of spray mist to vegetables, flowers, ornamentals, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Do not spray on carpet, grass, orchards, nor on lawns or turf where desirable clovers are present. Use only fan-type sprayers. Coarse sprays are less likely to "wind-drift." Use coarse spray droplets. Avoid fine mists. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area, particularly careful within the droplines of trees and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 85°F. Seed can be injury soon 3 to 4 weeks after application at recommended rate. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

EPA REG. NO. 2217-
EPA EST. NO. 2217-KS-1
899/982



BEST DOCUMENT AVAILABLE

TRIMEC CONTROLS:

Redtop
Black Medic
Buckhorn
Burdock
Chicory
Chickweed
Clover
Dandelion
Dock
Ground Ivy
Heal-All
Henbit
Hempseed
Lambquarters
Lespedeza
Mallow
Morning Glory
Peppergood
Pigweed
Plantain
Puncture Vine
Ragwort
Sheep Sorrel
Shepherd's Purse
Speedwell
Spurge
Wild Carrot
Wild Garlic
Wild Lemnace
Wild Onion
Yarrow

WARRANTY:

This manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty, the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

ORNAMENTAL LAWNS & TURF (Instructions):

Apply TRIMEC at the rate of 2.3 to 4 pints per acre in sufficient water for adequate coverage. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra and carpetgrass.

APPLICATION TYPE

DIRECTIONS

Professional
Lawn
Maintenance:

Use 2.3 to 2.7 pints per acre, (.84 to 1 oz. per 1,000 sq.ft.) at application rate of 1 to 3 gallons of solution spray per 1,000 sq.ft.
Use 2.5 to 3 pints per acre, (.92 to 1.1 oz. per 1,000 sq.ft.) at application rate of 4 to 5 gallons of solution spray per 1,000 sq.ft.

Mature Weeds:

Use 3.25 to 4 pints per acre when controlling mature weeds.

Controlled
droplet
applicator:

Reduced rates of TRIMEC 899 must be used when grass is stressed from heat, drought, etc. Do not use on warm season grasses. Add 2 pints TRIMEC 899 to the Herbi container then fill with 3 pints of water. Spray entire contents over 31,000 sq.ft. (approx. 1/4 acre). Do not overlap between spray patterns.

St. Augustine
Grass:

Apply TRIMEC 899 at 2.3 pints in up to 50 gallons of water per acre (1.2 oz. TRIMEC 899 in 5 gallons water per 1,500 square feet). Do not spray St. Augustine if grass is stressed from heat, drought, etc. Slight turf yellowing should disappear after about one week.

Bentgrass:

On closely mowed bentgrass (putting and bowling greens) apply TRIMEC 899 at a maximum rate of one fluid ounce in 5 gallon water per 1,500 sq.ft. preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE:

Care should be taken to avoid overdosing bentgrass and St. Augustine grass or injury may result. Large volumes of spray water (i.e. one fluid ounce in 5 gallons water per 1,500 square feet) will aid in obtaining uniform coverage. If hand type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local over application and subsequent turf discoloration or injury.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (777-367) WASHINGTON, D.C. 20460	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">EPA REGISTRATION NO.</td> <td style="width: 50%;">DATE OF ISSUANCE</td> </tr> <tr> <td>2217-004</td> <td>OCT 21 1982</td> </tr> <tr> <td colspan="2">TERM OF ISSUANCE</td> </tr> <tr> <td colspan="2">1 YEAR</td> </tr> <tr> <td colspan="2">NAME OF PESTICIDE PRODUCT</td> </tr> <tr> <td colspan="2">NITROGEN FERTILIZER</td> </tr> </table>	EPA REGISTRATION NO.	DATE OF ISSUANCE	2217-004	OCT 21 1982	TERM OF ISSUANCE		1 YEAR		NAME OF PESTICIDE PRODUCT		NITROGEN FERTILIZER	
EPA REGISTRATION NO.	DATE OF ISSUANCE												
2217-004	OCT 21 1982												
TERM OF ISSUANCE													
1 YEAR													
NAME OF PESTICIDE PRODUCT													
NITROGEN FERTILIZER													
NOTICE OF PESTICIDE: ☒ REGISTRATION ☐ REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)													
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) PRI/Morton Corporation P. O. Box 3000 1217 East 12th Street Kansas City, MO 64101													
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.													
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA Act. (c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA Act, (c)(7) when the Agency requests all or part of such data to submit such data. 2. Change the label below before you release the product for shipment: a. Add the phrase "EPA Registration No. 2217-004." b. Change the one-half pound per acre application rate to 1 pound per acre. c. Under directions, change to 1000 ppm (0.1% concentration) over 10,000 ppm (1% concentration) 375 ppm (0.0375% concentration). Please verify that you are under the nitrogen fertilizer law as in the case of all fertilizers and containing or containing a nitrogen fertilizer. 3. Submit data (b) report of your test results for the product you report the product for shipment. (c) report of your test results for the product you report the product for shipment. ☐ ATTACHMENT IS APPLICABLE													
SIGNATURE OF APPROVING OFFICIAL OCT 21 1982													

EPA Form 8570-4 (Rev. 9-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

BEST DOCUMENT AVAILABLE

2317-694

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

BEST DOCUMENT AVAILABLE