

Mr. Ronald D. Wilson
FBI/Gordon Corporation
P.O. Box 4090
Kansas City, MO 64101

APR 20 1988

Dear Mr. Wilson:

Subject: Revised Labeling
Trimac 899 Broadleaf Herbicide
EPA Registration No. 2217-694
Your Submission Dated April 6, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As labels are printed:

1. Add the ENVIRONMENTAL HAZARDS and STORAGE AND DISPOSAL statements to the container label.
2. Under ENVIRONMENTAL HAZARDS, change the two sentences to read "Do not apply directly to water" ^{and} "Do not contaminate water when disposing of equipment washwaters."

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

11290:I:Mountfort:ME-11:KENCO:4/16/88:4/26/88:CB:EK:CS:VO:CB:VO:EK:CB

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

293



TRIMEC[®] 899

BROADLEAF HERBICIDE



KILLS: Dandelion, Knotweed, Henbit, Chickweed, Plantain, Spurge, and many other broadleaf weeds, some of which are listed on the accompanying label booklet.

ONE GALLON COVERS UP TO 3 1/2 ACRES — KEEP FROM FREEZING

ACTIVE INGREDIENTS:

**Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	30.56%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.34%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	2.77%
INERT INGREDIENTS	50.33%
TOTAL	100.00%

This Product Contains:
 *2.44 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 25.38%.
 **1.30 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 13.50%.
 ***0.22 lb. 3,6-dichloro-o-anisic acid per gallon or 2.30%.
 Isomer Specific by AOAC Method 6.D01-5.

899-267
 EPA REG. NO. 2217-694
 EPA EST. NO. 2217-KS-1



KEEP OUT OF REACH OF CHILDREN
DANGER
PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals
DANGER — Corrosive, causes eye damage and skin irritation. Do not get into eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed.
 Statement of Practical Treatment
 If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.
 If On Skin: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.
 If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.
 If Inhaled: Remove victim to fresh air and apply respiration if indicated.

TRIMEC[®] is a registered trademark of PBI/GORDON CORPORATION.

See Accompanying Label Booklet for Additional Precautionary Statements, Storage & Disposal, and Directions For Use.

NET CONTENTS 2 1/2 U.S. GALLONS (9.46 liters)

ACCEPTED
with COMMENTS
 In EPA Letter Dated:
APR 20 1988
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
2217-694

BEST AVAILABLE COPY

Mature Weeds: Use 2.25 to 4 pints per acre when controlling mature weeds.

Controlled droplet applicator: Reduced rates of TRIMEC 899 must be used when grass is stressed from heat, drought, etc. Do not use on warm season grasses. Add 2 pints TRIMEC 899 to the Herb container, then fill with 3 pints of water. Spray entire contents over 33,000 sq. ft. (approx. 1/2 acre). Do not overlap between spray patterns.

St. Augustine Grass: Apply TRIMEC 899 at 2.3 pints in up to 150 gallons of water per acre (1.2 oz. TRIMEC 899 in 5 gallons water per 1,500 square feet). Do not spray St. Augustine if grass is stressed from heat, drought, etc. Slight turf yellowing should disappear after about one week.

Bentgrass: On closely mowed bentgrass (putting and bowling greens) apply TRIMEC 899 at a maximum rate of one fluid ounce in 5 gallons water per 1,500 sq. ft. — preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE:

Care should be taken to avoid overdoing bentgrass and St. Augustine grass or injury may result. Large volumes of spray (i.e. one fluid ounce in 5 gallons water per 1,500 square feet) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local over-application and subsequent turf discoloration or injury.

WARRANTY.

The manufacturer warrants that the chemical composition conforms to the ingredients statement given on the label and that the product is suited for the intended uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

800/287
EPA REG. NO. 2217-894
EPA REG. NO. 2217-K8-1



ACTIVE INGREDIENTS:

**Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	30.56%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.34%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-arsic acid)	2.77%
INERT INGREDIENTS	50.33%
TOTAL	100.00%

This Product Contains:

- *2.44 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 25.38%.
- **1.30 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 13.50%.
- ***0.22 lb. 3,6-dichloro-o-arsic acid per gallon or 2.30%.
- *Isomer Specific by AOAC Method 8 D01-6.



READ THE ENTIRE LABEL FIRST. OBSERVE ALL USE PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals
DANGER: Corrosive, causes eye damage and skin irritation. Do not get into eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed.

Statement of Practical Treatment
If in Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.
If on Skin: Wash promptly with soap and water. Rinse thoroughly if irritation develops, get medical attention.
If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.
If Inhaled: Remove victim to fresh air and apply respiration if indicated.

Environmental Hazards

Do not apply directly to water except as directed in labeling. Do not apply when weather conditions favor drift away from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Storage: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near other herbicides, fertilizers, insecticides, fungicides, or near seeds.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or sludge is a violation of Federal Law if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

USE PRECAUTIONS:

Avoid drift of spray mist to vegetables, flowers, ornamentals, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Do not spray on carpetgrass, dichondra nor on lawn or turf where desirable clovers are present. Use only lawn type sprayers. Coarse sprays are less likely to "wind drift." Use coarse spray droplets. Avoid fine mists. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful with the dripline of tree and other ornamental species. Do not spray to newly seeded grasses until well established. Do not spray



TRIMEC 899
BROADLEAF HERBICIDE

KILLS: Dandelion, Knotweed, Henbit, Chickweed, Plantain, Spurge, and many other broadleaf weeds, some of which are listed in this booklet.

ONE GALLON COVERS UP TO 3 1/2 ACRES
KEEP FROM FREEZING

KEEP OUT OF REACH OF CHILDREN
DANGER
See label panels for Precautionary Statements and Statement of Practical Treatment.

TRIMEC is a registered trademark of GORDON CORPORATION.

This labeling must be in the possession of the user at the time of application.

when air temperature exceeds 85°F. Seed can be set 3 to 4 weeks after application at recommended rate. After this product, clean sprayer with soap or detergent and rinse thoroughly before applying other pesticides. Observe the above precautions may result in injury.

TRIMEC CONTROLS:

Dandelion	Henbit	Purslane
Black Muck	Knotweed	Hyssop
Chickweed	Lordsburg	Sheep Sorrel
Duckweed	Leopards	Shepherd's
Chickweed	Mallow	Speedwell
Chickweed	Morning Glory	Spurge
Chickweed	Purplegrass	Wild Carrot
Chickweed	Hyssop	Wild Garlic
Chickweed	Hyssop	Wild Lettuce
Ground Ivy	Hyssop	Wild Onion
Wild Ail	Hyssop	Yarrow

ORNAMENTAL LAWNS & TURF (Instructions):
Apply TRIMEC at the rate of 2.3 to 4 pints per acre in water for adequate coverage. Maximum kill of weeds obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessive hot periods unless adequate irrigation is available. Do not apply within 24 hours of application. Do not apply second time until after the second or third mowing. Grass can be safely sown 3 to 4 weeks after application at normal rate. Do not use on dichondra and carpetgrass.

APPLICATION TYPE	DIRECTIONS
Professional Lawn Maintenance:	Use 2.3 to 4.7 pints per acre, (.84 to 1.000 sq ft), at application rate of 1 to 4 of solution spray per 1,000 sq ft.
	Use 2.5 to 3 pints per acre, (.88 to 1.000 sq ft) at application rate of 4 to 6 of solution spray per 1,000 sq ft.