+ M. 25 2-11-694 Kindlehlen

Please read instructions on reverse before completing form. Form: Approved OMB No. 2070-0060. Approval expires 11-30-93 OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 195720 Application for Pesticide: Other Section I 3. Proposed Classification 2. EPA Product Manager 1. Company/Product Number Joanne Miller 2217-694 None Restricted PM# 4. Company/Product (Name) Trimec^(T) Broadleaf Herbicide (PM 23) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling **PBI/Gordon Corporation** PO Box 14090 1217 West 12th Street EPA Reg. No. Kansas City, MO 64101 Check if this is a new address **Product Name** Section 11 Final printed labels in response to Amendment - Explain below Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION: Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meets every requirement of PR-Notice 88-6. Three copies of the revised labeling are enclosed. EL NOT NEVI PER PR NOTICE Section III DATE 1. Material This Product Will Be Packaged In: Child-Resistant Packaging 2. Type of Container Water Soluble Packaging Unit Packaging Metal Yes* Yes Yes Plastic Glass No Paper If "Yes." No. per If "Yes." No per Other (Specify Unit Package wgt. container Package wgt container * Certification must be submitted. Location of Label Directions 3 Location of Net Contents Information Size(s) of Retail Container Container On Labeling accompanying product 6 Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenoiled Section IV 1 Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No• (higlude Area Code) (816)421-4070 Mgr. Regulatory Services James A. Armbruster, Ph.D. Certification Date Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Jiániped) both under applicable law Signature Simbustes Mgr. Regulatory Services 4 Typed Name May 20, 1993 James A. Armbruster, Ph.D.

TRIMEC®BROADLEAF HERBICIDE

Controls Dandelion, Knotweed, Henbit, Chickweed, Plantain, Spurge and many other broadleaf weeds, including those listed on this label.

ONE GALLON COVERS UP TO 3 1/2 ACRES

·- KEEP FROM FREEZING -

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	30.56%
** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.34%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisicacid)	2.77%
INERT INGREDIENTS	50.33%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

"2.44 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 25.38%
"1.30 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 13.50%
"0.22 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 2.30%
Isomer Specific by AOAC Methods.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional Precautionary Statements and Statement of Practical Treatment.


TRIMEC* is a registered trademark of PBI/Gordon Corporation.

NET CONTENTS 2 1/2 U.S. GALLONS

899/ AP052093

EPA REG NO 2217-694 EPA ES'I NO 2217-KS-1

Mfd. by PBI/GCRDON CORPORATION KANSAS CITY, MISSOURI 64101



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL USE PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

DANGER: Corrosive, causes eye damage and skin imitation. Do not get into eyes, on skin or on clothing. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product. swallowed.

When mixing, loading, or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. Containers of 5 gallons or more: A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

Statement of Practical Treatment

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

Environmental Hazards: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift away from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2.4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

FOR USE ON RESIDENTIAL AND OTHER TURF SITES EXCLUDING SOD FARMS.

Page 2

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dusts has settled.

4075

STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PRODUCT DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: FOR PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. FOR METAL CONTAINERS -Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

USE PRECAUTIONS: Do not apply this product through any type of irrigation system. Avoid drift of spray mist to vegetables, flowers, omamentals, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present. Use only lawn-type sprayers. Coarse sprays are less likely to "wind-drift." Use coarse spray droplets. Avoid fine mists. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other omamentals species. Do not apply to newly seeded grasses until well e 'ablished. Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F. Seed can be sown 3 to 4 weeks after application at recommended rate. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

ORNAMENTAL LAWNS & TURF (Instructions): Apply at the rate of 2.3 to 4 pints of product per acre in sufficient water for adequate coverage. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third moving. Grass seed can be sown 3 to 4 weeks after application. Do not use on dichondra and carpetgrass.

The maximum application rate to turf is 1.3 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

APPLICATION TYPE **DIRECTIONS**

Professional Lawn Use 2.3 to 3.0 pints of product per acre, (.84 to 1.1 fluid ounces per 1,000 square feet) at application rate of 1/2 to 5 gallons of spray solution per 1,000 square feet.

Mature Weeds:

Maintenance:

Use 3.25 to 4 pints of product per acre when controlling mature weeds.

Controlled Droplet Applicator:

Reduced rates must be used when grass is stressed from heat, drought, etc. Do not use on warm season grasses. Add 2 pints Trimec Broadleaf Herbicide to the Herbi container, then fill with 3 pints of water. Spray entire contents over 33,000 square feet (approx. 3/4 acre). Do not overlap between spray patterns.

St. Augustinegrass: Apply at 2.3 pints of product in up to 150 gallons of water per acre (1.2 ounces of product in 5 gallons water per 1,500 square feet). Do not spray St. Augustine if grass is stressed from heat, drought, etc. Slight turf yellowing stould disappear after about one week.

Bentgrass:

On closely mowed bentgrass (putting and bowling greens) apply at a maximum rate of one fluid ounce of product in 5 gallons water per 1,500 square feet⊷ prefer ably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bentgrass and St. Augustinegrass or injury may result. Large volumes of spray (i.e. one fluid ounce of product in 5 gallons water per 1,500 square feet) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle rather than a multiple nozzle boom. Sweeping movements with a multiple nozzle boom will result in heavy local over-application and subsequent turf discoloration or injury.

TRIMEC BROADLEAF HERBICIDE CONTROLS:

Bedstraw Henbit Black medic Knotweed Lambsquarter Buckhorn Burdock Lespedeza Mallow Chicory Morningglory Chickweed Peppergrass Clover Dandelion Pigweed Dock Plantain Ground Ivv Poison Ivv Healall Poison Oak

Purslane
Ragweed
Sheep Sorrel
Shepherdspurse
Speedwell
Spurge
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Yarrow

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, humicanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

