1-112



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. James L. Kunstman, Ph.D PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101

SEP 4 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 4, 2009 for:

# EPA Registration 2217-696 Betamec – 4 Pre-Emergence Grass Killer

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

			<b>F</b> a <b>A</b>		0070 000	ZOFID
Please read instructions or	Environme	United States <b>ntal Protection</b> A ashington, DC 20460		Registi	ration	0. Approval Expires 2-28-95 OPP Identifier Number
· · · · · · · · · · · · · · · · · · ·		Application for F	Pesticide - Sec	tion		
1. Company/Product Nu	mber <b>2217- 696</b>		2. EPA Product M James A	anager Tompkins	3.	Proposed Classification
4. Company/Product (Name) Betamec-4 Pre-Emergence Grass Killer			PM# Product Man	ager—Team 2	5	None Restricted
5. Name and Address o PBI/Gordon Corpor Post Office Box 014 Kansas City, Misso	1 -	s similar or iden	tical in co			
Check if	this is a new address					
		Sect	tion – II		<u> </u>	
Amendment - Explain below.  Resubmission in response to Agency letter dated			Final printe Agency lett "Me Too" A			TIFICATION
Notification - Expla	in below.		Other - Exp	•	SE	EP - 4 2009
Explanation: Use addit	ional page(s) if necessary	/. (For section I and Section	ion II.)			
ə-mail to jkunstman@pbig	ordon.com FAX: 816-42					
1. Material This Product W	/ill Be Packaged In:	Sect	ion – III			<u>.</u>
Child-Resistant Packaging Yes* No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per If "Yes	Soluble Packaging /es lo , <sup>7</sup> No. per ge wgt. Container	Me Pla Gla Pa	astic ass per	
Location of Net Contents	Information	4. Size(s) Retail Contair 1 and 2.5		5. Location of La		
. Manner in Which Label is	s Affixed to Product	Lithograph Paper glued Stenciled	Other		• • • • • • • • • • • • • • • • • • •	۲. ۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲۰۰۲ (۲ ۲۰۰۲ (۲۰۰۲
. Contact Point (Complete	itome directly holow for i		ion – IV	and to process		etion 1
ame	. Kunstman, Ph.D.	Title	ector of Regulator			ne No. (Iņçlude Area Code) 816-460-6292
I certify that the stater I acknowledge that an both under applicable	nents I have made on this y knowingly false or misle	Certification form and all attachments eading statement may be	s thereto are true, accu	rate and complete	, ,	6. Date Application Received (Stamped)
2. Signature 3.			tle Director of Regulatory Services			
	Kunstman, Ph.D.	5. Date	August 6, 2009			
EPA Form 8570-1 (Rev. 3-	94) Previous editions are	obsolete.	Whit	e - EPA File Copy	(original)	Yellow - Applicant Copy



An Employee-Owned Company

1217 WEST 12TH STREET • P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 • 1-800-821-7925 FAX: 816-474-0462

00

222202

00000

0.0

0000 0000

0000 0000

აი ა ე იიიი

August 4, 2009

'n.

Document Processing Desk (PRN) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 Attn: James A. Tompkins, (PM-25)

Dear Mr. Tompkins:

# Subject: Response to Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment". Betamec 4 Pre-Emergence Grass Killer (EPA Reg. No. 2217-696)

I. Labeling notification per Pesticide Registration Notice (PRN) 2007-4:

1. We ask to revise the disposal instructions and to adopt the exact language of Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment." One (1) copy of the annotated labeling is enclosed for your review. Please refer to pages 3-4 of the draft labeling.

**2. Certification:** This notification is consistent with the guidance PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this amended labeling is not consistent with the terms of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this of product may be in violation of FIFRA and I may be subject to enforcement action and a penalties under Section 12 and 14 of FIFRA.

## II. Enclosures:

1. Application for Pesticide Amendment (EPA Form 8570-1)

2. One (1) copy of the draft labeling

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,

lan I T

James L. Kunstman, Ph.D. Director of Regulatory Services

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL							
EPA Registration #	Date Submitted to EPA	Electronic file name					
2217-696	8/4/2009	002217-00696.20090804.notif-proposed					

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

I Km

Signature

James L. Kunstman, Ph.D. Name (typed)

Director, Regulatory Services

08/04/2009

Date

# NOTIFICATION

SEP - 4 2009

۱ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲

د د د

د د د د د د

# BETAMEC-4 PRE-EMERGENCE GRASS KILLER

**CONTAINS BETASAN®** 

Selective Herbicide for Preemergent Control of Crabgrass and Annual Bluegrass (Poa annua) in Turf.

#### 

Contains petroleum distillates. This product contains 4 lbs. active ingredient per gallon. BETASAN<sup>®</sup> is a registered trademark of Syngenta.

# **KEEP OUT OF REACH OF CHILDREN**

# CAUTION

See side panels for additional Precautionary Statements and First Aid

NET CONTENTS: 1 and 2 ½ U.S. GALLONS

845/ AP080409 EPA REG NO 2217-696 EPA EST NO 2217-KS-1 MANUFACTURED BY:

An Employce-Owned Company 1217 West 12th Street Kansas City, Missouri 64101 Telephone: 1-800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

# PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

## FIRST AID

Call a physician immediately! If a known exposure occurs or if poisoning is suspected, do not wait for symptoms to develop. Immediately initiate the recommended procedures described below and simultaneously contact a physician, the nearest hospital or Poison Control Center. Inform the person contacted of the type and extent of exposure, describe the victim's symptoms and follow the advice given.

*NOTE:* Be sure to advise the person contacted that the active ingredient in this compound is a cholinesterase inhibitor and follow the advice given.

16 and 11 and a	Immediately call a poison control center of doctor.
If swallowed:	-
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled:	Move person to fresh air.
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth- to-mouth if possible.</li> </ul>
	Call a poison control center or doctor immediately for treatment advice.
If on skin or	Take off contaminated clothing.
clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
	Remove contact lens, if present, after the first five minutes, then continue rinsing
	eye.
	Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

**NOTE TO PHYSICIAN:** This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.

Exposure to the active ingredient may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM (Protopam Chloride) is also antidotal when administered early and in conjunction with atropine.

#### Personal Protective Equipment (PPE):

Some of the materials that are chemical-resistant to the product include barrier laminete and Viton. If you want more options, follow the instructions for category G on an EPA chemical-resistance selection chart.

Mixers and loaders must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves Category A, such as butyl rubber ≥14 mils, or natural rubber ≥14 mils, or neoprene rubber ≥14 mils or nitrile rubber ≥14 mils.
- Shoes plus socks
- NIOSH-approved respirator with any N, R, P or HE filter

Applicators must wear the following:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves Category A, such as butyl rubber ≥14 mils, or natural rubber ≥14 mils, or neoprene rubber ≥14 mils or nitrile rubber ≥14 mils.
- Shoes plus socks.
- Applicators for hire (non golf course employees) must wear a dust mist NIOSH approved respirator with any N, R, P or HE filter (due to risk from repeated exposures) when applying this product to golf courses.

#### User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry.

## Engineering Control Statements:

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

#### User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove clothing/PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS:**

This chemical is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply when weather conditions favor drift from treated area.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

This product may impair reproduction in birds if used during the breeding season.

# PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage of and disposal.

**PESTICIDE STORAGE:** Protect from temperatures below 42°F. Product crystallizes at lower temperatures. Warm or store at higher temperatures and mix to redissolve crystals and assure uniformity, before use. Do not store near sources of heat or open flame. Store in original container in locked is to storage area.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

reconditioning, or puncture and dispose of in a canitary landfill, or incineration, or if allowed by state and tocal-authorities by burning. If burned stay out of smoke. Metal Containers: Eliple rinse (or equivalent). I hen offer for for you reconditioning, or puncture and dispose of in a sanitary landfill or by other. procedures approved by state and local authorities.

[For Plastic Containers - Nonrefillable with capacities equal to or less than 5 gallons:] CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke.

Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times:

#### [OR

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

# General Use Precautions and Restrictions:

IMPORTANT: THIS PRODUCT WILL NOT WORK UNLESS IT IS WATERED IN FOR 10-15 MINUTES. FOR SAFETY REASONS, WATER THIS PRODUCT IN AS SOON AS POSSIBLE FOLLOWING APPLICATION FOR 10-15 MINUTES.

#### ENTRY RESTRICTIONS:

DO NOT ALLOW CHILDREN OR PETS ON TREATED AREAS UNTIL DRY FOLLOWING THE WATERING.

# **APPLICATION RESTRICTIONS:**

WATERING IN MUST BE PERFORMED BY THE COMMERCIAL APPLICATOR OR THE COMMERCIAL APPLICATOR MUST PROVIDE THE ABOVE WATERING-IN INSTRUCTIONS TO THE **RESIDENTS IN WRITING USING BOLD-FACE TYPE AND/OR RED PRINT OR OTHER METHODS TO** ENSURE THE WARNING IS PROMINENTLY DISPLAYED ON THE MATERIAL PROVIDED TO THE **RESIDENT.** 

່ວວວວ

n

00

ο 0000

วงว้อง

- Do not apply this product in a way that will contact people or pets.
- For use only on golf courses (greens, tees, and bentgrass fairways only) and on residential lawing of •
- Do not use on parks, recreational areas, or other public sites.
- Applications on bentorass fairways is limited to the following states: OH, PA, NY, MI, CT, MA, N, IL, NJ, WV, MN, WI, VT, NH, RI, DE, MD, VA. Application on bentgrass fairways may bhily be made in the fall, and are limited to one application per year. **נרנו** כרנני
- Applications to greens and tees are limited to two per year.
- This product may only be broadcast applied by groundboom or by low pressure/high volume turigura. . This product may be applied by low pressure handwand for spot treatments only. 0000
- Read all directions before using.
- Mix well before diluting with water.
- Betamec-4 may only be used for the uses specified on this label and at rates that do not exceed the . labeled rates.

- Do not allow this product to drift.
- Cleanup spills on walks or patios by covering with dry soil or absorptive material. Bury sweepings and hose area.
- Betamec-4 is recommended for use on mineral soils only.
- Do not use in greenhouses.
- Do not apply this product through any type of irrigation system.

## **GENERAL INFORMATION:**

Betamec-4 is recommended for use on home lawns and golf courses for control of crabgrass, annual bluegrass (*Poa annua*), and other annual weeds listed.

Application of Betamec-4 must precede emergence of weeds from the soil. Crabgrass will emerge from the soil from 4 to 6 weeks before it is visible above lawn sod. If weeds are visible above the soil it is too late to apply Betamec-4.

Remove leaves, dead tall grass, and other debris before applying Betamec-4 to turf.

Betamec-4 must be watered into the soil immediately after application. Irrigate with ½ to 1 inch of water following the herbicide application to established lawns.

- WEEDS CONTROLLED -						
Annual bluegrass (Poa annua)	Foxtails	Redroot pigweed				
Barnyardgrass (Watergrass)	Goosegrass	Shepherdspurse				
Deadnettle (Henbit)	Large crabgrass	Smooth crabgrass				
Fall Panicum	Lambsquarters	-				

# **APPLICATION SCHEDULES:**

The most effective program for control of crabgrass, goosegrass, annual bluegrass (*Poa annua*) and other annual weeds is one specifically designed for local conditions. Two or more applications per year may be necessary, using the specified application rates given below for a particular weed problem.

For control of crabgrass, apply Betamec-4 at the specified application rate (See Rates of Application) any time from fall (September or October) through early spring for spring and summer control. With a late winter or an early spring application, the application must be made prior to crabgrass emergence.

For control of annual bluegrass (*Poa annua*) and other annual weeds, apply Betamec-4 at the specified application rate before weeds emerge from the soil.

When the germination of crabgrass, annual bluegrass (*Poa annua*) and other annual weeds extends into the late summer and early fall, a second application of Betamec-4 at the specified rates should be made 4 to 5 months after the initial application.

Applications on bentgrass fairways may only be made in the fall and are limited to one application per year. Applications on bentgrass fairways is limited to the following states: OH, PA, NY, MI, CT, MA, iN, IL, NJ, WV, MN, WI, VT, NH, RI, DE, MD, VA. Applications to greens and tees are limited to two per year.

#### **GRASS LAWNS:**

Betamec-4 should be applied only to well established grass lawns. It can be used on the following established turfgrasses.

Bahiagrass Bentgrass *spp.* Perennial bluegrass *spp.* Bermudagrass *spp.*  Centipedegrass Fescue *spp.* Pensacola bahiagrass Perennial ryegrass 

# **DICHONDRA LAWNS:**

Betamec-4 can be applied to dichondra lawns at the time of seeding or any time thereafter.

# **RATES OF APPLICATION:**

This product may only be broadcast applied by groundboom or by low pressure/high volume turfaun. This product may be applied by low pressure handwand for spot treatments only.

# IMPORTANT: THIS PRODUCT WILL NOT WORK UNLESS IT IS WATERED IN FOR 10-15 MINUTES. FOR SAFETY REASONS. WATER THIS PRODUCT IN AS SOON AS POSSIBLE FOLLOWING APPLICATION FOR 10-15 MINUTES AND DO NOT ALLOW CHILDREN OR PETS ON TREATED AREAS UNTIL DRY FOLLOWING THE WATERING.

Apply at a maximum of 6¼ gallons (50 pints) of Betamec-4 per acre (18 fluid ounces per 1,000 square feet) per year in two or more applications depending on the weed species and degree of infestation.

If weed specialists are unavailable to provide specific local recommendations, follow these directions;

# **CRABGRASS ONLY:**

Apply 17/8 to 2<sup>1</sup>/<sub>2</sub> gallons of Betamec-4 per acre with spray volumes of 80 - 100 gallons per acre. Or. apply 15 - 20 pints of Betamec-4 per acre with spray volumes of 80 - 100 gallons per acre. Or. apply 5.6 of 7.3 fluid ounces of Betamec-4 per 1,000 square feet with spray volumes of 1.8 - 2.5 gallons per 1,000 square feet.

Immediately following this herbicide application, irrigate thoroughly by applying 1/2 to 1 inch of water.

# ANNUAL BLUEGRASS (Poa annua) AND OTHER ANNUAL WEEDS:

Apply 3 1/8 gallons of Betamec-4 per acre with spray volumes of 80 - 100 gallons per acre. Or, apply 9.4 fluid ounces of Betamec-4 per 1,000 square feet with spray volumes of 1.8 - 2.5 gallons per 1,000 sq. ft.

When a weed program involves two to three applications of Betamec-4 for crabgrass, goosegrass and annual bluegrass (Poa annua), the rate of application may be reduced. The rate recommendations are 17/8 - 21/2 gallons of product per acre, or 15 - 20 pints of product per acre, or 5.6 to 7.3 fluid ounces of product per 1,000 square feet. Use the higher rate for heavier infestations.

#### **RESEEDING:**

Any material that provides effective control of annual grasses may affect new lawn grass seedlings which germinate after treatment. Proper fertilization and watering will encourage the existing turfgrass to fill in the thin or bare spots formerly occupied by crabarass.

The following procedures are suggested in order to minimize any stunting of turfgrasses which may occur when reseeding into Betamec-4 treated areas:

- 1. Do not reseed within 4 months after application
- 2. Renovate the area to be reserved by raking thoroughly to scarify the soil surface. Where practical, mix peat in with the soil to provide an optimum seedbed.
- 3. When turf diseases or physiological disorders necessitate reseeding sooner than 4 months after Betamec-4 application, apply powdered activated charcoal prior to reseeding to deactivate the Betamec-4.
- 4. Apply the activated charcoal at a rate of 7 pounds in 14 gallons of water per 1,000 square feet (300 pounds in 600 gallons of water per acre).

. . 23230 ر د د

- 5. Following application, irrigate the turf with sufficient water to wash the charcoal into the soil. · 2 2
- 6. Reseed no sooner than 7 days after applying the charcoal.

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use. . . . .

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to }

the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

EPA Reg. No. 2217-696

Page 7 of 6

נננו נ נווכו