

GORDON'S 2,4-D WEED & FEED 12-3-5

ACCEPTED
JUL 1 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2217-697

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid..... 1.14%

INERT INGREDIENTS:..... 98.86%

TOTAL 100.00%

THIS PRODUCT CONTAINS:

*19.0 LBS. OR 0.95% OF 2,4-Dichlorophenoxyacetic acid equivalent per ton.

Isomer Specific by AOAC Method 6.DO1-5.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements and First Aid.

NET WEIGHT 16, 18, & 20 POUNDS

559/ AP-----

EPA REG. NO. 2217-697

EPA EST. NO. 2217-KS-1

MANUFACTURED BY:



Telephone: 1-800-821-7925

275



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks and shoes. Do not inhale dust. Do not allow contact with skin, eyes or clothing.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

First Aid

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p>	

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.


STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.



USE PRECAUTIONS:

Do not use on dichondra, carpetgrass, bentgrass or St. Augustinegrass lawns.

Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

INSTRUCTIONS:

Gordon's 2,4-D Weed & Feed controls dandelion, plantain, and other weeds commonly found in home lawns. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at the time of application, sprinkle lightly with water to hold the material and prevent drift onto nontarget plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

HOW MUCH TO APPLY:

Apply 3.23 - 3.64 pounds of product per 1,000 square feet of established homelawn.

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Equipment settings and distribution graphics for drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels as requested by supplemental registrants.

CALIBRATION INSTRUCTIONS:

Refer to the rate table (in the appendix) for the appropriate bag sizes and the area to be treated.

- ◆ For 3.23 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 310 square feet and adjust to apply at the rate of 1.0 pound of product per 310 square feet.
- ◆ For 3.64 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 1.0 pound of product per 275 square feet.

The maximum application rate to turf is 1.5 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

Drop spreaders, rotary spreaders, and other granular equipment should be calibrated for accurate and uniform applications of this product. Calibrate the equipment by applying the product over a measured or known area and adjust the equipment according to the recommendations of the equipment manufacturer. Refer to the rate table for the appropriate bag sizes and the area to be treated.

WEED CONTROL:

Gordon's 2,4-D Weed & Feed provides control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed.

APPENDIX

I. Container Packaging and Size:

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings and distribution graphics for drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels.

A) OUTDOOR DOMESTIC USE:

Bag Size, Pounds	Application Rate, Pounds/1000 Sq.Ft.	Treated Area for This Bag Size, Square Feet
16	3.23	5,000
	3.64	4,400
18	3.23	5,700
	3.64	4,950
20	3.23	6,200
	3.64	5,550

SPREADER PATTERNS:

1. Apply two header strips.
2. Operate spreader the longest way of the lawn.
3. For drop spreaders, overlap wheels to insure complete coverage.
4. Close spreader openings when turning.

II. Previously Approved Fertilizer Grades:

- ◆ Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅, and K₂O include the following: 12-3-5, 20-10-5.
- ◆ The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

12-3-5 GUARANTEED ANALYSIS	
Total Nitrogen (N)	12%
Water Insoluble Nitrogen.....	___%
Available Phosphate (P ₂ O ₅).....	3%
Soluble Potash (K ₂ O).....	5%

III. Advertising claims appropriate for the bag size:

- ◆ _____ Pounds Covers Up To _____ Square Feet.
- ◆ Provides Fertilization - Controls Lawn Weeds

