

1/13

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

2217-715

8/24/88

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Pestic, 210 Broad-Spectrum Insecticide

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

FBI/Corson Corporation  
1217 West 12th Street  
P.O. Box 4080  
Kansas City, MO 64101-9984

171 / 18      227,985 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit to all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Keep the labeling changes listed below where you receive the product for shipment:

- a. On the label "EPA Registration No. 2217-715."
- b. Change "ENVIRONMENTAL HAZARDOUS" on the label to "DANGER," change "DANGER" to "HAZARDOUS."
- c. Change your product name on the label from "Pestic, 210 Broad-Spectrum Insecticide" to "FOR COMMERCIAL PESTICIDE USE ONLY - FOR COMMERCIAL PESTICIDE USE ONLY - FOR COMMERCIAL PESTICIDE USE ONLY."
- d. Change your label slogan, replace "FOR COMMERCIAL PESTICIDE USE ONLY" with "FOR COMMERCIAL PESTICIDE USE ONLY - FOR COMMERCIAL PESTICIDE USE ONLY - FOR COMMERCIAL PESTICIDE USE ONLY."

ATTACHMENT IS APPLICABLE

**BEST AVAILABLE COPY**

SIGNATURE OF APPROVING OFFICIAL

DATE

2/13

2

- e. Under "Ornamentals and Trees," delete "outdoors."
- f. Underline genus and species names, or put in italics. The genus name for red cedar in Juniperus.
- g. Change "Southern Pine Beetle Control in Ornamental Pine Trees" to "ORNAMENTAL PINE TREES, SOUTHERN PINE BEETLE CONTROL."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



~~John F. Rice~~  
 Acting Product Manager (16)  
 Insecticide-Rodenticide Branch  
 Registration Division (TS-767C)

Enclosures

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

AUG 24 1988

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
extended for 18 months,  
registered under EPA Reg. 171

2217-715

**PESTROY(R) 8EC  
BROAD-SPECTRUM INSECTICIDE  
For Ornamentals & Trees**

**ACTIVE INGREDIENT:**

O,O-dimethyl O-(4-nitro-m-tolyl)	
phosphorothioate.....	76.8%
INERT INGREDIENTS.....	23.2%
	<b>TOTAL 100.0%</b>

Contains Xylene-range aromatic solvent

This product contains 8 pounds fenitrothion insecticide per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

See Side Panels for additional  
precautionary statements and  
Statement of Practical Treatment.


PESTROY(R) is a registered trademark of PBI-GORDON CORPORATION  
SUMITHION(R) is a registered trademark of SUMITOMO CHEMICAL CO., LTD

NET CONTENTS      GALLONS

/1187

EPA REG. NO. 2217-TRL  
EPA EST. NO.

Mfd by PBI/GORDON CORPORATION  
KANSAS CITY, KANSAS 66118



**STOP! READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW LABEL DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not breathe vapors. Do not get in eyes, on skin, or on clothing. Thoroughly wash contaminated skin with soap and water. Launder clothing after using this product. Keep out of domestic or animals water supplies. Do not store or transport with food or animal feed.

**Statement of Practical Treatment**

**For Pesticide Emergency -- CALL A PHYSICIAN IMMEDIATELY:** If exposure occurs or is suspected, immediately initiate the procedures below. Simultaneously contact a Poison Control Center, a physician or the nearest hospital. Describe the situation and follow the advice given. **NOTE:** Be sure to advise the physician that the compound is a cholinesterase inhibitor, and follow the physician's advice.

**IF SWALLOWED:** Immediately give large quantities of water and induce vomiting. This product contains hydrocarbon solvent. Have a physician determine if condition of patient will permit evacuation of stomach. Never give anything by mouth to an unconscious person.

**FOR EYE CONTACT:** Hold eyelids apart and flush with large amounts of running water for at least 15 minutes. Get medical attention.

**FOR SKIN CONTACT:** Flush with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before re-use.

**IF INHALED:** Remove to fresh air. Seek medical attention if respiratory irritation occurs.

**NOTE TO PHYSICIAN:** Exposure may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM is also antidotal when administered early and in conjunction with atropine.


ENVIRONMENTAL HAZARDS  
 This product is toxic to wildlife and extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands (swamps, marshes, bogs, and potholes). Drift and runoff from treated areas may be hazards to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS  
 Do not expose to heat above 176 F. Do not use, pour, spill, or store near heat or open flame. Do not expose to prolonged heat. Contact of container with flames or high temperatures will cause an explosion. Keep container closed when not in use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Reentry into treated areas is prohibited for 24 hours after the end of the application, unless the protective clothing specified on this label is worn. When mixing, loading, spraying or cleaning equipment, or during early reentry into treated areas, wear chemical resistant gloves, protective suits or coveralls that cover the arms, legs, and torso, and chemical resistant shoes, boots, or shoe covers. Chemical resistant gloves must be washed with soap and water before removing. All clothing worn during the use of fenitrothion must be laundered separately from household articles. Clothing and protective gear drenched, or heavily contaminated with fenitrothion must be destroyed according to state and local regulations. Drenched or heavily contaminated clothing cannot be properly decontaminated.



**STORAGE & DISPOSAL**

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Storage area should be cool, dry, and ventilated. Do not expose to prolonged heat. Contact of containers with flames or high temperatures will cause an explosion. This product will support combustion. Keep container closed when not in use.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL: For plastic containers, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. For metal drums, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

-- FOR OUTDOOR USE ONLY --  
GROUND APPLICATION ONLY.

Do not treat areas where food or feed crops are growing. Do not apply to potable water. Do not apply this product through any type of irrigation system.

**ORNAMENTALS & TREES**

To control certain insects on ornamentals apply PESTROY at the rates indicated in the following table per 100 gallons of water with appropriate sprayer. The finished spray should be applied to the point of runoff, thoroughly wetting all parts of the affected plants. Use outdoors, in nurseries or greenhouses as a broadcast or spot application. Repeat applications may be necessary to maintain insect control. Do not repeat more than once a week.



PINTS PER  
100 GALLONS WATER

INSECTS	1/2	1/2-2	3/4	1	1.5	3
APHIDS: (Cinara spp.) (Tinocallis kahawaluokalani)		X				
Ivy Aphid (Aphis hederæ); Tulip Tree Aphid (Malrosiphum litiiodendri); Rose Aphid (Macrosiphum rosae)						
Crapeyrtle aphid				X		
BAGWORN: (Thyridopteryx ephemeræformis)					X	
BORER: Iris Borer (Macro- noctua onusta)		X				
BUDWORN: Spruce budworm (Choristoneura fumiferana)			X			
CANKERWORM: Fall cankeworm (Alsophia pomataria)	X					
CATERPILLAR: Forest Tent Caterpillar (Malacosoma disstria) Eastern Tent Caterpillar		X				
(EOTETRANYCHUS spp.)		X				
GYPSY MOTH		X				
LACEBUG: Andromeda lacebug				X		
Hawthorn Lacebug (Corythucha cydoniae)		X				
LEAF BEETLE: Imported willow leaf beetle (Plagioderma versicolora); Elm leaf beetle (Pyrrhalta luteola)				X		
LEAFMINER: Birch leaf- miner (Fenusa pusilla);				X		
Azalea Leafminer (Gracil- leria azalea)		X				
NEALYBUG: Citrus mealybug (Planococcus citri)		X				

MIDGE: Balsam Gail Midge (Caradipius tumifex)	X			
NITE: Eriophyid Mite (Nalepella tsugifoliae); Southern Red Mite (Oligonychus ilices)	X			
PALMERWORM: Dichomeris ligulella		X		
PSYLLID: Boxwood Psyllid (Psylla buxi); Hackberry Psyllid (Pachypsylla celtidisysicula)	X			
PINE TIPMOTH: (Adult) (Rhyacionia spp.)	X			
SAWFLY: European pine sawfly (Neodiprion sertifer) European spruce sawfly (pine sawfly (Diprion hercyniae)	X			
SCALE: Red pine scale (Natsucoccus resinosa - 1st generation crawler)				X
Cottony Taxus Scale Crawlers; (Pulvinaria floccifera)	X			
SPITTLEBUG: Saratoga spittlebug (Aphrophora saratogensis)			X	
Meadow Spittlebug (Philaenus leucophthalmus)	X			
SLUG: Rose Slug (Endelomyia aethiops)	X			
WEBWORM: Fall Webworm (Hyphantria cunea)			X	
WEEVIL: Pales Weevil (Hylobius pales); Northern Pine Weevil (Pissodes approximatus); Black Vine Weevil (Brachyrhinus sulcatus)	X			
WHITEFLY: Citrus Whitefly (Dialeurodes citri)	X			



RECOMMENDED FOR INSECT CONTROL  
ON THE FOLLOWING ORNAMENTAL PLANTS & TREES

Pestroy has demonstrated excellent plant safety; however, all species and varieties have not been tested. As a precaution for groups where there are many species and varieties, treat a few plants and observe before treating a large area.

- ALDER                      Black alder
- ARBORVITAE
- ASH                        Green ash (*Fraxinus pennsylvanica*)
- ANDROMEDA                (*Pieris japonica*)
- AZALEA                    Red Ruffle - Fashion - Cornell Pink -  
Rhododendron *simsii* - Coral Belle - Pine  
Ruffle - Judge Solomon - George Tabor -  
Fornosa - President Clay - Snow - Daphne  
Salmon - King's White - Macrantha - Hind -  
Hampton - Christmas Cheer - White Cuapo
- BARBERRY                 Japanese barberry
- BEECH                     American beech - European beech
- BIRCH                     River birch - Sweet birch - European white  
birch (*Betula pendula*)
- BUCKEYE                 Ohio buckeye
- BUCKTHORN                (*Rhamnus, Frangula*)
- BOXWOOD                 Richard's boxwood - Creole boxwood - (*Buxus*  
spp.)
- CAMELLIA                Japonica camellia - Sasanqua camellia
- CATALPA                 (*Catalpa bignonioides*)
- CEDAR                    Red cedar (*Juniperus virginiana*)
- CHESTNUT                Bartlett chestnut
- CHINESE                 Mahogany chinese
- CLEREA
- COLEUS                    (*Coleus*) Var. Red Velvet
- COTONEASTERS            Jorgle (*Cotoneaster dammeris*) - (*Cotoneaster*  
spiculata)
- CRAPENYRTLE            (*Lagerstraeemia* spp.)

- DOGWOOD                      Flowering dogwood
- ELM                            Siberian elm (Ulmus pumila) - Slippery elm (Ulmus fubra) - American elm (Ulmus americana) - (Ulmus parvifolia) - Sappora Gold Hybrid - Chinese elm
- EUONYMUS                    (Euonymus fortunei) - Evergreen euonymus (Euonymus japonicus) - (Euonymus vegetus)
- FERN
- FIR                            Balsam Fir - Douglas Fir - True Fir (Abies sp.) - Noble Fir - Grand Fir - White Fir - Chester Fir
- GARDENIA                    Radicans - Mystery - August Beauty
- HACKBERRY                    (Celtis occidentalis)
- HEARTNUT
- HENLOCK                      Eastern Hemlock
- HONEYSUCKLE
- HONEY LOCUST
- HOLLY                        (Ilex crenata) var. convexa - (Ilex cornuta) var. Burfordii - (Ilex rotunda) - (Ilex compacta) - Yaupon (Ilex vomitoria) - (Ilex crenata) var. Helleri - Blue angel (Ilex meserveae)
- HOPHORNBEAM                Eastern hophornbeam
- HORNBEAM                    American hornbeam
- HOSTA                        Variegated hosta
- HORSECHESTNUT              Red horsechestnut
- IRIS                            Study in Black - Frontier - Marshall
- JAPONICA                    Pieris Japonica
- IVY                            English Ivy
- JUNEBERRY                    (Amelanchier)
- JUNIPER                      Blue rug (Juniperus horizontalis) - Torulosa - Variegated Prostrata - Hill's Blue - (Juniper chinensis) "Pfitzeriana" - (Juniper chinensis) "Hetzi"
- KENTUCKY COFFEETREE

LARCH

LILAC

Syringa C.V. French Hybrid lilac

LIRIOPE

MAGNOLIA

Grandiflora magnolia - Fucata magnolia

MAOLE

Azur maole

MAPLE

Hedge maple - Japanese maple - Red maple -  
Silver maple - Striped maple - Tartarian maple

MONKEY GRASS

MARIGOLD

(Gold Galore)

MOUNTAIN ASH

European mountain ash

MULBERRY

White mulberry

MYRTLE

Blue myrtle

OAK

Post oak - White oak - Pin oak (Quercus  
palustris) - Northern red oak (Quercus  
rubra) - Shumard red oak (Quercus shumardii)

PALM

Windmill palm

PACHUSANDRA

PEONY

PFIZER

POPLAR

White poplar (Populus alba) - Cotton wood  
(Populus deltoides)

PINE

White pine (Pinus strobus) - Scotch pine  
(Pinus sylvestris) - Dwarf red pine (Pinus  
resinosa) - Japanese black pine (Pinus  
thunbergii) - Japanese white pine (Pinus  
perviflora) - Eastern white pine (Pinus  
strobus) - Jack pine (Pinus banksiana) -  
Red pine (Pinus resinosa) - Mugo Pine (Pinus  
mugo mugo) - Loblolly Pine Seedlings - Pitch  
Pine - Bristlecone Pine - Sugar Pine -  
Umbrella Pine

PITTOSPORUM

Green Pittosporum - Variegated Pittosporum

PLANETREE

London Planetree

PRIVET

California privet (Ligustrum ovalifolium) -  
Common privet (Ligustrum vulgare)

PYRACANTHA	Fiery Thorn - Everlasting Thorn (Pyracantha coccinea)
QUINCE	Japanese quince
REDBUD	(Cercis canadensis)
RHODODENDRON	(Rhododendron) var. Azalea mollis - Nova embla (Rhododendron catawbiense) - (Rhododendron) var. Snowball
ROSE	Confidence (Rosa) var. Confidence - Zorina (Rosa) var. Zorina - Nugget (Rosa) var. Nugget
SERVICEBERRY	Downy Serviceberry
SPRUCE	Blue Spruce (Picea pungens) - Norway Spruce (Picea abies) - White Spruce (Picea glauca) - Alberta Spruce (Picea albertiana) - (Picea engelmannii)
SWEETGUM	(Liquidambar styraciflua)
SYCAMORE	American sycamore
TAMARACK	
TAXUS	(Taxus media) var. Hickarii
TUPELO	Black Tupelo
TULIPTREE	
VIBURNUM	Viburnum(RL) - Viburnum(SL)
WALNUT	Black Walnut
WILLOW	Laurel willow (Salix pentandra) - Black willow (Salix nigra) - Golden willow
WITCHHAZEL	

#### Southern Pine Beetle control in Ornamental Pine Trees

Do not use this chemical in Bastrop and Burleson counties, without first consulting with endangered species personnel of Texas Parks and Wildlife Service (telephone 817-334-2961) to ensure adequate safeguards for the endangered Houston toad. Do not use within 1/2 mile of known red-cockaded woodpecker colonies. Apply spray to individual trees using hand or power operated ground application equipment.

Treatment of pines with this product will reduce mortality caused by the southern pine beetle. PESTROY may be used either to prevent southern pine beetle attack (preventive treatment) or to control beetles already established in trees (remedial treatment).

PREVENTIVE TREATMENT: Prepare a 2% solution by diluting 2.5 fluid ounces of PESTROY with sufficient water to make one gallon of finished spray solution (or 2.125 gallons of PESTROY per 100 gallons of finished spray solution). Apply the solution to the tree trunk from ground level up to the first limbs in early spring or anytime trees are threatened with beetle attack from nearby infested trees. Apply to point of runoff. Repeat at intervals of 90 days during the summer and early fall or as long as the threat of attack exists.

REMEDIAL TREATMENT: Prepare a 1% solution by diluting 1.25 fluid ounces with sufficient water to make one gallon of finished spray solution (or 1.06 gallons of PESTROY per 100 gallons of finished spray solution). Apply the mixture to the infested portion of the tree or to all sides of logs and limbs cut from such trees after beetle attack has occurred but prior to beetle emergence. Apply to the point of runoff.

Limited Warranty; Disclaimer. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even where label directions are followed. Except where such disclaimers and exclusions are specifically prohibited by law, MANUFACTURER MAKES NO WARRANTY OF MERCHANTABILITY, THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION OF THE FACE HEREOF, AND IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR ANY CONSEQUENTIAL DAMAGE OR LOSS.

