

2217-716 1063 PM23

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
2217-716

DATE OF ISSUANCE
OCT 25 1985

TERM OF ISSUANCE
Conditional

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT
Trimec® Liquid Weed & Feed
for Sensitive Grasses

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

PBI/Gordon Corporation
1217 West 12th Street
Kansas City, MO 64101

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 2217-716."
 - b. In the Ingredient Substatement state the complete chemical names of the active ingredients.
 - c. The EPA Establishment Number must appear on the label or on the container.
 - d. You should close the parenthesis ")" in the How to Use Directions.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Pnclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

X

DATE
OCT 25 1985

2063

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

Similar 2217-661

3000

MEASURING GUIDE

1000 sq. ft. coverage

3000 sq. ft. coverage

when empty

STOP. READ THE ENTIRE LABEL FIRST OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals): CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops get medical attention. Avoid contamination of food or feed-stuffs.

Environmental Hazards: Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: Securely wrap original container with unused product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS:

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, dichondra, or on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages. Be particularly careful within dripline of trees. This product may be injurious to St. Augustine, bent, and Centipede grasses under conditions of high temperature and moisture. Under these conditions, or in cases of accidental overdosage, some slight temporary discoloration of the St. Augustine foliage may occur.

TRIMEC® LIQUID WEED & FEED For Sensitive Grasses



15-0-0

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS 5 OZ)

Contains TRIMEC® Turf Herbicide

-- KEEP FROM FREEZING --

1 QUART COVERS UP TO 5,000 SQ. FT.

KILLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on this label.

The fast, easy way to weed control and fertilize your lawn.

No Spreading — No Complicated Mixing Just attach to a garden hose & spray

Table with 2 columns: ACTIVE INGREDIENTS and INERT INGREDIENTS. Includes chemical names like Dichloromethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propanoic acid and their respective percentages.

KEEP OUT OF REACH OF CHILDREN -- CAUTION -- STATEMENT OF PRACTICAL TREATMENT In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention. See back panel for additional precautionary statements.

TRIMEC® is a registered trademark of PBI/Gordon Corporation, U.S. Patent No. 3,264,166



EPA Est. # ACCEPTED with comment OCT 25 1985 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2217-716

- WEEDS: Bedstraw, Black Medic, Buckhorn, Bull Thistle, Burdock, Buttercup, Chicory, Chickweed, Clover, Cocklebur, Dandelion, Dock, Gainsoga, Ground Ivy, Hawkweed, Heat-All, Henbit, Knotweed, Lambsquarters, Lespedeza, Mallow, Morning Glory, Mustard, Oxalis, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherd's Purse, Speedwell, Tansy Mustard, Thistle, Suiage, Velvet Leaf, Yellow Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Yarrow, and many other broadleaf lawn weeds.

GUARANTEED ANALYSIS

Total Nitrogen (N)..... 15% Urea Nitrogen Derived from Urea.

No Spreading—No Complicated Mixing Just attach to a garden hose & spray

WHERE TO USE:

LIQUID WEED & FEED is especially effective on St. Augustine, bent grasses in lawns, vacant lots, where broadleaf weeds are present. LIQUID WEED & FEED is also effective on all hard-to-kill weeds such as Chickweed, Plantains. In addition, LIQUID WEED & FEED contains a 15% urea nitrogen. For best results, weeds are young and tender.

WHEN TO USE:

- 1. Spray at any time during the growing season. 2. On new lawns, wait until the grass is well established before putting new grass seed or sod. 3. For best weed control, spray just before rain. 4. For best results, mow lawn just before spraying. 5. Do not water lawn within 24 hours after spraying.

HOW TO USE:

SHAKE WELL BEFORE USING. Connect spray nozzle to garden hose. Attach container to end of nozzle. Turn on water; place finger over nozzle to regulate proper ratio of LIQUID WEED & FEED. Spray directly over area requiring weed control. (Check handy measuring guide for proper application.)

NOTICE: Seller warrants that this product conforms to the statement on the label. Since compatibility with other chemical equipment will vary, seller makes no warranty as to the use of this label.