US ENVIRONMENTAL PROTEC OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 Conditional HAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: A REGISTRATION REREGISTRATION Trinec 869 (Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) PhI/Gordon, Inc. 1217 West 12th Street P.O. Pox 4090 Kansas City, MO 64101 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indersement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. rt - Egy Sert - Jegantines, Ery geagetere one omignation with 1994. section ((0) (1)(1) reprine the look converges (all data required for remistration/remember 2006) property of the contract of th requerrants of the lar products to submit such date. Make the labeling changes listed below before you release the product for shipment e_{t} , post the parametric CPE Registration for $t \in \mathbb{N} : t = t 2$ The statement of Tractical Trustment for the exposure much to moved to the front panel and greaters with the signal formatic child hazard warning as required for all exposure routes in the Toxicity I Category. c. Revise Statement of Practical Breatment for oral exposure as full ass. Drink promoting a large quantity Ii Swallowed: carres delatio solution in, it there are not .

NAME OF APPROVING OFFICE

BEST AVAILABLE COPT

177

SIGNATURE OF APPROVING OFFICIAL

ATTACHMENT IS APPLICABLE

APR | 5 | 1987

available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

id, Add the following remark below the Statements of Practical Treatment:

NOTE TO PHYSICIAM: Probable success dawage may contraindicate the use of gastric lawage.

- e. Incorporate the label revisions specified on page 2 of our letter dated September 26, 1986.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Hountfort Product Hanager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY

with common 25,

GORDON'5

TRIMEC(R) 869

BROADLEAF HERBICIDE
FOR SENSITIVE GRASSES

A TRIMECATURE HERBICIDE FORMULATION

KILLS: DANDELION, CHICKWEED, KNOTWEED, PLANTAIN, HENBIT, SPURGE and many other broadleaf weeds, some of which are shown on the side panel.

--- KEEP FROM FREEZING ---

MCPP ACTIVE INGREDIENTS: MECOPROP - *Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)	
MECOPROP - *Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)	
propionic acid	34.73%
MCPA **Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic	
acid	19.07%
Dichton: ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic	
acid)	3.85%
INERT INGREDIENTS	_42.35%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- *2.73 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 28.70% \$7.440
- **1.48 lbs. 2-methyl-4-chlorophenoxyacetic acid per gallon or 15.57% 13.8640

***0.30 lb. 3,6-dichloro-o-anisic acid per gallon or 3.20%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional precautionary information and Statement of Practical Treatment.

TRIMEC(R) is a registered trademark of PBI/GORDON CORPORATION.

NET CONTENTS ONE U.S. GALLON

Best available copy

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

(

PRECAUTIONARY_STATEMENTS

Hozards to Humans & Domestic Animals

DANGER: Corrosive, causes damage to eyes. Do not get into eyes, on skin or clothing. Wear goggles or face shield when handling. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wash thoroughly after handling.

(·

-Statement of Practical Treatment-

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

If <u>Swillowed</u>: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

<u>If Inhaled:</u> Remove victim to fresh air and apply respiration if indicated.


If On Skin: Wash promptly with soap and water. Rinse thoroughly.

Environmental Hazards

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift away from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



H

STORAGE & DISPOSAL

ί

<u>Storage</u>: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not atore near other herbicides, fertilizers, inaccticides, fungicides, or near seeds.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

<u>Container Disposal</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WEEDS

Bedatraw Black Medic Buckhorn Burdock Chicory Chickweed Clover Dandelion Dock Ground Ivy Keal-All Henbit Knotweed Lambaquarter Lespedeza Mallow Morningglory Peppergrass Pigweed Plantains Poison Ivy Poison Oak Pursiane Acgweed Sheep Sorrei Shepherd's Purse Speedwell Spurge Wild Carrot Wild Garlic Wild Onion Yarrow and many other broadleaf weeds in lawns & turf.

3

OTHER USE PRECAUTIONS. OBSERVE CAREFULLY.

- Diova drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Do not pour apray solutions near these plants. 2.
- Do not use on Lippia or dichondra nor on lawns or turf where desirable clovers are present.
- Use only lawn-type sprayers.
- NOTE: Coarse sprays are less likely to wind-drift. 5.
- Do not apray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful do not
- $\mathcal{N}^{\prime\prime\prime}\prime$ within the dripline of tree and other ornamental species
- ¿7. Do not spray while grass is emerging from dormancy. Do not apply to newly seeded lawns until well established.
 - 9. Do not spray when air temperature exceeds 85 F.
- 10. Seed can be safety sown 3 to 4 weeks after application.
- 11. Do not contaminate domestic or irrigation waters.
- 12. Be careful not to overdose on Centipede or St. Augustine grass lawns.
- After using this product, clean sprayer with soap or 13. detergent and water, and rinse thoroughly before applying other pesticides.
- Failure to observe the above precautions may result in injury.

. How Much to Use & Where:

turf until after the first mowing.

4 weeks after application at recommended rates.

General:

Bermudaida: & Bentgrass---Use one quart per acre. Do not overdose Closely-mowed bentgrass. Read the use precautions and observe carefully. Do not use more than the recommended rate.

Bluegrass, Feegue, & Zoysiz --- Use 3 to 4 pints per acre.

<u>Centipede & 5t. Augustine---Use 1 to 1 3/4 pints per</u> Repeat after 3 weeks if necessary. Do not overdose or apply These species are sensitive. during hot summer months. important to use great care in spraying,

General:
Nix GORDON'S TRINEC(R)869 BROADLEAF HERBICIDE FOR SENSITIVE
GRASSES in sufficient water, for good coverage. Use higher rates when weeds are dense or in flower. If hardy weeds persist, make a second application after three weeks. Apply when weeds are young and actively growing. Avoid applications during long excessively dry or hot periods. When grasses are under stress use reduced rates to reduce potential injury. Do not irrigate within 24 hours of application. Do not apply to newly seeded

Was a Bank Copy

Seed can be safely sown 3 to

WARRANTY:

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

EPA REG. NO. 2217-xxx EPA EST. NO. 2217-KS-1

1986