



READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENT

#### Hazards to Humans & Domestic Animals

**DANGER:** Corrosive, causes damage to eyes. Do not get into eyes, on skin or clothing. Wear goggles or face shield when handling. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wash thoroughly after handling.

#### Statement of Practical Treatment

**In Eyes:** In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

**If Swallowed:** Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

**If Inhaled:** Remove victim to fresh air and apply respiration if indicated.

**If On Skin:** Wash promptly with soap and water. Rinse thoroughly.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

#### Environmental Hazards

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift away from target area.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**Storage:** Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near other herbicides, fertilizers, insecticides, fungicides, or near seeds.

**Pesticide Disposal:** Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### WEEDS

|              |               |                  |                 |
|--------------|---------------|------------------|-----------------|
| Bedstraw     | Ground Ivy    | Pigweed          | Spurge          |
| Black Medick | Heal-All      | Plantain         | Wild Carrot     |
| Suckhorn     | Henbit        | Poison Ivy       | Wild Garlic     |
| Sturrock     | Knotweed      | Poison Oak       | Wild Onion      |
| Thickweed    | Lambsquarters | Purslane         | Yarrow          |
| Yarrow       | Lespedeza     | Ragweed          | and many        |
|              | Mallow        | Sheep Sorrel     | other broadleaf |
|              | Morningglory  | Shepherd's Purse | weeds in lawns  |
|              | Peppergrass   | Sp. adwell       | & turf.         |

# TRIMEC® 869

## BROADLEAF HERBICIDE FOR SENSITIVE GRASSES

### A TRIMEC® ORNAMENTAL TURF HERBICIDE FORMULATION

**KILLS: DANDELION, CHICKWEED,  
KNOTWEED, PLANTAIN, HENBIT, SPURGE  
and many other broadleaf weeds, some of  
which are shown on the side panel.**



— KEEP FROM FREEZING —

#### ACTIVE INGREDIENTS:

|                                                                    |                |
|--------------------------------------------------------------------|----------------|
| *Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid | 34.73%         |
| **Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid        | 18.07%         |
| ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)      | 3.05%          |
| <b>INERT INGREDIENTS</b>                                           | <b>42.35%</b>  |
| <b>TOTAL</b>                                                       | <b>100.00%</b> |

#### THIS PRODUCT CONTAINS:

- \*2.73 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 28.70%.
- \*\*1.48 lbs. 2-methyl-4-chlorophenoxyacetic acid per gallon or 15.57%.
- \*\*\*0.30 lb. 3,6-dichloro-o-anisic acid per gallon or 3.20%.

### KEEP OUT OF REACH OF CHILDREN

## DANGER

#### STATEMENT OF PRACTICAL TREATMENT

**IF IN EYES:** In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

See side panels for additional precautionary information and Statement of Practical Treatment.

TRIMEC® is a registered trademark of PBI GORDON CORPORATION.

NET CONTENTS 55 U.S. GALLONS

#### OTHER USE PRECAUTIONS OBSERVE CAREFULLY.

1. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
2. Do not pour spray solutions near these plants.
3. Do not use on Lippia or dichondra nor on lawns or turf where desirable clovers are present.
4. Use only lawn-type sprayers.
5. NOTE: Course sprays are less likely to wind-drift.
6. Do not spray exposed roots of trees and ornamentals. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
7. Do not spray while grass is emerging from dormancy.
8. Do not apply to newly seeded lawns until well established, or after two to three mowings.
9. Do not spray when air temperature exceeds 85°F.
10. Seed can be safely sown 3 to 4 weeks after application.
11. Do not contaminate domestic or irrigation waters.
12. Be careful not to overdose on Centipede or St. Augustine grass lawns.
13. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
14. Failure to observe the above precautions may result in injury to desirable plants.

#### How Much to Use & Where:

**Bermuda & Bentgrass** — Use one quart per acre. Do not overdose closely-mowed bentgrass. Read the use precautions and observe carefully. Do not use more than the recommended rate.

**Bluegrass, Fescue and Zoysia** — Use 3 to 4 pints per acre.

**Centipede and St. Augustine** — Use 1 to 1½ pints per acre. Repeat after 3 weeks if necessary. Do not overdose or apply during hot summer months. These species are sensitive. It is important to use great care in spraying.

#### General:

Mix GORDON'S TRIMEC® 869 BROADLEAF HERBICIDE FOR SENSITIVE GRASSES in 20 to 240 gallons of water per acre for good coverage. Use higher rates when weeds are dense or in flower. If hardy weeds persist, make a second application after three weeks. Apply when weeds are young and actively growing. Avoid applications during long excessively dry or hot periods. When grasses are under stress use reduced rates to reduce potential injury. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the first mowing. Seed can be safely sown 3 to 4 weeks after application at recommended rates.

#### WARRANTY:

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty, the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

780/

EPA REG. NO. 2217-720

EPA EST. NO. 2217-KS-1



DEC 17 1980

2217-720