

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED

2007

2

alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

- d. Add the following remark below the Statements of Practical Treatment:

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

- e. Revise Precautionary Statements to read as follows:

Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Avoid exposure to spray mist. Wear goggles or face shield and protective clothing and rubber gloves. Harmful or fatal if swallowed or absorbed through skin. Harmful if inhaled. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

- f. Incorporate the label revisions specified on page 2 of our letter dated September 26, 1986.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY

2

GORDON'S

TRINEC(R) 870

BROADLEAF HERBICIDE

A TRINEC TURF HERBICIDE FORMULATION

KILLS: DANDELION, CHICKWEED, KNOTWEED, PLANTAIN, HENBIT, SPURGE and many other broadleaf weeds, some of which are shown on the side panel.

--- KEEP FROM FREEZING ---

ACTIVE INGREDIENTS:


NCPA	*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid.....	34.47%
MCPP MECOPPP	**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	16.35%
DEAMB	***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	3.76%
	<u>INERT INGREDIENTS</u>	<u>45.42%</u>
	TOTAL	100.00%

THIS PRODUCT CONTAINS:

*2.67 lbs. 2-methyl-4-chlorophenoxyacetic acid per gallon or 28.14% 26.45%

**1.28 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 13.51% 12.22%

***0.30 lb. 3,6-dichloro-o-anisic acid per gallon or 3.12%



KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional precautionary information and Statement of Practical Treatment.

TRINEC(R) is a registered trademark of FBI/GORDON CORPORATION.

NET CONTENTS ONE U.S. GALLON

BEST AVAILABLE COPY

STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND FOLLOW
DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Corrosive, causes damage to eyes. Do not get into eyes, on skin or clothing. Wear goggles or face shield when handling. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wash thoroughly after handling.

-Statement of Practical Treatment-

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air and apply respiration if indicated.

If On Skin: Wash promptly with soap and water. Rinse thoroughly.

Environmental Hazards

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift away from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEST AVAILABLE COPY

4

STORAGE & DISPOSAL

Storage: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near other herbicides, fertilizers, insecticides, fungicides, or near seeds.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WEEDS

Bedstraw
Black Medic
Buckhorn
Burdock
Chicory
Chickweed
Clover
Dandelion
Dock
Ground Ivy
Heal-All
Henbit
Knotweed
Lambsquarter
Lespedeza
Mallow
Morningglory
Peppergrass
Pigweed
Plantains
Poison Ivy
Poison Oak
Pursh
Ragweed
Sheep Sorrel
Shepherd's Purse
Speedwell
Spurge
Wild Carrot
Wild Garlic
Wild Onion
Yarrow

and many other broadleaf weeds in lawns & turf.

5

OTHER USE PRECAUTIONS.
OBSERVE CAREFULLY.

1. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
2. Do not pour spray solutions near these plants.
3. Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present.
4. Use only lawn-type sprayers.
5. NOTE: Coarse sprays are less likely to wind-drift.
6. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; ~~be particularly careful~~ *do not spray* within the dripline of tree and other ornamental species.
7. Do not spray while grass is emerging from dormancy.
8. Do not apply to newly seeded lawns until well established.
9. Do not spray when air temperature exceeds 85 F.
10. Seed can be safely sown 3 to 4 weeks after application.
11. Do not contaminate domestic or irrigation waters.
12. Some injury can be expected to turf when used on centipede or St. Augustine grass lawns. "Spot spray" weeds only on these types of grasses. Clover present will be damaged if sprayed.
13. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
14. Failure to observe the above precautions may result in injury.

ORNAMENTAL LAWNS & TURF
(other than Bentgrass):

Apply TRINEC 870 at the rate of 3 1/4 to 4 1/4 per acre in sufficient water for adequate coverage. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf, until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra, carpetgrass and St. Augustine grass.

BENTGRASS TURF:

In closely mowed bentgrass (putting and bowling greens) apply TRINEC 870 at a maximum rate of 1 fluid ounce per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE:

Care should be taken to avoid overdosing bentgrasses or injury may result. Large volumes of spray water (i.e. 1 fl. oz. in 5 gals. water per 1,500 sq. ft.) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local overapplication and subsequent turf discoloration or injury.

BEST AVAILABLE COPY

6

7864

()

WARRANTY:

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

EPA REG. NO. 2217-xxx
EPA EST. NO. 2217-KS-1

1986 .

7