



READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENT

Hazards to Humans & Domestic Animals

DANGER: Corrosive, causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Avoid exposure to spray mist. Wear goggles or face shield and protective clothing and rubber gloves. Harmful or fatal if swallowed or absorbed through skin. Harmful if inhaled. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

If Swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air and apply respiration if indicated.

If On Skin: Wash promptly with soap and water. Rinse thoroughly.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift away from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near other herbicides, fertilizers, insecticides, fungicides, or near seeds.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

WEEDS

Bedstraw	Knotweed	Sheep Sorrel
Black Medick	Lambsquarters	Shepherd's Purse
Buckhorn	Lespedeza	Speedwell
Burdock	Mallow	Spurge
Chickory	Morningglory	Wild Carrot
Chickweed	Peppercorn	Wild Garlic
Clover	Pigweed	Wild Onion
Dandelion	Plantains	Yarrow
Dock	Prison Ivy	and many other
Ground Ivy	Purple Oak	bristly weeds
Heal-All	Purslane	in lawns & turf.
Henbit	Ragweed	

TRIMEC® 870 BROADLEAF HERBICIDE

**KILLS: DANDELION, CHICKWEED,
KNOTWEED, PLANTAIN, HENBIT,
SPURGE and many other broadleaf
weeds, some of which are shown on
the side panel.**



— KEEP FROM FREEZING —

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	34.47%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.35%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	3.76%
INGREDIENTS	45.42%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- *2.67 lbs. 2-methyl-4-chlorophenoxyacetic acid per gallon or 20.14%.
- **1.28 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 13.51%.
- ***0.30 lb. 3,6-dichloro-o-anisic acid per gallon or 3.12%.

KEEP OUT OF REACH OF CHILDREN

DANGER

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

See side panels for additional precautionary information and Statement of Practical Treatment.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

OTHER USE PRECAUTIONS. OBSERVE CAREFULLY.

1. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
2. Do not pour spray solutions near these plants.
3. Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present.
4. Use only lawn-type sprayers.
5. NOTE: Coarse sprays are less likely to wind-drift.
6. Do not spray exposed roots of trees and ornamentals. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
7. Do not spray while grass is emerging from dormancy.
8. Do not apply to newly seeded lawns until well established, or after two to three mowings.
9. Do not spray when air temperature exceeds 85°F.
10. Seed can be safely sown 3 to 4 weeks after application.
11. Do not contaminate domestic or irrigation waters.
12. Some injury can be expected to turf when used on centipede or St. Augustine grass lawns. "Spot spray" weeds only on these types of grasses. Clover present will be damaged if sprayed.
13. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
14. Failure to observe the above precautions may result in injury to desirable plants.

ORNAMENTAL LAWNS & TURF (other than Bentgrass):

Apply TRIMEC 870 at the rate of 3 1/4 to 4 1/4 pints in 20 to 240 gallons of water per acre. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra, carpetgrass and St. Augustine grass.

BENTGRASS TURF:

In closely mowed bentgrass (putting and bowling greens) apply TRIMEC 870 at a maximum rate of 1 fluid ounce per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bentgrasses or injury may result. Large volumes of spray water (i.e. 1 fl. oz. in 5 gallons water per 1,500 sq. ft.) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local overapplication and subsequent turf discoloration or injury.

WARRANTY

The manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled uses when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed. Therefore, the manufacturer makes no other implied or express warranty nor is any agent of the manufacturer allowed to do so. Upon purchase of this product, the buyer assumes all risks associated with use of this product. In the event of damage resulting from a breach of warranty, the buyer agrees to accept a refund of the purchase price of the product as full discharge of the manufacturer's liability.

7707 87

EPA REG. NO. 2217-721

EPA EST. NO. 2217-KS-1

MADE BY **pbi/gordon**
CORPORATION
KANSAS CITY, KANSAS 64116

NET CONTENTS _____ U.S. GALLONS

2217-721 PM23 1061

ACCEPTED
DEC 17 1987
2217-721