EPA REGISTRATION N DATE OF ISSUANCE US ENVIRONMENTAL PROTEC **JAGENCY** 2217~723 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 Conditional NOTICE OF PESTICIDE: ARGISTRATION NAME OF PESTICIDE PRODUCT REREGISTRATION -Trimee-H +0.000 (Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) FF1/Gordon Corporation F.5. Lox 4090 Amsas City, MO 64161 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the set in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pestleide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFF  $\hbar$ section 3(c)(7)(A) provided that you: 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. take the labeling changes listed below before you release the product for shipment: a. Add the phrase "FPA Registration No. 2217-723." Endify the precautionary text as indicated in our letter of Lugust 4, 1987. submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section &(e). Your release for shipment of the product constitutes acceptance of these conditions. A starped copy of the label is enclosed for your records. Richard F. Hountfort BEST AVAILABLE COPY Product lanager (23) Fungicide-Merbici3e Franch Registration Pivision (TS-767C)

Unclosures

TATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL Mountout	AUG   3   1987

EPA Form \$570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

# TRIMEC(R) H 10,000

ONE QUART COVERS 10,000 SQ. FT. TO CONTROL BROADLEAF WEEDS

IN LAWNS.

CONTROLS: CLOVER, DANDELION, HENBIT, KNOTWEED, TO PLANTAIN, POISON IVY, POISON DAK, SPURGE AND OTHER BROADLEAF WEEDS; SOME OF WHICH ARE CHOWN ON THE SIDE PANEL.

-- KEEP FROM FREEZING

ACTIVE INGREDIENTS:

\*Diethanolamine Salt of 2-methyl-4-chlorophenoxyacetic acid....8.05%

\*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid....6.47%
\*\*Diethanolamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic..3.61%

\*\*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic...2.93%

\*\*\*Diethanolamine Salt of Dicamba (3,6-dichloro-o-anisic acid)...0.81%

TOTAL 100.00%

### THIS PRODUCT CONTAINS:

\*0.941 lbs 2-methyl-4-chlorophenoxyacetic acid per gallon or 10.57%

\*\*0.431 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 4.84%

\*\*\*0.098 lbs 3,6-dichloro-o-anisic acid per gallon or 1.10%

# KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: In case of eye contact, immediately flush
eyes with plenty of water for 15 minutes. Call a
physician at once.

See back panel for additional precautionary information.

**NET CONTENTS** 

TRINEC(R) is a registered trademark of PBI/GORDON CORPORATION.

EPA REG NO 2217-xxx EPA EST NO 2217-KS-1 /587 STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
IDANGER: Corrosive, causes irreversible eye damage. Harmful if
Iswellowed. Avoid contact with eyes, skin or clothing. In case of
Icontact immediately flush eyes with plently of water and get medical
Fattention if rritation persists.

# Statment of Practical Treatment

In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

I<u>If Swallowed</u>: Drink promptly a large quantity of milk, egg | whites, gelatin solution, or, if these are not available, drink | large quantities of water. Avoid alcohol. Do not induce vowiting for give anything by mouth to an unconscious person.

I<u>If Inhaled</u>: Remove victim to fresh air and apply respiration if indicated.

IIf On Skin: Wash promptly with soap and water. Rinse thoroughly.

INOTE TO PHYSICIAN: Probable musocal damage may contraindicate the use I of gastric lavage.

|Environmental Hazards

IDo not apply directly to water. Do not apply when weather conditions I Ifavor drift from target area. Do not contaminate water by cleaning of I lequipment or disposal of wastes. Do not contaminate domestic or I lirrigation waters.

## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner...
inconsistent with its labeling.

#### **OBSERVE THESE USE PRECAUTIONS:**

- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants.
- Do not apray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present.
- Э. Use only lawn-type sprayers.
- Coarse spray droplets are less likely to wind-drift and thus help 4. prevent damage to nearby plants.
- 5. Do not apray roots of desirable trees and ornamentals. Do not exceed apecified dosages for any area, be particularly careful within the dripline of desirable trees and other ornamentals.
- Do not apray while grass is emerging from dormancy.
- 7. Do not apply to newly seeded lawns until well established.
- New seed can be safely sown 3 to 4 weeks after application. 8.
- Some injury can be expected to turf if used on St. Augustine or Centipeda grasses. "Spot spray" weeds on these grasses. present will be damaged if aprayed.
- After using this product, clean sprayer with soap or detergent and water. Rinse sprayer thoroughly before putting other pesticides it.
- 11. Failure to observe the above precautions may result in injury.

#### BROADLEAF WEEDS/WHERE TO USE:

Use on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar non-crop areas where broadleaf weeds are present. This product is especially effective on hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition, it controls most other broadleaf weeds, including sensitive weeds like Chickweed, Clover, Dandelion, Knotweed and Plantain. A partial list is given on the side panel.

#### BROADLEAF WEEDS/WHEN TO USE:

- 1. Spray at any time during the growing season when weeds are actively
- On new lawns, wait until the grass has reached a height of 2 inches.... 2. before making an over-all apray treatment. However, ,ပ် ¦ '¦ spo}. treatment" may be made any time with a small pressure-sprayerecore spraying only the weeds at ground level. Wait 3 to 4 weeks 'before' ... putting new grass seed or stolons down in the bare spots.
- з. Poor weed control may result if spray is applied during drought just before rain. "
- For best results, mow before treating.
- Do not water lawn within 24 hours after treatment.

(side panel)

#### CONTROLS:

SENSITIVE WEEDS:
Bedstraw
Black Medic
Buckhorn
Chickweed
Clover
Dandelion
Knotweed
Lambsquarter
Peppergrass
Plantain
Purslane
Ragweed
Shepherd's Purse
Wild Lettuce

HARD-TO-KILL WEEDS: Chicory Dock Ground Ivy Heal-All Lespedeza Mallow Morningglory Pigweed Poison Ivy Poison Oak Sheep Sorrel Speedwell Spurge Wild Carrot Wild Onion Yarrow

BROADLEAF WEEDS/HOW NUCH TO USE (Entire Lawn) HOSE-END SPRAYER:
Use a hose-end sprayer designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2) and spray on area shown (Column 3). For example, to 850 sq.ft., measure 5 tableapoons (2 1/2 ozs.) in jar, add water to the 5 gals. level, mix, and turn on hose and apray over 850 sq.ft.

ICc	olumn 1	Column 2		Column 3		
	Amt. to Use (Tbsp.)	(F1. Oz.)	Fill Bottle t.   (Gallons)	0	Area to Treat (Sq. Ft.)	
<del></del>	1	1/2	1 1	-	170	, l
1	2	1	ì 2	1	340	- 1
Į.	5	2 1/2	1 5	1	850	- 1
1	10	5	1 10	1	1700	1
1	15	7 1/2	i 15	ı	2550	1
j	20	10	1 20	ŀ	3400	1
1	32	16	I 32	ı	5440	1
1			!	1_		!

BROADLEAF WEEDS/HOW MUCH TO USE (Entire Lawn) PRESSURE-SPRAYER:
Neasure indicated amount of product into tank and dilute with water
according to the following chart. Use a spray pattern which gives small
apray droplets without any fine mist. Cover the area indicated.

. ]	Amt. to Use (Tbsp.)	"   	(F1. Oz.)	Amt. Water     Sprayer (Gal		(Sq. Ft.)	id I
i	2	- ; i	1	1/2	!	335	1
ļ	4	1	2	1	1	670	- 1
١	8	١	4	1 2	i	1300	F
ł	12	1	6	3	J	2000	- 1
ļ		_ 1		1	!		1

NOTE: Whether using a hose-end or pressure sprayer, avoid fine-mist sprays. A fine-mist spray can drift, causing damage to ornamental or garden plants. Use coarse spray droplets.

BROADLEAF WEEDS/HOW NUCH TO USE (Spot-Spraying):

To spray small areas or individual weeds, do not use a hose-end sprayer'.'''

Mix 1 oz.(2 tbsp.) in a half-gallon of water in pressure sprayer and spray

as required being certain to "wet" each weed.

NOTICE: Seller warrants that this product conforms to the ingredient of statement on the label. Since conditions of use, such as weather compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, KANSAS 66118