TRIMEC® NORTHERN **LIQUID WEED & FEED**

25-0-0

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS. 9 OZ.)

- KEEP FROM FREEZING -ONE QUART COVERS UP TO 5,000 SQ. FT.

CONTROLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds, some of which are shown on this label



5.6701-

2.736* -

€619%

90 975°s

No Spreading — No Complicated Mixing Just attach to a garden hose & spray

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2.4-Dichlorophenexyal etic acid

**Dimethylamine Salt of 2-12-methyl-4-chlorophenoxys propionic acid

***Dimethylamine Salt of Dicamba (3.6 dichloro o an sic acid

INERT INGREDIENTS

THIS PRODUCT CONTAINS

TOTAL INCIDED:

10.480 lbs. 2.4 dichiorophenoxyacetic acid per gallon or 4.555 10.231 ths 12:12 methyl 4 chlor schenusy proplanic acid part (alt 1000 to 1000) 11 0 053 for 13.6 dichiero in ansac acur per galler in 0.5141.

KEEP OUT OF REACHOF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

In case of contact, washiskin with plenty of soap and water if it eye. It isn with water for 15 minutes, and get medical attent in

See side panel for additional precautionary statements

TRIME, in least regulatement transent are of PRI as the Company of EPA REGINO TOTA TALLE EPA EST NO 2211 HS 1





MEASURING

GUIDE

* - - -

READ THE ENTIRE LABEL FIRST CRSERVE ALL PRECAUTIONS AND FACCO A DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animais

Environmental Hazards

CONTAINER DISPOSAL

OTHER USE PRECAUTIONS

. The control of the co

WEEDS

. Angelog & Charge 4 5 2 4 14. N 40 40 . . . 1 A . V . A . ** • V . . . $\frac{M}{M} = \frac{2\pi}{3} = \frac{1}{3}$ 33.5 3.1 + 1.5

5 S

A 100 And the second of the second

WHEN TO USE

1. S. W. C. P. The term with it the past type as here, eight in the that we have you to be the training of As A week for the training

INSTRUCTIONS

and the second

.

Carry Rolling Co. Co. Co. Co. Co. Co. Co. early open mention as more allowed the interpretation Acres de la constante de la co

The second of the property of the property of the second o reach the property of the control of

the second second second

.

UMITED WARRANTY "

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES . A. A. A. The control of the control members of the control o $(x_1, x_2, \dots, x_{n-1}, y_n, y_n) = 0 \quad \forall x_1, \dots, y_n \in \mathcal{M}_{n-1}(x_1, \dots, x_{n-1}, y_n) \in \mathcal{M}_{n-1}(x_1, \dots, y_n)$ The second of th A A COLOR OF MAN A COLOR OF A CARLON AND ANALYSIS.

HEA TO USE

DIRECTIONS FOR USE

PRODUCT DISPOSAL A . 2 :


.. ..

---113 . 2

PIZYJAMA CBETMARAUD . .

WHERE TO USE

7.4 ASSESSMENTS



25~0-0

NEAT CONTENTS ONE QUART (WET WEIGHT: 2 LBS 9 02)

--KEEP FROM FREEZING--1 QUART COVERS UP TO 5,000 SQFT.

CONTROLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds: some of which are shown on this label.

> No Spreading -- No complicated Mixing Just attach to a garden hose & spray

- ACTIVE INGREDIENTS:

- " Dimethylamine Salt of 2.4-Dichlorophenoxyacetic acid.......5.670%
- ** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic

*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)...0.619% INERT INGREDIENTS......90.975%

TOTAL 100.00%

THIS PRODUCT CONTAINS:

- * 0.480 lbs 2.4-dichlorophenoxyacetic acid per gallon or 4.711%
- ** 0.231 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 2.261%
- *** 0.053 lbs 3.6-dichloro-o-anisic acid per gallon or 0.514%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap I and water: for eyes, flush with water for 15 minutes look I and get medical attention.

ISee back panel for additional precautionary statements.

Trimec(R) is a registered trademark of PBI Gordon Corporation.

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, KANSAS 66118

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

MEASURING

GUIDE

PRECAUTIONARY STATEMENTS

ICAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact,

COVERAGE

1.000 SQFT limmediately flush eyes or skin with plenty of (water. If irritation develops get medical atten-Ition. Avoid contamination of food or feedstuffs

> |Environmental Hazards: Do not apply directly to Iwater. Do not apply when weather conditions favor Idrift from target area. Do not contaminate water Thy cleaning of equipment or disposal of wastes. IDo not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ISTORAGE: Keep from freezing. Store in original | container in a locked storage area inaccessible Ito children. Do not store near food or feedstuffs. I !To prevent cross-contamination. do not store near lother fertilizers. insecticides. fungicides. or

IPRODUCT DISPOSAL: Securely wrap original container With unused product in several layers of newspaper | land discard in trash.

ICONTAINER DISPOSAL: Do not reuse empty container. 3,000 saft IRinse thoroughly before discarding in trash.

COVERAGE

OTHER USE PRECAUTIONS:

Do not allow spray to drift to vegetables. flowers. ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grassins emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85 degrees F. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass. dichondra. St. Augustine, Centipede, closely_howed bentarass. nor on lawns or turf where desirable clovers' are 5.000 saft present. Do not spray roots of trees of trees and ornamentals. Do not exceed specified dosages for any area. WHEN EMPTY be particularly careful within dripline of tree and other ornamental species.

COVERAGE

BEST AVAILABLE COPY

I WEEDS 1 Bedstraw I Black Medic Buckhorn I Bull Thistle Burdock Buttercup I Chicory I Chickweed Clover I Cocklebur Dandelion Dock Galinsoga Ground Ivy Hawkweed | Heal-All Henbit I Knotweed I Lambsquarter I Lespedeza Mallow I Morningglory | Mustard I Oxalis I Peppergrass I Pigweed I Plantain I Poison Ivy I Poison Oak | Purslane I Raqweed I Sheep Sorrel Shepherd's Purse Speedwell Tansy Mustard I Thistle I Spurge Velvetleaf Wild Carrot Wild Garlic Wild Lettuce Wild Onion I Yarrow I and many other I broadleaf lawn weeds.

BEST AVAILABLE GURY



WHERE TO USE:

LIQUID WEED & FEED may be used on Bahia, Bermuda. Bluegrass. Fascue. Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy. Poison Oak Sheep Sorrel and Spurge. In addition LIQUID WEED & FEED controls most other broadleaf weeds, including sensitive weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantain.

WHEN TO USE:

- Spray at any time during the growing season when weeds are actively growing.
- On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
- Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results, mow 1 to 2 days before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW TO USE:

Shake Well Before Using.

(one of the following will be used depending on the hose end applicator used.)

(A)


INSTRUCTIONS

- 1. Connect spray nozzle to garden hose.
- Shake contents of bottle well.
- 3. Remove safety cap.
- 4. Attach tube to nozzle applicator.
- Attach bottle to open end of spray nozzle. Turn bottle counterclockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
- 6. Turn on water: place finger over hole on right side of nozzle and ''''.

 proper ratio of LIQUID WEED & FEED will automatically be dispersed.

 Spray directly over area requiring application evenly' and uniformly. (Check handy measuring guide to see how much of this '''.

 liquid has been used.)



.

(B)

Connect spray nozzle to Garden hose: remove safety cap from container. attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water: place finger over hole on right side of nozzle and proper ratio of LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. Check handy measuring guide to see how much liquid has been used.)

(C)

- 1. Attach garden hose to connector on dispenser.
- Insert screwdriver into slot in orange lock ring and twist, snarping lock ring in two.
- 3. Remove both parts of separated lock ring.
- 4. Turn arrow on activator switch to OFF position.
- Push activator switch securely down against top of sprayer. Which will pierce the safety seal inside the dispenser.
- 6. To begin spraying, turn on water and then move activator switch to the ON position.
- 7. To stop dispensing the product, turn off water.

(D)

- Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach if to hose.
- 2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
- 3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
- 4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
- 5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

(E)

This half-gallon package is intended as a refill for the quart hose-end sprayer applicator/container of LIQUID WEED & FEED. However, 'this product may be used in any hose-end sprayer in which herbicides have been used.

Add LIQUID WEED & FEED to the hose-end sprayer jar. DO NOT ADD .WAIER TO THE JAR. One quart covers 5.000 square feet. One-half gallon covers up to 10.000 square feet.

LIMITED WARRANTY. Manufacturer wargants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

{

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where disclaimers and exclusions are specifically prohibited by THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY law. APPLICABLE THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED. OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM LIMITED WARRANTY ARE DISCLAIMED ΕY MANUFACTURER. and. Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS. and. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

EPA REG. NO. 2217-XXX EPA EST NO. /287