Rey # 2217 - 726 PM-23 TRIMEC(R) 901 LIQUID WEED & FEED 20-0-0

> - KEEP FROM FREEZING --ONE HALF GALLON COVERS UP TO 5,000 SQFT.

CONTROLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on this label.

> No Spreading -- No complicated Mixing Just attach to a garden hose & spray

ACTIVE INGREDIENTS: Dimethylamine Salt	of 2,4-dichlorophenoxyacetic
acid	of 2-(2-methyl-4-chlorophenoxy)
Dimethylamine Salt	of 2-(2-methyl-4-chlorophenoxy)
*** Dimethylamine Salt	of Dicamba (3,6-dichloro-o-anisic
acid)	0.312%
INERT INGREDIENTS	
	TOTAL 100.000%

THIS PRODUCT CONTAINS:

0.220 lbs 2,4-dichlorophenoxyacetic acid equivalent per gallon or 2.313% 0.105 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 1.104% 0.024 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.252%

KEEP OUT OF REACH OF CHILDREN

CAUTION

BEST AVAILABLE COPY

. . .

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.

TRIMEC^(R) is a registered trademark of PBI Gordon Corporation.

NET CONTENTS ONE HALF GALLON(NET WEIGHT: 4 LB/S 1/2/DZ

703/5! J AP022688+ EPA REG. NO. 2217-726 EPA EST. NO. 2217-KS-1 Mfd. by PBI/GORDON CORPORATION KANSAS CITY, KANSAS 66118

ACCEPTED he Federal Insecticid nan, and Rodenticide Act amound, to the posticide

EPA Ray No 2014-12

STOP! READ THE ENTIRE LABEL FIRST, OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, longsleeved shirt and shoes when applying this product. Wear goggles when applying this product. When handling this product, wear chemical resistant gloves. In case of contact, immediately flush eyes or skin with plenty of water. If initiation develops get medical attention. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

STORAGE: Keep from freezing. Store in original container in a locked stc-age area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS: Do not apply this product through any type or irrigation system. Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85 degrees F. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, Dichondra, St. Augustine, Centipede, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present.

Do not spray roots of trees of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful within dripline of tree and other ornamental species.

20-0-0 GUARANTEED ANALYSIS Total Nitrogen (N)......20.00% 20% Urea Nitrogen Derived from Urea.

BEST AVAILABLE CUVY

OPTION 1 OR 2 TO BE USED DEPENDING ON THE SUBREGISTRATION

OPTION 1

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season 'When applied as directed this product supplies 0.19 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local agricultural extension agent for the proper amount of nitrogen to be applied in your area.

OPTION 2 Trimec^(R) 901 should be supplemented by Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office concerning a regular fertilizer program.

WHE' LE TO USE: TRIMEC^(R) 901 may be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition TRIMEC^(R) 901 controls most other broadleaf weeds, including sensitive weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantain.

WHEN TO USE:

- 1. Spray at any time during the growing season when weeds are actively growing.
- On ..ew lawns, wait until the grass has reached a height of 2 inches before making an overall spray 2 treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
- Poor weed control may result if spray is applied during drought or just before rain.
- For best results, mow 1 to 2 days before treating.

1

5. Do not water lawn within 24 hours after treatment.

HOW TO USE: Shake Well Before Using.

(one of the following will be used depending on the hose end applicator used.)

OPTION A

INSTRUCTIONS

- Connect spray nozzle to garden hose.
- 2. Shake contents of bottle well.
- 3. Remove safety cap.
- 4. Attach tube to nozzle applicator.
- Attach bottle to open end of spray nozzle. Turn bottle counter-clockwise until threads mesh. Then 5. turn the bottle clockwise until tightly closed.
- Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC^(R) 901 will 6. automatically be dispersed.

Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this liquid has been used.)

OPTION B

Connect spray nozzle to Garden hose; remove safety cap from container, attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC^(H) 901 will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much liquid has been used.)

OPTION C

- Attach garden hose to connector on dispenser. 1.
- 2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
- 3. Remove both parts of separated lock ring.
- 4. Turn arrow on activator switch to OFF position.
- 5. Push activator switch securely down against top of sprayer. Which will pierce the safety sear inside the dispenser.

3

BEST AVAILABLE COPY

- To begin spraying, turn on water and then move activator switch to the ON position. 6.
- 7. To stop dispensing the product, turn off water.

OPTION D

- 1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to the hose.
- 2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
- 3. Turn the on/orf switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
- 4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
- To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

OPTION G

- 1. Attach spray nozzle to garden hose by turning nozzle clockwise and securing firmly to the hose.
- 2. Remove cap from bottle and screw bottle into spray nozzle.
- Flip the on/off switch on top of the spray nozzle backward or toward the garden hose to the "OFF" position. Then turn on the water at the faucet.
- 4. To begin spraying, flip the sprayer nozzle switch forward to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
- 5. To stop spraying, flip the sprayer nozzle switch backward to the "OFF" position and turn off water at the faucet.

OPTION E

This gallon package is intended as a refill for the one-half gallon hose-end sprayer applicator/container of TRIMEC^(R) 901. However, this product may be used in any hose-end sprayer in which nerbicides have been used.

Add TRIMEC^(R) S01 to the hose-end sprayer jar. DO NOT ADD WATER TO THE JAR. One-half gallon covers 5,000 square feet. One gallon covers up to 10,000 square feet.

OPTION F

PRESSURE-SPRAYERS: Measure 1/2 gallon of Th:MEC^(R) 901 into tank and dilute with 4 1/2 to 10 1/2 gallons of water. Use a spray pattern that gives small droplets without any fine mist and cover 5,000 square feet. For hand sprayers add 13 oz. to 1 gallon of water and spray over 1,000 square feet.

WEEDS

Dedstraw Black Medic Buckhorn Bull Thistle Burdock Buttercup Chicory Chickweed Clover Cocklebur Dandelion Dock Galinsoga Ground Ivy Hawkweed Heal-All Henbit Knotweed Lambsquarter Lespedeza Mallow Morningglory Mustard Oxalis Peppergrass Pigweed Plantain Poison Ivy Poison Oak Pur slane

Ragweed Sheep sorrel Shepherdspurse Speedwell Tansy Mustard Thistle Spurge Velvetleaf Wild Carrot Wild Garlic Wild Carrot Wild Garlic Wild Lettuce Wild Oniot Yarrow and many other broadleaf lawn weekis;



LIMITED WARRANTY: Manufacturer wattants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WAR-RANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.



5

ŋ

MEASURING GUIDE

. •

-

[

.


(

1,000 SQ.FT. COVERAGE

3,0000 SQ.FT.

5,000 SQ.FT.

COVERAGE WHEN EMPTY



• • • • •