



1217 W. 12TH STREET
P.O. BOX 4090
KANSAS CITY, MO 64101

The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of **Trimec 901 Liquid Weed and Feed 20-0-0 (2217-726)** produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

J. A. Armbruster

2/19/93

James A. Armbruster, Ph.D.
Mgr. Regulatory Services

Date

287

TRIMEC^(R) 901 LIQUID WEED & FEED

20-0-0

-- KEEP FROM FREEZING --
ONE HALF GALLON COVERS UP TO 5,000 SQFT.

CONTROLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge
and many other broadleaf lawn weeds; some of which are shown on this label.

No Spreading -- No complicated Mixing
Just attach to a garden hose & spray

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	2.784%
** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.336%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.312%
INERT INGREDIENTS	<u>95.568%</u>
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- * 0.220 lbs 2,4-dichlorophenoxyacetic acid equivalent per gallon or 2.313%
- ** 0.105 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 1.104%
- *** 0.024 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.252%

Isomer Specific by AOAC Methods.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water.
For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.

TRIMEC^(R) is a registered trademark of PBI Gordon Corporation.

NET CONTENTS ONE HALF GALLON (NET WEIGHT: 4 LBS 12 OZ)

703/1292 APXXXXXX

EPA REG. NO. 2217-726
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

3 of 7

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops get medical attention. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS: Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85 degrees F. Seed can be sown 3-4 weeks after application. Do not use on carpetgrass, dichondra, St. Augustinegrass, centipedegrass, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present.

Do not spray roots of trees of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful within dripline of tree and other ornamental species.

20-0-0

GUARANTEED ANALYSIS

Total Nitrogen (N).....20.00%

20% Urea Nitrogen

Derived from Urea.

487

OPTION 1 OR 2 TO BE USED DEPENDING ON THE SUBREGISTRATION

OPTION 1

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies 0.19 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local agricultural extension agent for the proper amount of nitrogen to be applied in your area.

OPTION 2

Trimec^(R) 901 should be supplemented by Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office concerning a regular fertilizer program.

WHERE TO USE: TRIMEC^(R) 901 may be used on bahiagrass, bermudagrass, bluegrass, fescue, ryegrass or zoysiagrass lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition TRIMEC^(R) 901 controls most other broadleaf weeds, including sensitive weeds such as chickweed, clover, dandelion, knotweed and plantain.

WHEN TO USE:

1. Spray at any time during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks after application before seeding or planting stolons.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow 1 to 2 days before treating.
5. Do not water lawn within 24 hours after treatment.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

HOW TO USE: Shake Well Before Using.

(one of the following will be used depending on the hose end applicator used.)

OPTION A

INSTRUCTIONS

1. Connect spray nozzle to garden hose.
2. Shake contents of bottle well.
3. Remove safety cap.
4. Attach tube to nozzle applicator.
5. Attach bottle to open end of spray nozzle. Turn bottle counter-clockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
6. Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC^(R) 901 will automatically be dispersed.

Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this liquid has been used.)

OPTION B

Connect spray nozzle to Garden hose; remove safety cap from container, attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC^(R) 901 will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much liquid has been used.)

BEST AVAILABLE COPY

587

OPTION C

1. Attach garden hose to connector on dispenser.
2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
3. Remove both parts of separated lock ring.
4. Turn arrow on activator switch to OFF position.
5. Push activator switch securely down against top of sprayer. Which will pierce the safety seal inside the dispenser.
6. To begin spraying, turn on water and then move activator switch to the ON position.
7. To stop dispensing the product, turn off water.

OPTION D

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to the hose.
2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

OPTION G

1. Attach spray nozzle to garden hose by turning nozzle clockwise and securing firmly to the hose.
2. Remove cap from bottle and screw bottle into spray nozzle.
3. Flip the on/off switch on top of the spray nozzle backward or toward the garden hose to the "OFF" position. Then turn on the water at the faucet.
4. To begin spraying, flip the sprayer nozzle switch forward to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, flip the sprayer nozzle switch backward to the "OFF" position and turn off water at the faucet.

OPTION E

This gallon package is intended as a refill for the one-half gallon hose-end sprayer applicator/container of TRIMEC^(R) 901. However, this product may be used in any hose-end sprayer in which herbicides have been used.

Add TRIMEC^(R) 901 to the hose-end sprayer jar. DO NOT ADD WATER TO THE JAR. One-half gallon covers 5,000 square feet. One gallon covers up to 10,000 square feet.

OPTION F

PRESSURE-SPRAYERS: Measure 1/2 gallon of TRIMEC^(R) 901 into tank and dilute with 4 1/2 to 19 1/2 gallons of water. Use a spray pattern that gives small droplets without any fine mist and cover 5,000 square feet. For hand sprayers add 13 oz. to 1 gallon of water and spray over 1,000 square feet.



BEST AVAILABLE COPY

6/27

WEEDS

Bedstraw
Black Medic
Buckhorn
Bull Thistle
Burdock
Buttercup
Chicory
Chickweed
Clover
Cocklebur
Dandelion
Dock
Galinsoga
Ground Ivy
Hawkweed

Heal-All
Henbit
Knotweed
Lambsquarter
Lespedeza
Mallow
Morningglory
Mustard
Oxalis
Peppergrass
Pigweed
Plantain
Poison Ivy
Poison Oak
Purslane


Ragweed
Sheep sorrel
Shepherdspurse
Speedwell
Tansy Mustard
Thistle
Spurge
Velvetleaf
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Yarrow
and many other
broadleaf lawn weeds.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



MEASURING GUIDE

1,000 SQ.FT.

COVERAGE

3,000 SQ.FT.

COVERAGE

5,000 SQ.FT.

COVERAGE
WHEN EMPTY

