

STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTIONS. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wear protective clothing, PVC gloves and apron and full face shield when handling or mixing concentrate. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Environmental hazards

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift from target area.

Physical and chemical hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store in original container only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

ORNAMEC is a selective postemergence herbicide for control of annual and perennial grass weeds. ORNAMEC does not control broadleaf weeds or sedges (nutgrass).

Control Symptoms -- ORNAMEC is a systemic herbicide which moves from the treated foliage into the shoots, roots rhizomes, stolons, and -growing points (meristematic regions) of treated grass weeds. Excellent control of a wide range of annual and perennial grass weeds will be obtained with ornamec when applied as recommended on this label.

Growth of treated grass weeds stops soon after application. Symptoms include loss of vigor, yellowing and/or reddening, and eventual death to the treated grass plant. Symptoms are generally observed within one to three weeks, depending on grass weed species and environmental conditions.

ORNAMEC can be used to control grass weeds in many newly transplanted and established nongrassy ornamentals, trees, shrubs and ground covers. See the following Tables I through IV for specific recommended uses.

BEST AVAILABLE COPY

Application of ORNAMEC may be made over-the-top to ornamentals listed in Table I. Plants listed in Tables II through IV should have a directed spray applied to prevent contact or spray with foliage. If the growth habit of the plant or other factors do not allow a directed spray, an over-the-top application can be made to plants in Table II-IV. However, there is the possibility of damage in the range listed for each table when applied at label rates.

DO NOT APPLY TO ORNAMENTALS THAT MAY BE HARVESTED FOR FOOD WITHIN ONE YEAR AFTER APPLICATION.

NOTICE TO BUYER AND USER: It is impossible to test every species and variety or cultivar of ornamental or nursery plants under all conditions. Plant tolerance of pesticides vary as conditions vary. Plant tolerance of ORNAMEC at label rates has been found to be acceptable within the ranges specified for the indicated genera and species. Neither the manufacturer nor the seller has determined whether or not ORNAMEC can safely be used on plants not specified on this label. The professional user should determine if ORNAMEC can be used safely prior to use.

APPLICATION DIRECTIONS

Timing - For ornamental use apply to actively growing grass weeds before they exceed the recommended growth stages shown below.

Do not apply ORNAMEC herbicide if rainfall is expected within 1 hour.

ALWAYS ADD A NONIONIC SURFACTANT containing at least 75% surface wetting agent, at 0.25% (1/2 pint per 25 gallons) of finished spray volume.

SPOT TREATMENTS

Mix ORNAMEC and nonionic surfactant with water according to the amounts shown below. Spray to obtain thorough coverage, but do not spray to runoff. Retreat if necessary.

To Make This Spray Volume	Add These Amounts	
	ORNAMEC	Nonionic Surfactant
1 gal.	2.5 fl.oz. (4.5 tbsp)	1/2 fl.oz.
10 gal.	25 fl.oz.	3 fl.oz.
25 gal.	64 fl.oz.	1/2 pint
50 gal.	128 fl.oz.	1 pint

BEST AVAILABLE COPY

ANNUAL AND PERENNIAL GRASS CONTROL RECOMMENDATIONS

- Use 14 - 16 oz. of ORNAMEC herbicide per acre and 0.15% (1/2 pint per 25 gallons) of a nonionic surfactant.
- Spray to obtain thorough coverage of grass foliage, but not to runoff. Repeat treatments may be necessary to provide full season control.
- Use standard pesticide hollow cone or flat fan nozzles.
- Apply ORNAMEC herbicide to actively growing grasses before they exceed the recommended growth stages shown below.
- Do not apply ORNAMEC herbicide to grasses which are stressed due to moisture, temperature, low soil fertility, mechanical or chemical injury.
- Do not apply to grasses which have tillered, formed seed heads, or exceeded recommended growth stages.
- Apply ORNAMEC herbicide when the first grass species in a mixed grass weed population reaches the recommended growth stage for treatment.

ANNUALS

Grass Species

Growth Stage: 2-8" tall, before tillering and/or heading

- Barnyardgrass (Echinochloa crusgalli)
- Broadleaf signalgrass (Brachiaria platyphylla)
- Crabgrass, Large (Digitaria sanguinalis)
- Crabgrass, smooth (Digitaria ischaemum)
- Fall Panicum (Panicum dichotomiflorum)
- Field sandbur (Cenchrus pauciflorus)
- Foxtail, giant (Setaria faberi)
- Foxtail, green (Setaria viridis)
- Foxtail, yellow (Setaria lutescens)
- Goosegrass (Eleusine indica)
- Guineagrass, seedling (Panicum maximum)
- Itchgrass (Rottboellia exaltata)
- Johnsongrass, seedling (Sorghum halepense)
- Jungle rice (Echinochloa contracta)
- Prairie cupgrass (Eriochloa contracta)
- Red rice (Oryza sativa)
- Shattercane/Wildcane/Volunteer milo (Sorghum bicolor)
- Southern sandbur (Cenchrus echinatus)
- Southwestern cupgrass (Eriochloa gracilis)
- Texas panicum (Panicum texanum)
- Volunteer barley (Hordeum vulgare)
- Volunteer oats (Avena sativa)
- Volunteer rye (Secale cereale)
- Volunteer corn (Zea mays)
- Volunteer wheat (Triticum aestivum)

BEST AVAILABLE COPY

Wild oats (*Avena fatua*)
 Wild proso millet (*Panicum pollebceum*)
 Witchgrass (*Panicum capillare*)
 Woolly cupgrass (*Eriochloa villosa*)

PERENNIALS

Grass Species	Growth Stage
Bermudagrass (<i>Cynodon dactylon</i>)	4-8" runners
Guineagrass (<i>Panicum maximum</i>)	6-12" tall before seedhead initiation
Quackgrass (<i>Agropyron repens</i>)	6-10"
Rhizome Johnsongrass (<i>Sorghum halepense</i>)	8-18" tall and before boot stage
Torpedograss* (<i>Panicum repens</i>)	1-6" tall (1st application) 2-3" tall (subsequent application)
Wirestem muhly (<i>Muhlenbergia frondosa</i>)	4-12" tall before seedhead initiation

*Use 96 fl oz/A/application. Three applications will be needed.

TABLE 1

OVER-THE-TOP APPLICATIONS may be applied to the following ornamentals: Use a Nonionic Surfactant

Scientific Name	Common Name/Variety
<i>Abelia grandiflora</i>	Glossy abelia
<i>Abies concolor</i>	Concolor fir
<i>Abies procera</i>	Noble fir
<i>Acacia redolens</i>	Acacia ongerops
<i>Acacia salicina</i>	Willow-leaved acacia
<i>Acacia saligna</i>	Willow acacia
<i>Acacia schaffnerii</i>	Jim wheat acacia
<i>Acacia stenophylla</i>	Shoe-string acacia
<i>Acer palmatum</i>	Maple/Japanese
<i>Acer platanoides</i>	Norway maple
<i>Acer saccharinum</i>	Silver maple
<i>Achillea filipendulina</i>	Coronation gold, fernleaf yarrow
<i>Achillea millefolium</i>	Common yarrow
<i>Arecastnum romanzoffianum</i>	Queen palm
<i>Agapanthus africanus</i>	Peter pan lily of the Nile
<i>Agave americana</i>	Century plant
<i>Ageratum</i> sp.	
<i>Adiantum punctatum</i>	Silver Queen evergreen, Fransner evergreen, Treubii Ribbon evergreen
<i>Adiantum crispum</i>	Painted evergreen

Aicea rosea
 Ailur scondendresum
 Aloe barbadensis
 Aloe vera
 Aloe zanaibarica
 Alyssum sp.
 Araucaria heterophylla
 Arctostaphylos uva-ursi
 Arctostaphylos uva-ursi
 Artemisia verba
 Asparagus densiflorus

 Astilbe x arendsi
 Atriplex sp.
 Aucuba japonica
 Aucuba japonica variegata
 Berberis mentorensis
 Berberis thunbergii
 Bougainvillea sp.
 Buxus microphyllakoreana
 Buxus microphylla var.
 japonica
 Buxus sempervirens

 Caesalpinia catalpa
 Caesalpinia gilliesii
 Calendula sp.
 Callistemon lanceolatus
 Calluna vulgaris
 Camellia japonica
 Camellia sasanqua
 Campanula carpatica
 Carissa grandiflora
 Carissa tuttleri
 Carnegiea gigantea
 Cassia artemisioides
 Cassia didymobotrya
 Cassia sturdii
 Centaurea cineraria
 Cerastium tomentosum
 Ceratonia silicua
 Cercis canadensis
 Chamaecyparis obtusa
 Chamaecyparis lawsoniana
 Chamaecyparis pisifera
 Chamaerops excelsa
 Chamaerops humilis
 Chrysalidocarpus lutescens
 (small)
 Chrysanthemum x superbum
 Cissus rhombifolia
 Cistus lurrinus
 Citrus aurantium
 Citrus paradisi

Hollyhock
 Inives
 Barbados aloe

 Norfolk Island pine
 Red bearberry
 Red bearberry
 Red bearberry
 Red bearberry
 Myres asparagus,
 Sprenger asparagus
 False spirea
 Saltbrush
 Succia

 Mentor barberry
 Japanese boxwood
 Raspberry ice
 Korean boxwood


 Japanese redwood
 Walleri,
 London boxwood

 Bird of paradise
 Marigold
 Bottle-brush
 Scotch heather
 Camellia
 Sasanqua camellia
 Bellflower
 Natal plum

 Saguaro cactus
 Feathery cassia
 African cassia

 Dusty miller
 Snow in summer
 Carob tree
 Red bud
 Cripps nancy falsecypress
 Nilum lawson cypress
 Plumosa
 Windmill palm
 Mediterranean fan palm

 Golden fruited palm
 Shasta caley
 Ellen Denice, crepe my
 Rock rose
 Sour orange
 Grapefruit



Clerodendrum speciosum

Cleomea spp.

Clivia miniata

Codiaeum variegatum

Coffea arabica

Coleus x hybridus

Convolvulus oneurus

Conoclinium aureum

Conoclinium repens

Convolvulus terminalis

Coreopsis verticillata

Cornus florida

Cornus mas

Cornus sericea

Cotoneaster apiculata

Cotoneaster dammeri

Cotoneaster divaricatus

Cotoneaster microphyllus

Cotoneaster repens

Cotoneaster salicifolius

franch

Crossandra nilotica

Cupressus sempervirens

Cycas revoluta

Deutzia gracilis

Dianthus barbatus

Dieffenbachia amoena

Diervilla lonicera

Dodonea viscosa auripurea

Echinocactus sp.

Elaeagnus angustifolia

Encelia farinosa

Erythrina fusca

Escallonia fradesana

Escallonia rubra

Eucalyptus microtheca

Eucalyptus polyanthemus

Eucalyptus rostrata

Eucalyptus spatulata

Eucalyptus rufis

Eugenia myrtifolia

Eunymus alata

Eunymus fortunei

Eunymus japonica

Eunymus klatschovicus

Euphorbia lactea

Euryops pectinatus

Fatsyhedera lizei

Ferocactus sp.

Ficus benjamina

Ficus elastica decora

Pagoda flower

Paeonia

Raffia palm

Red palm

Croton

Coffee

Coleus

Cush fern

Marble plant

Variegated marble plant

Ti

Threeseal cactus

Flowering dogwood

Cornelian cherry dogwood

Red twig dogwood,

Flaviramea

Coral beauty,

Royal beauty

Spr. aging cotoneaster

Cotoneaster

Cotoneaster

Willowleaf cotoneaster

Crossandra

Italian cypress

Sago palm

Slender deutzia

Sweet William

Giant dumbcane

Bush honeysuckle

Purple hopseed bush

Hedgehog cactus

Russian olive

Bottle brush

Fastadiata,

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Swamp immortelle

Ficus microcarpa nitida
 Ficus nitida
 Ficus repens
 Forsythia litorea
 Forsythia sp.
 Forsythia suspensa
 Forsythia x intermedia
 Fouquieria splendens
 Fraxinus velutina
 Gardenia rasmundiana
 Gardenia taitensis
 Gazania splendens
 Gazania uniflora leucobleana
 Geigeria parviflora
 Gelsemium sempervirens
 Geranium pratense
 Gladiolus x hortulanus
 Grewia tripartita var.
 Grewia
 Graptophyllum pictum
 Grevillea robusta
 Grevillea rosmarinifolia
 Hedera canariensis
 Hedera helix
 Hedera helix var.
 Hebe x exoniensis
 Hemerocallis sp.
 Hesperaloe parviflora
 Hibiscus rose-sinensis
 Hibiscus syriacus
 Hosta lancifolia
 Hydrangea paniculata
 Hydrangea quercifolia
 Iberis sempervirens
 Ilex cornuta
 Ilex crenata
 Ilex glabra
 Ilex opaca
 Ilex vomitoria
 Ilex x Meserveae
 Ilex x attenuata
 Iris sp.
 Isotria medeoloides
 Ixora coccinea
 Jacaranda acutifolia
 Jacobinia chlesbreghtiana
 Juniperus horizontalis
 Juniperus scopulorum

Indian laurel
 Indian laurel
 Weeping fig
 Weeping forsythia
 Arizona ash
 Arizona ash
 Tahitian gardenia
 Tahitian gardenia
 Australia willow
 Carolina renaissance
 Cranesbill
 Debbie, Jennie, Mahogany, Stargazer
 Honey locust/white reaper
 Caricature plant
 Silk oak
 Spider flower
 Algerian ivy
 English ivy
 Hann's ivy
 Daylily
 waffle plant
 Metallic plant
 Chinese hibiscus
 Althea
 Variegated hosta
 Panicle hydrangea
 Oakleaf hydrangea
 Candytuff
 Dwarf buford holly
 Japanese holly
 Compact inkberry
 American holly
 Dwarf vaupson/Tall vaupson
 Meserve Holy
 Foster's holly
 Blue star creeper
 Ixora
 Jacaranda
 Admiral
 Colocleen



BEST AVAILABLE COPY

Juniperus chinensis

Hetzl,
San Jose,
Torulosa,
...
Nicks compact juniper,
Keteleeri,
Hollywood,
Blue Point,
Blue vase juniper,
Parsoni,
Gold coast juniper,
Sargent juniper
Shore juniper
Plumosa

Juniperus conferta
Juniperus horizontalis
Juniperus procumbens
Juniperus sabina

Pedin,
Skandia,
Buffalo
Wichita blue
Red cedar
Firecracker,
Mexican indigo

Juniperus scopulorum
Juniperus virginiana
Justicia spicigera

Kocnia scoparia f.
 trichophylla
Lagerstroemia indica
Lantana camara
Lantana selowiana
Leptospermum laevigatum
Leucophyllum frutescens
Liatris spicata
Ligustrum amurense
Ligustrum ovalifolium
Ligustrum texanum
Ligustrum x Vicari
Liquidambar styraciflua
Liriope spicata
Liriope muscari
Livistona chinensis
Lonicera x Morrowii
Lonicera xylosteum
Lysiloma thornberii
Lysimachia nummularia
Magnolia sp.
Magnolia stellata
Manonia aquifolium
Malus floribunda
Mesembryanthemum
 drosanthemum hispidum
Mesembryanthemum
 Lampranthus procutus
Mesembryanthemum
 Lampranthus spectabilis
Metroxiperos excelsus
Kusa maurellii
Myoporum parvifolium

Compact burningbush
Crepe myrtle
Bush lantana
Purple lantana (trailing)

Texas sage
Gay feather
Amur River
Privet/california
Texas privet
Vicari
American sweetgum
Liriope
Green liriope/Variiegated liriope
Chinese fan palm
Morrow honeysuckle
Emerald mound
Desert fern tree
Moneywort/Wandering Sally
Oregon Grapeholly
Star Magnolia
Manonia
Snowy crabapple

Rose ice plant
Purple trailing ice plant
Red spike ice plant
New Zealand Christmas tree
Ethiopia banana
Prostrate myoporus

BEST AVAILABLE COPY

Myrica cerifera
 Nerium oleander
 Nerium oleander
 Olea europaea
 Olneya tesota
 Opuntia Cholla
 Passiflora ligularis
 Passiflora ligularis
 Pachysandra terminalis
 Parkinsonia aculeata
 Passiflora pifordiana
 Pelargonium domesticum
 Pelargonium delictum
 Pennisetum setaceum
 Peperomia scandens.
 Petunia sp.
 Philadelphus coronarius
 Philodendron oxycardium
 Philodendron selloum
 Phoenix canariensis
 Phoenix roebelenii
 Photinia x fraseri
 Phyllostachys aurea
 Physocarpus frutescens

 Physocarpus opulifolius
 Picea abies
 Picea glauca

 Picea mariana
 Picea pungens
 Pieris japonica
 Pilea nummulariifolia
 Pinus canariensis
 Pinus mugo
 Pinus nigra
 Pinus ponderosa
 Pinus resinosa
 Pinus strobusiformis
 Pinus strobus
 Pinus sylvestris
 Pittosporum tobira
 Pittosporum phylliraeoides
 Plumbago capensis
 Podocarpus neriifolius
 Podocarpus macrocarpa
 Polygonum capitatum
 Polygala frutescens
 Polystichum capense
 Potentilla fructosa
 Prosopis chilensis
 Prunus trilobis

Wax myrtle
 Snow fern
 Pink, variegated, petite oleander


 Olive tree
 Ironwood
 Cholla cactus
 Cereus, sea chive

 White african calcey
 Japanese pachysandra
 Green pale verde
 Passion vine
 Geranium
 Ivy geranium
 Red mountain grass
 Radiator plant

 Aurea
 "Micans" velvetleaf philodendron

 Canary Island date palm
 Pygmy date palm
 Photinia
 Golden bamboo
 Gold arce.
 Jackmanni,
 Abbotswood
 Dwarf Ninebark, Nanus
 Norway spruce
 Dwarf Alberta, Black Hills.
 Densata
 Serbian spruce
 Blue Spruce
 Lily-of-the-valley bush
 Creeping Charlie
 Canary Island pine
 Dwarf Swiss mountain pine
 Austrian pine/Black pine
 Western/Ponderosa pine
 Red pine
 Mexican border pine
 Eastern white pine
 Scotch pine
 Wheelers dwarf, variegated
 Desert willow
 Cane plumbago
 African fern pine
 Yew pine
 Pink clover
 Parsley panax

 Gold drop, Primrose beauty
 Chilean mesquite
 Flowering almond



Prunus caroliniana compacta
 Pseudeaerantherum
 atropurpureum
 Pseudotsuga mensiei
 Pyracantha koidzumii
 Pyracantha angustifolia
 Pyracantha coccinea
 Pyracantha graberii
 Pyracantha koidzumii x
 coccinea
 Pyrus calleryana
 Quercus virginiana
 Rhamnus indica
 Rhamnus umbellata
 Rhamnus fraxinea
 Rhododendron "Jable Hworic"

 Rhododendron catawbiense

 Rhododendron ferrugineum
 Rhododendron obtusum

 Rhododendron sp.

Carolina cherry

 Purple false eranthemum
 Douglas fir
 Lodense pyracantha
 Variegated firethorn
 Scarlet firethorn, Lalander

 Mojave firethorn
 Bradford pear
 Oak, live
 Pink lady
 Yucca/Incian pawthorn
 Tailhead buckthorn
 Elizabeth Jable,
 Purple splendor,
 Rose greely
 Less dark purple,
 Roseum elegans,
 Chionoides rhododendron,
 White catawba,
 Roseum elegans,
 Purple elegans,
 Roseum superbum,
 English roseum

 Amoenum,
 Coral bells
 Blaauw's pink,
 Rutherfordiana Constance,
 White cascade,
 Price,
 Kluis sensation,
 Sweetheart,
 Klump,
 Royalty,
 Hahn red,
 Red wind,
 Gumpo white,
 Salmon softay,
 Road runner,
 Tradition,
 Sicilia,
 Gumpo pink,
 Greeting,
 Pink pearl,
 Pericat,
 Tabor,
 Mother's Day,
 Snow,
 Massasoit,
 Red ruffle,
 Delaware Valley white,
 Purple Gem,



[Faint, illegible text or stamp in the bottom right corner]

Knocodendron vedaense
Rauvolfia californica
Rhus lancea
Rosa banksiae
Rosa hybrida
Rosa sp.
Rosmarinus officinalis
 prostratus
Salix alba
Salix matsudana
Salvia greggii
Sansevieria sp.
Sansevieria triasciata
Santolina chamaecyparissus
Schefflera arboricola
Schinus molle
Schinus terebinthifolius
Sedum brevifolium
Sedum quatemalense
Sedum spectabile
Sedum x rubrotinctum
Simmondsia chinensis
Spiraea nipponica
Spiraea x billiardii
Spiraea x dumaldae

Statice sinuata
Stenocarpus sinuatus
Strelitzia nicotia
Strelitzia reginae
Syringa beyeri
Syringa patula
Syringa villosa
Syzgium paniculatum
Tagetes sp.
Taxus cuspidata
taxus x media

Tecina stans angustata
Tecomaria capensis
Ternstroemia cymantthera
Thevetia peruviana

n. H. Hume,
 Stewartstonian,
 King's road,
 Woodstock, Scotland,
 Herbert,
 Gibraltar,
 Gerard's rose,
 Boule de Neige,
 President Lincoln,
 Korean spirea/Poukhanense

 African sumer spandera
 Banksia
 Hybrid tea rose
 Rose

 Rosemary dwarf
 Weeping willow
 Tortuosa corkscrew willow

 Moon Glow
 Hawaii/Mother-in-law's tongue
 Lavender cotton
 Manila Hibbie
 California pepper
 Brazilian pepper
 Green stone crop
 Brown beam
 Sedum
 hen and chickens
 Jojoba
 Snowmound spirea
 Billiard spirea
 Froebellii,
 Crispa spirea,
 Gold flame,
 Anthony Waterer
 Annual statice
 Firewheel tree
 Giant bird of paradise
 Bird of paradise
 Palibin
 Korean lilac
 James McFarlane lilac
 Australian bush cherry
 Marigold
 Japanese yew
 Thayer's yew,
 Hicks yew,
 Dense yew
 Yellow bells
 Cape honeysuckle
 Clevera
 Yellow oleander tree

BEST AVAILABLE COPY

<i>Thuja occidentalis</i>	White cedar, Emerald green, Woodwardia, Tenny, Pyramidalis, Globosa, Tenny american arborvitae
<i>Thuja orientalis</i>	Japanese cedar
<i>Trachelosperum asiaticum</i>	Japanese barberry
<i>Trachelosperum chinensis</i>	Star Jasmine
<i>Trifolium fragiferum</i>	Witchhazel
<i>Thuja canadensis</i>	Eastern hemlock
<i>Viburnum dentatum</i>	Viburnum/Japanese snowball
<i>Viburnum opulus</i>	Kanum
<i>Viburnum odoratissimum</i>	Viburnum
<i>Viburnum plicatum</i>	Doublefile viburnum/tomentosum
<i>Viburnum suspensum</i>	Sandankwa viburnum
<i>Viburnum trilobum</i>	Compact cranberrybush viburnum
<i>Viburnum x rufum</i>	Yucca
<i>Viburnum x rhytidophylloides</i>	Viburnum/willowwood
<i>Vinca sp.</i>	Crown Vetch
<i>Vinca major</i>	Periwinkle
<i>Vinca minor</i>	Myrtle, Dwarf periwinkle
<i>Washingtonia robusta</i>	Mexican fan palm
<i>Weigela florida</i>	Newport red, Pink weigelia
<i>Xylocopa sordida</i>	
<i>Yucca filamentosa</i>	Yucca
<i>Yucca gloriosa</i>	Spanish dagger
<i>Yucca pendula</i>	Weeping dagger
<i>Zinnia sp.</i>	

TABLE II

DIRECTED APPLICATIONS

to avoid ornamental foliage are recommended for the list below:

- When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown effectiveness of up to 20% when DRNAMEC herbicide is applied over-the-top at label rates.

Scientific Name	Common Name/Variety
<i>Abies fraseri</i>	Fraser Fir
<i>Acer rubrum</i>	Hackberry
<i>Anuga variegata</i>	Buddleia weed
<i>Anuga reptans</i>	Variiegated ajuga
<i>Aspidistra hybrida</i>	Columbine

BEST AVAILABLE COPY

Arbutus unedo	Strawberry tree
Aspidistra teresiana	Little flag, rellor, turtletail
Callistemon viminalis	Weeping bottle-brush
Cestrum glaberr	
Cupressocyparis leylandii	Leyland cypress
Dracaena fragans	Massandean, dracsena
Dracaena marginata	Tricolor dracsena
Eucalyptus citriodora	Leaves scattered out
Ficus religiosa	Fig tree, banyan
Guillemotia thymifera-plum	
Juniperus communis	Common juniper
Juniperus horizontalis	Ground juniper
Juniperus confertifolia	Blue Pacific
Juniperus horizontalis	Witchhazel
	Hughes
	Webberii
	Variagata
	Blue rug
	Youngtown Connecticut
Juniperus japonica	San Jose
Juniperus sabina	Tamariscifolia
	Arcadia
	Scandia
	Broadmoor
Juniperus scopulorum	Welchii
	Pathfinder
Juniperus virginiana	Sky Rocket
	Grey owl
Lantana montevidensis	White lantana
Leucotoxoe eximilis	Petterbush
Ligustrum japonicum	Japanese privet
Lonicera japonica	Japanese honeysuckle
Landina domestica	Heavenly bamboo
Nerium oleander standard	Cleander
Opuntia japonica	Mondo grass
Opuntia sp.	Prickly pear cactus
Pennisetum sectaceum	Green fountain grass
Philocendron sp.	
Plumeria acuminata	Temple tree
Pocockia macrophylla	Haki
Potentilla verna	Spring cinquefoil
Rhododendron indicum	Indica
Rhododendron obtusum	Kurume
	Eureka
Rhododendron sp.	P.J.M.
Rhoeo spathacea	Oyster plant

✓

[Stamp]

Ruellia ciliosa	Ruellia
St. Paul's taro	St. Paul's taro
St. Paul's x vanhouttei	Vanhoutte spires
St. Paul's chinensis	St. Paul's
Viburnum macrocephalum	Chinese snowball

TABLE III

DIRECTED APPLICATIONS

to avoid ornamentals, foliage are recommended for the list below:

- When possible and plant growth permit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown phytotoxicity of up to 50% when CHLORANEC herbicide is applied over-the-top at label rates.

Scientific Name	Common Name/Variety
Acacia farnesiana	Sweet acacia
Acacia latifolia	
Antennaria coronifolia	Hearts and flowers
Asystasia gangetica	Coronandul
Baccharis sarothroides	Desert broom
Brachyhiton populneum	Bottle tree
Cassia condolioma	
Cercidium praecox	Sonoran palo verde
Citnarexylum spinosum	Fiddlewood
Cordyline stricta	Cordyline
Cubanopsis anacardioides	Carrot wood
Crassula arcentea	Jade Plant
Cyperus alternifolius	Umbrella plant
Dicentra spectabilis	Bleeding heart
Dracaena deremensis	Janet Craig/Warneckii
Epipremnum aureum	Marble Queen pothos
Eucalyptus nicholii	
Excoecaria cochinchinensis	Chinese crenate broom
Hibiscus lepenk	
Juniperus chinensis	Armstrongii
Juniperus scopulorum	Spry Green, Excelsa Stricta
Juniperus virginiana	Burkii
Justicia betonia	White shrimp plant
Justicia brandegeana	Shrimp plant
Justicia carnea	Kings crown
Magnolia graciflora	Southern magnolia
Mesembryanthemum delosperma alba	white ice plant (strawberry)
Odontonema strictum	Red rusticia
Oenothera perliandier	Mexican evening primrose
Pachyrhizus lutea	Yellow shrimp plant
Pedilanthus tithymaloides	Slipper flower
Peperomia obtusifolia	Baby rubber plant

1/06/18

<i>Plectranthus australis</i>	Swedish ivy
<i>Polypodium capitatum</i>	Pinhead knotweed
<i>Rhododendron indicum</i>	Formosa
<i>Rhododendron obtusum</i>	Jersey rec.
	Hino pink.
	Hinodegeri
<i>Rhododendron poukhanensis</i>	Karen
<i>Rhus aromatica</i>	Fragrant sumac
<i>Thunbergia laurifolia</i>	Laurel-leaved thunbergia
<i>Vaccinium ashei</i>	Tidbit Blueberry

TABLE IV

DIRECTED APPLICATIONS

to avoid ornamental foliage are recommended for the list below:

- When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown phytotoxicity greater than 50% when ORNAMEC herbicide is applied over-the-top at label rates.

Scientific Name	Common Name/Variety
<i>Acalypha godseferiana</i>	
<i>hertophylla</i>	
<i>Aisochia australis</i>	Australia tree fern
<i>Betula nigra</i>	Birch/River
<i>Catharanthus roseus</i>	Madagascar periwinkle
<i>Chamaecyperis pisifera</i>	Boulevard falsecypress
<i>Chlorophytum comosum</i>	Spider plant
<i>Cortaderia selloana</i>	Pampas grass
<i>Euonymus alata</i>	Compacta
<i>Juniperus chinensis</i>	Sea Green
<i>Juniperus horizontalis</i>	Blue Chip, Prince of Wales, Bar Harbor
<i>Juniperus scopulorum</i>	Blue Haven
<i>Nalanchoe fedtschenkoi</i>	Lavender-scallops
<i>Nalanchoe tubiflora</i>	Chandelier plant
<i>Physocarpus fruticosa</i>	Katherine Dykes
<i>Rhododendron obtusum</i>	Hinocrimson
<i>Setcreasea purpurea</i>	Purple heart
<i>Zebrina pendula</i>	Wandering Jew

180618

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonable fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

✓

BEST AVAILABLE COPY