

TRIMEC(R) M 886

LIQUID WEED & FEED  
For Sensitive Grasses

20-0-0

NET CONTENTS ONE QUART  
(NET WEIGHT: 2 LBS 6 OZ)

--KEEP FROM FREEZING--

1 QUART COVERS UP TO 5,000 SQFT.

CONTROLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, spurge and many other broadleaf lawn weeds; some of which are shown on this label.

The fast, easy way to weed control and supplement your lawn.

No Spreading -- No Complicated Mixing  
Just attach to a garden hose & spray.

ACTIVE INGREDIENTS:

- \* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....3.716%
  - \*\* Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid....2.093%
  - \*\*\* Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)...0.412%
- INERT INGREDIENTS.....93.779%
- TOTAL 100.000%

THIS PRODUCT CONTAINS:

- \* 0.293 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 3.071%
- \*\* 0.163 lbs 2-methyl-4-chlorophenoxyacetic acid per gallon or 1.709%
- \*\*\* 0.0326 lbs 3,6-dichloro-o-anisic acid per gallon or 0.342%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention. If inhaled: move victim to fresh air.

See back panel for additional precautionary statements.

Trimec(R) is a registered trademark of PBI Gordon Corporation.

Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, KANSAS 66118

RECEIVED  
AUG 13 1987  
2217-730

STOP! READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

MEASURING  
GUIDE  
  
1.000 SQFT  
-----  
COVERAGE

Hazards to Humans and Domestic Animals:  
CAUTION: Harmful if swallowed. Avoid contact  
with eyes, skin or clothing. In case of contact,  
immediately flush eyes or skin with plenty of  
water. If irritation develops get medical atten-  
tion. Avoid contamination of food or feedstuffs  
  
Environmental Hazards: Do not apply directly to  
water. Do not apply when weather conditions favor  
drift from target area. Do not contaminate water  
by cleaning of equipment or disposal of wastes.  
Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a  
manner inconsistent with its labeling.

STORAGE: Keep from freezing. Store in original  
container in a locked storage area inaccessible  
to children. Do not store near food or feedstuffs.  
To prevent cross-contamination, do not store near  
other fertilizers, insecticides, fungicides, or  
seeds.  
PRODUCT DISPOSAL: Securely wrap original container  
with unused product in several layers of newspaper  
and discard in trash.  
CONTAINER DISPOSAL: Do not reuse empty container.  
Rinse thoroughly before discarding in trash.

3.000 sqft  
-----  
COVERAGE

OTHER USE PRECAUTIONS:

Do not allow spray to drift to vegetables, flowers,  
ornamental plants, shrubs, trees and other desirable plants  
since injury may result. Do not spray where grass is  
emerging from dormancy. Do not apply to newly seeded lawn  
grasses until well established. Seed can be safely sown  
3-4 weeks after application. Do not use on carpetgrass,  
dichondra, or on lawns or turf where desirable clovers are  
present. Do not spray roots of trees and ornamentals. Do  
not exceed specified dosages. Be particularly careful  
within dripline of trees. This product may be injurious to  
St. Augustine, bent, and Centipede grasses under conditions  
of high temperature and moisture. Under these conditions or  
in cases of accidental overdose, some slight temporary  
discoloration of the St. Augustine foliage may occur.

5.000 sqft  
COVERAGE  
WHEN EMPTY

✓  
WEEDS

| Bedstraw |  
| Black Medic |  
| Buckhorn |  
| Bull Thistle |  
| Burdock |  
| Buttercup |  
| Chicory |  
| Chickweed |  
| Clover |  
| Cocklebur |  
| Dandelion |  
| Dock |  
| Galinsoga |  
| Ground Ivy |  
| Hawkweed |  
| Heal-All |  
| Henbit |  
| Knotweed |  
| Lambsquarter |  
| Lespedeza |  
| Mallow |  
| Morningglory |  
| Mustard |  
| Oxalis |  
| Peppergrass |  
| Pigweed |  
| Plantain |  
| Poison Ivy |  
| Poison Oak |  
| Purslane |  
| Ragweed |  
| Sheep Sorrel |  
| Shepherd's Purse |  
| Speedwell |  
| Tansy Mustard |  
| Thistle |  
| Spurge |  
| Velvetleaf |  
| Wild Carrot |  
| Wild Garlic |  
| Wild Lettuce |  
| Wild Onion |  
| Yarrow |  
| and many other |  
| broadleaf lawn weeds. |

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

20-0-0

**GUARANTEED ANALYSIS**

Total Nitrogen (N).....20.00%  
 20% Urea Nitrogen  
 Derived from Urea.

**WHERE TO USE:**

TRIMEC M 886 LIQUID WEED & FEED is especially formulated for sensitive southern grasses -- St. Augustine, bentgrass, bahia, bermuda, and Centipede grasses in lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. TRIMEC M 886 LIQUID WEED & FEED is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. TRIMEC M 886 LIQUID WEED & FEED also controls the easy-to-kill weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantains. In addition, TRIMEC M 886 LIQUID WEED & FEED also feeds your lawn with a 20% urea nitrogen. For best results, spraying should be done when weeds are young and tender. Older weeds are harder to kill.

**WHEN TO USE:**

1. Spray at any time during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow 1 to 2 days before treating.
5. Do not water lawn within 24 hours after treatment.

**HOW TO USE:**

Shake Well Before Using.

(one of the following will be used depending on the hose end applicator used.)

**(A)**

**INSTRUCTIONS**

1. Connect spray nozzle to garden hose.
2. Shake contents of bottle well.
3. Remove safety cap.
4. Attach tube to nozzle applicator.
5. Attach bottle to open end of spray nozzle. Turn bottle counter-clockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
6. Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC M 886 LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this liquid has been used.)

(B)

Connect spray nozzle to Garden hose; remove safety cap from container, attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio of TRINEC M 886 LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. Check handy measuring guide to see how much liquid has been used.)

(C)

1. Attach garden hose to connector on dispenser.
2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
3. Remove both parts of separated lock ring.
4. Turn arrow on activator switch to OFF position.
5. Push activator switch securely down against top of sprayer. Which will pierce the safety seal inside the dispenser.
6. To begin spraying, turn on water and then move activator switch to the ON position.
7. To stop dispensing the product, turn off water.

(D)

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

(E)

This half-gallon package is intended as a refill for the quart hose-end sprayer applicator/container of TRINEC M 886 LIQUID WEED & FEED. However, this product may be used in any hose-end sprayer in which herbicides have been used.

Add TRINEC M 886 LIQUID WEED & FEED to the hose-end sprayer jar. DO NOT ADD WATER TO THE JAR. One quart covers 5,000 square feet. One-half gallon covers up to 10,000 square feet.

b7b6

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED. OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER. and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS. and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

EPA REG. NO. 2217-TGN  
EPA EST NO.  
/887

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....