

AFTER TEXT

# TRIMEC<sup>(R)</sup> M 887 LIQUID WEED & FEED

## 20-0-0

-KEEP FROM FREEZING-

ONE QUART COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on this label.

No Spreading - No Complicated Mixing  
Just attach to a garden hose & spray.

### ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid.....	5.608%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	2.669%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.614%
INERT INGREDIENTS.....	<u>91.109%</u>
TOTAL	100.000%

### THIS PRODUCT CONTAINS:

- \*0.440 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 4.579%
- \*\*0.212 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 2.206%
- \*\*\*0.049 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.510%

KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; For eyes, flush with water for 15 minutes and get medical attention. If inhaled, move victim to fresh air.

See side panel for additional Precautionary Statements.

TRIMEC<sup>(R)</sup> is a registered trademark of PBI/GORDON CORPORATION.

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS. & OZ.)

713/792 APXXXXXX

EPA REG NO 2217-731

EPA EST NO 2217-KS-1

Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS  
AND FOLLOW DIRECTIONS CAREFULLY.**

### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans & Domestic Animals:**

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops get medical attention. Avoid contamination of food or feed-stuffs.

**Environmental Hazards:** Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

### **STORAGE & DISPOSAL**

**STORAGE:** Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides, or seeds.

**PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

**OTHER USE PRECAUTIONS:** Do not apply this product through any type of irrigation system. Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85 ° F. Seed can be safely sown 3 to 4 weeks after application. Do not use on carpetgrass, dichondra, St. Augustine-grass, centipedegrass, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area. Be particularly careful within dripline of trees and other ornamental species.

### **WEEDS CONTROLLED:**

BEDSTRAW  
BLACK MEDIC  
BUCKHORN  
BULL THISTLE  
BURDOCK  
BUTTERCUP  
CHICORY  
CHICKWEED  
CLOVER  
COCKLEBUR  
DANDELION  
DOCK  
GALINSOGA  
GROUND IVY  
HAWKWEED

HEAL-ALL  
HENBIT  
KNOTWEED  
LAMBQUARTER  
LESPEDEZA  
MALLOW  
MORNINGGLORY  
MUSTARD  
OXALIS  
PEPPERGRASS  
PIGWEEED  
PLANTAIN  
POISON IVY  
POISON OAK  
PURSLANE

RAGWEED  
SHEEP SORREL  
SHEPHERDSPURSE  
SPEEDWELL  
SPURGE  
TANSY MUSTARD  
THISTLE  
VELVETLEAF  
WILD CARROT  
WILD GARLIC  
WILD LETTUCE  
WILD ONION  
YARFOW  
and many  
other broadleaf

20-0-0

**GUARANTEED ANALYSIS**

Total Nitrogen(N)..... 20.00%

20% Urea Nitrogen

Derived from Urea.

**(OPTION 1 OR 2 TO BE USED DEPENDING ON THE SUBREGISTRATION)**

**OPTION 1**

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed, this product supplies 0.095 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local agricultural extension agent for the proper amount of nitrogen to be applied in your area.

**OPTION 2**

TRIMEC<sup>(R)</sup> M 887 LIQUID WEED & FEED should be supplemented by LIQUID LAWN FERTILIZER every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions regarding frequency of this product in your area.

**WHERE TO USE:** TRIMEC M 887 LIQUID WEED & FEED may be used on bahiagrass, bermudagrass, fescue, ryegrass or zoysiagrass lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition TRIMEC M 887 LIQUID WEED & FEED controls most other broadleaf weeds, including sensitive weeds such as chickweed, clover, dandelion, knotweed and plantain.

**WHEN TO USE:** Spray at any time during the growing season when weeds are actively growing. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow 1 to 2 days before treating. Do not water lawn within 24 hours after treatment.

**HOW TO USE:** Shake well before using.

**(One of the following will be used depending on the hose end applicator used.)**

**OPTION A**

**INSTRUCTIONS:**

1. Connect spray nozzle to garden hose.
2. Shake contents of bottle well.
3. Remove safety cap.
4. Attach tube to nozzle applicator.
5. Attach bottle to open end of spray nozzle. Turn bottle counter-clockwise until it reads "open". Then turn the bottle clockwise until tightly closed.
6. Turn on water; place finger over hole on right side of nozzle and proper ratio will automatically be dispersed. Spray directly over area requiring application evenly and uniformly (Check handy measuring guide to see how much of this liquid has been used.)

#### OPTION B

Connect spray nozzle to garden hose. Remove safety cap from container. Attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check hand measuring guide to see how much liquid has been used.)

#### OPTION C

1. Attach garden hose to connector on dispenser.
2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
3. Remove both parts of separated lock ring.
4. Turn arrow on activator switch to OFF position.
5. Push activator switch securely down against top of sprayer, which will pierce the safety seal inside the dispenser.
6. To begin spraying, turn on water and then move activator switch to the ON position.
7. To stop dispensing the product, turn off water.

#### OPTION D

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counter-clockwise to the OFF position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the ON position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counter-clockwise to the OFF position and turn off water at the faucet.

#### OPTION E

This half-gallon package is intended as a refill for the quart hose-end sprayer applicator/container of TRIMEC M887 LIQUID WEED & FEED. However, this product may be used in any hose-end sprayer in which herbicides have been used.

Add TRIMEC M 887 LIQUID WEED & FEED to the hose-end sprayer jar. **DO NOT ADD WATER TO THE JAR.** One quart covers 5,000 square feet. One-half gallon covers up to 10,000 square feet.

#### **LIMITED WARRANTY AND DISCLAIMER.**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

MEASURING GUIDE

1,000 SQ.FT.

COVERAGE

3,000 SQ.FT.

COVERAGE

5,000 SQ.FT.

COVERAGE  
WHEN EMPTY

**BEST AVAILABLE COPY**