

2217-732 PM 23

log 6

TRIMEC(R) M 903 ✓

GENERAL BROADLEAF
LAWN HERBICIDE

ACTIVE INGREDIENTS:

• Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....	13.41%
** Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid...	7.35%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)...	1.47%
INERT INGREDIENTS.....	77.77%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

*0.9746 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 11.08%

**0.5280 lbs 2-methyl-4-chlorophenoxyacetic acid per gallon or 6.00%

***0.1071 lbs 3,6-dichloro-o-anisic acid per gallon or 1.22%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

Trimec(R) is a registered trademark of PBI Gordon Corporation.

ONE QUART COVERS 9,600 TO 19,200 SQUARE FEET


--KEEP FROM FREEZING--

NET CONTENTS ONE QUART

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, KANSAS 66118

EPA REG. NO. 2217-TGE
EPA EST. NO.

/897



STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:
DANGER: Causes irreversible eye damage. Do not get into eyes, on skin or on clothing. Wear goggles or face shield. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

Environmental Hazards

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift away from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near other herbicides, fertilizers, insecticides, fungicides, or near seeds.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse can. Rinse thoroughly before discarding in trash.

USE PRECAUTIONS: Use only lawn sprayer that delivers coarse spray to reduce drift. Avoid spray drift to vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Do not spray carpetgrass, dichondra, or lawns where desirable clovers are present. Do not spray while grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when air temperature exceeds 85 F. Seed can be safely sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation waters. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to follow above precautions may result in injury.

WHEN TO USE:

Spray at any time when weeds are growing. For best results, apply in spring when weeds are small and growing rapidly. Apply in fall to remove late germinating seeds.

General Information:

TRINEC M General
Broadleaf Herbicide
kills 34 troublesome
common lawn weeds,
including poison ivy, in
both northern and
southern grasses. This
concentrated formulation
covers up to 19,200
square feet per quart.

Weeds controlled:

Bedstraw
Black Medic
Buckhorn
Chicory
Chickweed
Clover
Dandelion
Dock
Dollarweed
Ground Ivy
Heal-All
Henbit
Knotweed
Lambsquarters
Leavedeaze
Mallow
Morningglory
Pepperweed
Pigweed
Plantains
Poison Ivy
Poison Oak
Purslane
Ragweed
Sheep Sorrel
Shepherd's purse
Speedwell
Spurge
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Yarrow
and many other similar
broadleaf weeds.

HOW TO USE:

Hose-end Sprayer: Use 1 gallon of water for every 300 square feet to be sprayed. For concentrate sprayers, add only the required amount of TRI-MEC M 903 listed in the rate chart depending on type of grass and number of square feet to be treated. Do not add water to concentrate sprayers. For dilution sprayers, add the required amount of TRI-MEC M 903 and fill sprayer with water to proper level. Spray uniformly.

Pressure-Sprayer: Use 1/2 gallon of water for every 300 square feet to be sprayed. Add the required amount of TRI-MEC M 903 listed in the rate chart for the type of grass to be treated and fill sprayer with water to the proper level. Adjust spray nozzle to deliver coarse spray. Spray uniformly.

Spot-Treatment: If hardy weeds persist in sensitive grasses such as St. Augustine, centipede, bermudagrass, or bentgrass, spot treat individual weeds using 1 teaspoon of TRI-MEC M 903 in 1 quart of water (equivalent to 4 teaspoons per gallon of water). Minimize contact of grass.

Rates of TRI-MEC M 903 for Various Lawn Grasses

Gallons Water Spray					
Hose End Sprayer	Pressure Sprayer	Area to Treat	St. Augustine-	Bermuda-	Bluegrass
			grass	grass	Fescue, Zoysia- grass
1	1/2	300 sqft	1/2 floz	2/3 floz	2/3 to 1 floz
4	2	1,200 sqft	2 floz	2-2/3 floz	2-2/3 to 4 floz
	4	12,400 sqft	4 floz	5-1/3 floz	5-1/3 to 8 floz
20	10	16,000 sqft	10 floz	13-1/3 floz	13-1/3 to 20 floz
32	16	19,600 sqft	16 floz	21-1/3 floz	21-1/3 to 32 floz

Convenient Equivalent Measures:

- 1 floz = 2 tablespoons or 6 teaspoons
- 2 floz = 4 tablespoons
- 4 floz = 1/2 cup
- 8 floz = 1 cup
- 16 floz = 1 pint
- 32 floz = 1 quart

HOW TO USE IN THE LAWN WEED KILLER APPLICATOR:

- Connect sprayer nozzle to garden hose; remove safety cap from container, and insert sprayer unit, securing tightly.
- Turn on water; place finger over hole on right side of nozzle and product will automatically be dispersed. Spray evenly and uniformly over area requiring application. (Check application guide to determine the correct area to be covered per ounce).

*APPLICATION GUIDE			
Ounces	Sensitive grasses such as Centipede, St. Augustine	Bermudagrass, Bentgrass	Bluegrass Fescue, Zoysia
Recommended Coverage Area Per Ounce (sqft.)			
1	600	450	300
2	1,200	900	600
3	1,800	1,350	900
4	2,400	1,800	1,200
5	3,000	2,250	1,500
6	3,600	2,700	1,800
7	4,200	3,150	2,100
8	4,800	3,600	2,400
9	5,400	4,050	2,700
10	6,000	4,500	3,000
11	6,600	4,950	3,300
12	7,200	5,400	3,600
13	7,800	5,850	3,900
14	8,400	6,300	4,200
15	9,000	6,750	4,500
16	9,600	7,200	4,800

* Good for this pre-calibrated sprayer only.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.