MITE STATES ENVIRONMENTAL PRO ITION SENCY PM 23 2217 - 732

MAR 1 4 1996

James A. Armbruster, Ph.D. PBI/Gordon Corporation P.O. Box 14090 1217 West 12th Street Karas City, MO 64101

Dear Dr. Armbruster:

Subject: Revised Labeling - Add WPS Exclusionary Statement;

Update Precautionary Language and Environmental Hazards

Trimec M 903

EPA Registration No. 2217-732

Your Submission Dated August 24, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

Rewrite the oral statement in the Statement of Practical Treatment to read "IF SWALLOWED: Call a physician or get medical attention. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol."

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above change, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

DK: 30	25-7546	:FHB/	PM23 0	ONCURRENCES		
SYMBOL >	75050	-	-			
SURRAME >	DKENNY	•	i i			
DATE >	3/12/96					

2040

TRIMEC® M903

GENERAL BROADLEAF LAWN HERBICIDE

ONE QUART COVERS 9,600 TO 19,200 SQUARE FEET

- KEEP FROM FREEZING -

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2 (2-methyl-4-chlorophenoxy) propionic acid	13.41%
** Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	7.35%
*** Dimethylamine Salt of Dicamba: 3,6-dichloro-o-anisic acid	1.47%
INERT INGREDIENTS	<u>77.77%</u>
TOTAL	100 00%

THIS PRODUCT CONTAINS:

- *0.9746 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 11.08%
- **0.5280 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 6.00%
- ***0.1071 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 1.22%

TRIMEC[®] is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for additional Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS ONE QUART

705/ APXXXXXX
EPA REG NO 2217-732
EPA EST NO 2217-KS-1
Mfd by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

ACCEPTED
with COMMENTS
In EPA Letter Dated
MAR 1 4 1996

Under the Federal Issorticide, Fundicide, and Rodenticide Act as amended, for the posticide registered under 1998 (1888, No. 2212-732

Page 1 of 5

EPA Reg. No. 2217-732

STOPI READ THE INTIRE ABEL FIRST. OBSERVE ALL CAUTIONS. AND FOLLOW DIRECTIONS CAREFULLY.



PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

DANGER: Causes irreversible eye damage. Do not get into eyes, on skin or on clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call-a physician at once.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash-promptly with soap and water. Rinse thoroughly.

Statement of Practical Treatment

IF IN EYES: Hold evelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finner. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF NHALED: Remove victim to fresh air. If not breathing give artificial respiration preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards: Drift or run-off may adversely affect nontarget plants. For terrestrial uses, Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift away from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. 'Keep from freezing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

- USE PRECAUTIONS -

Use only lawn-type sprayers that deliver a coarse spray to reduce drift. Avoid spray drift to vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not spray roots of trees and omamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species. Do not spray carpetgrass, dichondra, or lawns where desirable clovers are present. Do not spray white grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when air temperature exceeds 85°F. Seed can be sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation waters. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to follow above precautions may result in injury.

WHEN TO USE: Spray when weeds are growing. For best results, apply in spring when weeds are small and growing rapidly. Apply in fall to remove established weeds:

- GENERAL INFORMATION -

Trimec® M 903 General Broadleaf Herbicide controls 34 troublesome common lawn weeds, including poison ivy, in both northern and southern grasses. This formulation covers up to 19,200 square feet per quart.

WEEDS CONTROLLED:

BEDSTRAW KNOTWEED **BLACK MEDIC** LAMBSQUARTERS BUCKHORN LESPEDEZA CHICORY **MALLOW** CHICKWEED MORNINGGLORY CLOVER PEPPERWEED DANDELION PIGWEED DOCK **PLANTAINS DOLLARWEED** POISON IVY POISON OAK GROUND IVY **PURSLANE** HEAL-ALL **HENBIT RAGWEED**

SHEEP SORREL
SHEPHERDSPURSE
SPEEDWELL
SPURGE
WILD CARROT
WILD GARLIC
WILD LETTUCE
WILD ONION
YARROW
and many
other similar
broadleaf weeds.

- HOW TO USE -

<u>Hose-end Sprayer</u>: Use 1 gallon of water for every 300 square feet to be sprayed. For concentrate sprayers, add only the required amount of Trimec® M903 listed in the rate chart, depending on type of grass and number of square feet to be treated. Do not add water to concentrate sprayers. For dilution sprayers, add the required amount of Trimec® M903 and fill sprayer with water to proper level. Spray uniformly.

<u>Pressure-Sprayer:</u> Use ½ gallon of water for every 300 square feet to be sprayed. Add the required amount of Trimec® M903 listed in the rate chart for the type of grass to be treated and fill sprayer with water to the proper level. Adjust spray nozzle to deliver coarse spray. Spray uniformly.

<u>Spot-Treatment</u>: If hardy weeds persist in sensitive grasses such as St. Augustinegrass, Centipedegrass, Bermudagrass, or Bentgrass, spot treat individual weeds using i teaspoon of Trimec® M903 in 1 quart of water (equivalent to 4 teaspoons per gallon of water). Minimize contact of grass.

D 846

Russ of Trimec® M 903 for Various Lawn Grasses					
Gallons of Water to Spray			St. Augustinagrass	Bluegrass Bermudagrass Fascue	
Hose-End Sprayer	Pressure Sprayer	Area to Treat (Square Feet)	Centipedegrass (fluid ounces)	Bentgrass	Zoysia (fluid ounces)
1	1/2	300	1/2	2/3	²/ ₃ - 1
4	2	1200	2	22/3	2 ² / ₃ - 4
8	4	2400	4 .	51/3	5 ¹ / ₃ - 8
10	10	6000	. 10	131/3	131/3 - 20
32	16	9600	16	211/3	21 ¹ / ₃ - 32

Equivalent Measures:

1 fluid ounce = 2 tablespoons (or 6 teaspoons)

2 fluid ounces = 4 tablespoons

4 fluid ounces = 1/2 cup

8 fluid ounces = 1 cup

16 fluid ounces = 1 pint

32 fluid ounces = 1 quart

HOW TO USE IN THE LAWN WEED KILLER APPLICATOR: Connect sprayer nozzle to garden hose. Remove safety cap from container, and insert sprayer unit, securing tightly. Turn on water. Place finger over hole on right side of nozzle and product will automatically be dispersed. Spray evenly and uniformly over area requiring application. (Check application guide to determine the correct area to be covered per ounce.)

*APPLICATION GUIDE						
	Recommended Coverage Area Per Ounce (square feet)					
Ounces	Sensitive grasses such as Centipedegrass, St. Augustinegrass	Bermudagrass, Bentgrass	Bluegrass, Fescue, Zoysia			
1	600	450	300			
2	1,200	900	600			
3	1,800	1,350	900			
4	2,400	1,800	1,200			
5	3,000	2,250	1,500			
6	3,600	2,700	1,800			
7	4,200	3,150	2,100			
8	4,800	3,600	2,400			
9	5,400	4,050	2,700			
10	6,000	4,500	3,000			
11	6,600	4,950	3,300			
12	7,200	5,400	3,600			
13	7,800	5,850	3,900			
14	8,400	6,300	4,200			
15	9,000	6,750	4,500			
16	9,600	7,200	4,800			

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.