

TRIMEC(R) M 904  
"ST. AUGUSTINE GRASS"  
BROADLEAF HERBICIDE

165  
PM 23

2217-733

CONTROLS: DANDELION, CHICKWEED, KNOTWEED,  
PLANTAIN, HENBIT, SPURGE and many other  
broadleaf lawn weeds; some of which are  
shown on the side panel.

ONE QUART COVERS UP TO 9,600 SQUARE FEET

--KEEP FROM FREEZING--

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....	6.86%
** Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid....	3.76%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)...	0.75%
INERT INGREDIENTS.....	88.63%
TOTAL 100.00%	

THIS PRODUCT CONTAINS:

* 0.4869 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or	5.67%
** 0.2638 lbs 2-methyl-4-chlorophenoxyacetic acid per gallon or	3.07%
*** 0.0535 lbs 3,6-dichloro-o-anisic acid per gallon or	0.62%

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap  
and water; for eyes, flush with water for 15 minutes  
and get medical attention.

See back panel for additional precautionary statements.

Trimec(R) is a registered trademark of PBI Gordon Corporation.

NET CONTENTS ONE U.S. GALLON

Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, KANSAS 66118

EPA REG. NO. 2217-TGG  
EPA EST. NO.

1987

ACCEPTED  
AUG 13 1987  
2217-733B

STOP! READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY. ✓

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

WARNING: Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

Environmental Hazards

Do not apply directly to water. Do not apply when weather conditions favor drift away from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

✓

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### STORAGE & DISPOSAL

**STORAGE:** Store in original container in a locked storage area. Keep from freezing. To avoid cross-contamination, do not store near other pesticides, fertilizers, or seeds.

**PRODUCT DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

### USE PRECAUTIONS:

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to non-target plants. Coarse spray droplets are less likely to wind-drift. Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful within dripline of trees and other ornamental species. This product may be injurious to St. Augustine, bent, and centipede grasses under conditions of high temperature and moisture. UNDER these conditions, or in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage may occur.

7065  
WHAT IT IS. WHERE & HOW TO USE IT:

TRIMEC M 904 controls a wide range of broadleaf lawn weeds. This particular formulation is low in MCPA for maximum safety to MCPA sensitive grasses such as St. Augustine, bent and buffalo. Spraying should be done when broadleaf weeds are small and tender for best results. If weeds are older, they are going to be harder to kill. Older weeds require the higher rates. Avoid spraying St. Augustine grass under conditions of high temperature and moisture. Under these conditions, or, in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage may occur. St. Augustine grass grows rapidly and will probably choke out weeds, making herbicide spraying unnecessary.

1. Irrigate the lawn 2 or 3 days prior to spraying to ensure that weeds are growing and able to absorb the herbicide.
2. Do not water for 24 hours after treatment.
3. Although spray works faster with temperatures above 70 F. sprays can be applied at any time plants are growing.
4. The amount of water is not important except to evenly distribute the herbicide. If directions advise 1 oz. in 1 gal water on 300 sqft., it may be more convenient to use 1 oz. in 2 gals. water on 300 sqft., depending on the sprayer used. Generally large volumes of water result in more uniform coverage.

St. Augustine, Bentgrass & Buffalo grass: Mix 1 oz. in 1 gal. water and uniformly spray 300 sqft., i.e. an area 10 feet wide by 30 feet long, for example. If necessary, repeat treatment in 2 to 3 weeks if hard-to-kill weeds persist.

Bermuda, Bahia, Bluegrass, Centipede, Fescue & Rye: Mix 1 1/2 oz. in 1 gal. water and uniformly spray over 300 sqft. On hard-to-kill species, or, under poor growing conditions, or on older weeds, mix 2 ozs. in 1 gal. water and spray on 300 sqft. with special attention to thorough coverage of the hard-to-kill weeds.

## WEEDS

Bedstraw  
Black Medic  
Buckhorn  
Bull Thistle  
Burdock  
Buttercup  
Chicory  
Chickweed  
Clover  
Cocklebur  
Dandelion  
Dock  
Galinsoga  
Ground Ivy  
Hawkweed  
Heal-All  
Henbit  
Knotweed  
Lambsquarters  
Lespedeza  
Mallow  
Morningglory  
Mustard  
Oxalis  
Peppergrass  
Pigweed  
Plantain  
Poison Ivy  
Poison Oak  
Purslane  
Ragweed  
Sheep Sorrel  
Shepherd's Purse  
Speedwell  
Tansy Mustard  
Thistle  
Spurge  
Velvetleaf  
Wild Carrot  
Wild Garlic  
Wild Lettuce  
Wild Onion  
Yarrow  
and many other  
broadleaf lawn weeds.