

P1023

2217-734

124

AFTER TEXT

TRIMEC^(R) M 905 LAWN WEED KILLER

ONE QUART COVERS 9,600 SQUARE FEET

Controls Dandelion, Knotweed, Henbit, Plantains, Spurge, Poison Ivy and many other broadleaf lawn weeds some of which are shown on the side panel.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid.....	9.432%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	4.465%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	1.047%
INERT INGREDIENTS.....	<u>85.056%</u>
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- *0.668 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 7.70%.
- **0.320 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.69%.
- ***0.075 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.87%

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; If In Eyes: Flush with plenty of water. Call a physician if irritation persists.

See back panel for additional Precautionary Statements.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION

NET CONTENTS ONE QUART

707/792 APXXXXXX
 EPA REG NO 2217-734
 EPA EST NO 2217-KS-1
 Mfg by PBI/GORDON CORPORATION
 KANSAS CITY, MISSOURI 64101

14 AUG 1992

2217-734

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS
AND FOLLOW LABEL DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

WARNING: May be fatal if absorbed through the skin. Causes eye irritation. May be harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

Environmental Hazards: Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit workers to reenter treated areas until sprays have dried or dusts have settled.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area. Keep from freezing. To avoid cross-contamination, do not store near other pesticides, fertilizers, or seeds.

PRODUCT DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: FOR METAL CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. FOR PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

- USE PRECAUTIONS -

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful within dripline of trees and other ornamental species. Use only lawn type sprayers. Coarse sprays are less likely to drift away from target area. This product may be injurious to St. Augustinegrass and centipedegrass, "spot spray" only on such sensitive grasses.

WHERE TO USE: TRIMEC^(R) M 905 LAWN WEED KILLER may be used on bluegrass, bermudagrass, bahiagrass, fescue, ryegrass or zoysiagrass lawns, vacant lots, playgrounds and other similar areas where weeds are present. It is especially effective on all types of hard-to-kill weeds such as henbit, lespedeza, morningglory, poison ivy and poison oak, spotted spurge and oxalis. In addition to these, TRIMEC M905 controls most other broadleaf lawn weeds including such sensitive species as black medic, chickweed, dandelion and plantain. A partial list is given on the side panel.

WHEN TO USE: Spray at any time during the growing season when weeds are actively growing. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment, spot-spraying may be made at any time with a small pressure-sprayer. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow before treating. Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE: Example—Mix 1 fluid ounce (2 tablespoons) in 1 gallon of water and apply on 300 square feet in the spring for sensitive weeds. For larger or more dense weed stands, apply the same dosage over 200 square feet. Follow the rate charts below.

Hose-end Sprayer: Use a hose-end sprayer designed for lawns. Put recommended amount of product in bottle and add water to proper level and spray on area indicated. For example—to spray 3,000 square feet measure 10 fluid ounces (20 tablespoons) in jar and add water to the 10 gallon mark and mix. Turn on hose and spray as evenly as possible over 3,000 square feet.


Area to Treat (Square Feet)	Fill bottle to Gallons	Amount TRIMEC M905 Weed Killer to use:	
		(Tablespoons)	(Fluid Ounces)
300	1	2	1
600	2	4	2
1,500	5	10	5
3,000	10	20	10
4,800	16	32	16

Pressure-Sprayers: Measure recommended amount of product into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

Area to Treat (Square Feet)	Fill bottle to Gallons	Amount TRIMEC M905 Weed Killer to use:	
		(Tablespoons)	(Fluid Ounces)
600	1/2	4	2
1,200	1	8	4
2,400	2	16	8
3,600	3	24	12

NOTE: Whether using a hose-end sprayer or pressure-sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

SPOT SPRAYING: To spray small areas or individual weeds, do not use hose-end sprayers. Mix 2 fluid ounces (4 tablespoons) in 1/2 gallon of water and spray as required being certain to wet each weed.



CONTROLS:

HARD-TO-KILL WEEDS:

- CHICORY
- DOCK
- GROUND IVY
- HEAL-ALL
- HENBIT
- LESPEDEZA
- MALLOW
- MORNINGGLORY
- PIGWEEED
- POISON IVY
- POISON OAK
- SPEEDWELL
- SPURGE
- WILD CARROT
- WILD ONION
- YARROW

SENSITIVE WEEDS:

- BEDSTRAW
- BLACK MEDIC
- BUCKHORN
- CHICKWEED
- CLOVER
- DANDELION
- KNOTWEED
- LAMBSQUARTERS
- PEPPERGRASS
- PLANTAIN
- PURSLANE
- RAGWEED
- SHEPHERDSPURSE
- WILD LETTUCE

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.