PM D Please read instructions on rev	3 Series completing	17-73	34	JO-/-	97 wed. OMB No.:	2070-0060.	Approval Ex	Oires 05-31-98
<b>≎</b> ЕРА	Environme	United States	tion Agenc		Registra Amenda  Other	ation	7	lifier Number
	<u> </u>	<b>Application</b>	for Pestici	de - Sectio	on l			
1. Company/Product Numi	per 2217-734		2. EPA	Product Mana Joanne I.	~	3. Pro	oposed Clas	sification
4. Company/Product (Nam Trimec <sup>®</sup> N	ie) 1905 Lawn Weed	Killer	PM#	(PM 2	23)	X	None	Restricted
5. Name and Address of A PBI/Gorden Corporati PO Box 014090 Kansas City, Missouri Check if this	on	P Code)	(b)(i), r to: EPA R	edited Review ny product is s eg. No xt Name				
			Section - I			,	*A******	ATION
Amendment - Explain be Resubmission in respon Notification - Explain be	nse to Agençy letter dat	ed		Final printed lab Agency letter da "Me Too" Applic Other - Explain	eation.	to	<del>VOTIFIC</del> <del>DEC 0</del>	1
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  NOTIFICATION - Addition of advisory statements and nonpesticidal claims per PRN 95-2: Our request to add a colorant as an alternate formulation of the CSF was approved on 10/29/97. We are requesting to add advisory statements for the colorant named C.I. Acid Blue 9 (also named FD&C Blue No. 1.) that are consistent with the Precautionary Statements and the Directions for Use. Also, we ask to describe the features and benefits of this colorant as nonpesticidal claims. One (1) copy of the proposed labeling is enclosed for your review. Please refer to the appendix on page 6. This notification is consistent with the provisions of PRN 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C.Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PRN 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.  Section - III								
Material This Product Will B	e Packaged In:		T					
Child-Resistant Packaging Yes* No	Unit Packaging Yes No	Yes D		r Soluble Packaging  Yes  No  2. Type of Co  Metal  Plasti  Glass		al , stic ss	c	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No, per container	If "Yes" Package wgt.	No, per container	Pap		•	-
[	Location of Net Contents Information 4. Size(s) Retail Container		Container	Dither (Specify)  S. Location of Label Directions  On Label  On Labelng accompanying product				
6. Manner in Which Label is Affixed to Product    Lithograph								
Section - IV  1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)								
Contact Point (Complete item     Name	is directly below for ide		idual to be contacte Title	ed, if necessary,	to process this a		No Andude	Area Code)
	Martens			Regulatory S	Services		816/460-	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Date Application (Received Statement or Indicate Property of Statement or Indicate Property or Indi								
	Manager of Regulatory Services							
4. Typed Name Craig EPA Form 8570-5 (Rev. 2-92) F	Martens Previous editions are of	High Harry	Date Novem	ber 18, 1997	e - EPA File Co	py (original	n Yallow -	Anniicant Conv

# TRIMEC® M 905 LAWN WEED KILLER

THIS HERBICIDE IS INTENDED ONLY FOR USE ON RESIDENTIAL LAWNS WITH APPLICATIONS BY HOMEOWNERS.

#### **ACTIVE INGREDIENTS:**

→ *Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	9.432%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	4.465%
***Dimethylamine Salt of Dicamba: 3,6-dichloro-o-anisic acid	1.047%
INERT INGREDIENTS:	<u>85.056%</u>
TOTAL	100.000%

#### THIS PRODUCT CONTAINS:

- \*0.668 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 7.70%.
- \*\*0.320 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.69%.
- \*\*\*0.075 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.87% TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for Precautionary Statements and Statement of Practical Treatment.

707/ AP111897
EPA REG NO 2217-734
EPA EST NO 2217-KS-1
MANUFACTURED BY:
pbi/sondon
conponation

KANSAS CITY, MO 64101



## READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW LABEL DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye injury. Harmful if swallowed, or absorbed through the skin, or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

#### Statement of Practical Treatment

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

#### **ENVIRONMENTAL HAZARDS:**

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated area until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### STORAGE & DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. Avoid contamination of food or feedstuff.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

#### **USE PRECAUTIONS:**

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful within dripline of trees and other ornamental species. Use only lawn type sprayers. Coarse sprays are less likely to drift from target area. This product may be injurious to St. Augustinegrass and centipedegrass under conditions of high temperatures (85°F) and drought. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

#### WHERE TO USE:

Trimec<sup>®</sup> M 905 Lawn Weed Killer may be used on bluegrass, bermudagrass, bahiagrass, fesque, ryegrass, zoysiagrass, St. Augustinegrass, and centipedegrass. Lawns, vacant lots, and playgrounds may be treated.

It is especially effective on all types of hard-to-kill weeds such as henbit, lespedeza, morningglory, poison ivy and poison oak, spotted spurge and oxalis. In addition to these, Trimec\* M 905 conhols most other broadleaf lawn weeds including such sensitive species as black medic, chickweed, dandelion; and plantain. A partial list is given on the side panel.

AND A STATE OF THE PARTY OF THE

#### WHEN TO USE:

Spray at any time during the growing season when weeds are actively growing. Do not apply this product when air temperatures exceed 90°F. On new lawns, wait until the grass has been mowed three (3) times before making an overall spray treatment. Spot spraying may be made at any time with a pressure sprayer. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

## FOR BERMUDAGRASS, BAHIAGRASS, KENTUCKY BLUEGRASS, FESCUES, AND PERENNIAL RYEGRASS:

**Tank or Pressure Sprayers - Mix 1 - 1½** fluid ounces (2 - 3 tablespoons) of product with 1.0 gallon of water to cover 300 square feet of turf. Use the higher rate for large weeds or dense weed stands.

Hose End Sprayers - Put 31/3 fluid ounces (62/3 tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Fill the sprayer jar with water to the proper level and spray to cover 1,000 square feet of turf. For example, to spray 3,000 square feet of lawns, measure 10 fluid ounces (20 tablespoons) of product into the sprayer jar. Fill the jar with water to the 10 gallon mark and spray evenly to cover 3,000 square feet of lawn.

### FOR ST. AUGUSTINEGRASS, BENTGRASS, BUFFALOGRASS, AND CENTIPEDEGRASS:

Tank or Pressure Sprayers - Mix ½ fluid ounce (1 teaspoon) of product with 1.0 gallon of water to cover 300 square feet of turf. If hard-to-control weeds persist repeat the application at the same rate in three (3) weeks.

Hose End Sprayers - Put 1<sup>2</sup>/<sub>3</sub> fluid ounces (3<sup>1</sup>/<sub>3</sub> tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Fill the sprayer jar with water to the proper level and spray to cover 1,000 square feet of turf. For example, to spray 3,000 square feet of lawns, measure 5 fluid ounces (10 tablespoons) of product into the sprayer jar. Fill the jar with water to the 10 gallon mark and spray evenly to cover 3,000 square feet of lawn.

#### TABULAR FORMAT FOR HOSE END SPRAYERS

Amount Trimec M905 Lawn Weed Killer, Fluid Ounc			
Area to Treat, Square Feet	Gallons	St. Augustinegrass, Bentgrass, Buffalograss, Centipedegrass	Bermudagrass, Bluegrass, Bahiagrass, Fescues, Perennial Ryegrass
300	1	1/2	. 1
600	2	1	2.
1,500	5	21/2	5
3,000	10	5	10

Spot Spraying: To spray small areas or individual weeds, do not use hose end sprayers. Mix 2 fluid ounces (4 tablespoons) in ½ gallon of water and spray as required being certain to wet each weed.

#### **CONTROLS:**

Morningglory	Spurge	
	Shrife	( (
Pigweed	Wild Carrot	(
Poison Ivy	Wild Onion	¢ .
Poison Oak	Yarrow	رد در این از
	Poison Ivy	Poison Ivy Wild Onion Poison Oak Yarrow

	SENSITIVE WEEDS
Bedstraw	Dandelion Purslane
Black Medic	Knotweed
Buckhorn	Lambsquarters Shepherdspurse
Chickweed	Peppergrass Wild Lettuce
Clover	Plantains

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Gof7

#### APPENDIX

- I. Advertising claims that may be presented on the retail containers of supplemental registrants:
  - One quart covers up to \_\_\_\_\_ square feet.
  - One pint covers up to square feet.
  - One gallon covers up to \_\_\_\_\_ square feet.
  - Controls Dandelion, Knotweed, Henbit, Plantains, Spurge, Poison Ivy and many other broadleaf lawn weeds, some of which are shown on the side panel.
  - Won't harm your lawn when used according to label directions.
  - Kills broadleaf weeds down to the root without harming the lawn when used according to instructions.
  - · Water based formula.
  - Eliminates over (XX number) broadleaf lawn weeds without harming lawn grasses.
  - Kills weeds in bluegrass, fescue, ryegrass, bermudagrass, bahiagrass, bentgrass, centipedegrass, St. Augustinegrass, and zoysiagrass. Not for use on kikuyugrass, dichondra or carpetgrass.
  - ★ Kills over (XX number) weeds.
  - · Treats northern and southern grasses.
  - Excellent for use in hand held tank and pump sprayers
  - Covers up to 9,600 square feet.
  - + Contains MCPA, MCPP, and dicamba.
  - Contains Trimec<sup>®</sup> herbicide.

#### II. Weed List:

Controls (Number) weeds! (Listing of weeds may include the following.)

and material affectively of	WEEDS -	
Aster	False dandelion	Poison oak
Bedstraw	Frenchweed	Prickly lettuce
Bindweed	Galinsoga	Prostrate vervain
Black medic	Ground ivy	Puncturevine
Brassbuttons	Hairy fleabane	Purslane
Buckhorn	Hawkweed	Ragweed
Burdock	Healall	Red sorrel
Buttercup	Нетр	Rough cinquefoil
Chickweed, common	Henbit	Scarlet pimpernel
Chickweed, mouseear	Knotweed, prostrate	Shepherdspurse
Chicory	Lespedeza	Speedwell
Clover, crimson	Mallow	Spotted catsear
Clover, hop	Matchweed	Spurge, prostrate
Clover, red	Morningglory	Spurge, spotted
Clover, white	Oxalis	Tansy mustard
Cockle	Pennywort	Thistle
Cudweed	Peppergrass	Velvetleaf ;
Daisy, English	Pigweed	Virginia buttonweed '
Daisy, oxeye	Pigweed, prostrate	Wild carrot
Dandelion	Plantain, blackseed	Wild garlic
Dock, broadleaf	Plantain, bracted	Wild lettuce (,,,;,
Dock, curly	Plantain, broadleaf	Wild onion
Dollarweed	Plantain, narrowleaf	Yarrow
Elderberry	Poison ivy	and many other broadleaf weeds

- III. Addition of advisory statements and nonpesticidal claims per PR Notice 95-2.
  - ◆ Safer® Weed-Away (Product Brand Name) contains Safer's (Company Name)'s unique Weed-Marker™ (Colorant brand name) colorant. Treated areas will be marked by a green colorant making areas sprayed clearly visible. Weed-Marker™ (Colorant brand name) helps avoid overapplication and allows immediate detection of overspray onto desirable plants if overspray occurs, immediately rinse off exposed plant surface areas with water. The Weed-Marker™ (Colorant brand name) colorant breaks down quickly and will be immediately removed by watering or rains. NOTE: Some staining may occur if Weed-Marker™ (Colorant brand name) comes into contact with clothing or shoes. Shoes should be checked for staining after application so that the colorant will not transfer onto carpets. Remove contaminated clothing and wash clothing before reuse. The Weed-Marker™ (Colorant brand name) colorant can be removed by normal laundering.