3

TRIMEC(R) M 907

LIQUID WEED & FEED For Sensitive Grasses

20-0-0

NET CONTENTS ONE-HALF GALLON (NET WEIGHT: 4 LBS 12 OZ)

--KEEP FROM FREEZING--

ONE HALF-GALLON COVERS UP TO 5.000 SQFT.

CONTROLS: Dandelion. Chickweed, Knotweed. Henbit. Plantains, Clover. spurge and many other broadleaf lawn weeds; some of which are shown on this label.

The fast, easy way to weed control and supplement your lawn.

No Spreading -- No Complicated Mixing Just attach to a garden hose & spray

ACTIVE INGREDIENTS:

- ** Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid....1.029%

TOTAL 100.000%

THIS PRODUCT CONTAINS:

- * 0.1465 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 1.54%
- ** 0.0815 lbs 2-methyl-4-chlorophenoxyacetic acid per gallon or 0.84%
- *** 0.0163 lbs 3.6-dichloro-o-anisic acid per gallon or 0.17%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

I In case of contact, wash skin with plenty of soap | | and water; for eyes, flush with water for 15 minutes | and get medical attention.

ISee back panel for additional precautionary statements. It is

 $\mathsf{Trimec}^{(\mathsf{R})}$ is a registered trademark of PBI Gordon Corporation.

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, KANSAS 66118

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

MEASURING

GUIDE

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: ICAUTION: Harmful if swallowed. Avoid contact

lwith eyes, skin or clothing. In case of contact.

COVERAGE

1,000 SQFT limmediately flush eyes or skin with plenty of ----- lwater. If irritation develops get medical atten-Ition. Avoid contamination of food or feedstuffs

> Environmental Hazards: Do not apply directly to Iwater. Do not apply when weather conditions favor ! Idrift from target area. Do not contaminate water Iby cleaning of equipment or disposal of wastes. IDo not contaminate domestic or irrigation waters.

> > DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ISTORAGE: Keep from freezing. Store in original Icontainer in a locked storage area inaccessible Ito children. Do not store near food or feedstuffs. I IT prevent cross-contamination, do not store near lother fertilizers, insecticides, fungicides, or

IPRODUCT DISPOSAL: Securely wrap original container I I with unused product in several layers of newspaper ! land discard in trash.

!CONTAINER DISPOSAL: Do not reuse empty container. ! 3,000 sqft (Rinse thoroughly before discarding in trash.

COVERAGE

OTHER USE PRECAUTIONS:

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded dawn grasses until well established. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, dichondra, or on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals.... Do 5,000 sqft not exceed specified dosages. Be particularly careful

COVERAGE

within dripline of trees. This product may be injurious to WHEN EMPTY St. Augustine, bent, and Centipede grasses under conditions of high temperature and moisture. Under these conditions or in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage may occur.

30/6

WEEDS Bedstraw Black Medic | Buckhorn | Bull Thistle Burdock Buttercup | Chicory Chickweed Clover Cocklebur Dandelion Dock Galinsoga Ground Ivy Hawkweed | Heal-All Henbit Knotweed | Lambsquarter I Lespedeza I Mallow | Morningglory | Mustard ! Oxalis | Peppergrass | Pigweed | Plantain | Poison Ivy Poison Oak ! Purslane I Ragweed Sheep Sorrel Shepherd's Purse Speedwell Tansy Mustard Thistle Spurge Velvetleaf Wild Carrot Wild Garlic Wild Lettuce Wild Onion Yarrow I and many other broadleaf lawn weeds.

7 % H

20-0-0

GUARANTEED ANALYSIS

Total Nitrogen (N).....20.00%

20% Urea Nitrogen Derived from Urea.

WHERE TO USE:

TRIMEC M 907 LIQUID WEED & FEED is especially formulated for sensitive southern grasses -- St. Augustine, bentgrass, bahia, bermuda, and Centipede grasses, but can also be used on Bluegrass, fescue, and other northern grasses in lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. TRIMEC M 907 LIQUID WEED & FEED is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. TRIMEC M 907 LIQUID WEED & FEED also controls the easy-to-kill weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantains. In addition, TRIMEC M 907 LIQUID WEED & FEED also feeds your lawn with a 20% urea nitrogen. For best results, spraying should be done when weeds are young and tender. Older weeds are harder to kill.

WHEN TO USE:

- Spray at any time during the growing season when weeds are actively growing.
- 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
- 3. Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results, mow 1 to 2 days before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW TO USE:


Shake Well Before Using.

(one of the following will be used depending on the hose end applicator used.)

(A)

INSTRUCTIONS

- 1. Connect spray nozzle to garden hose.
- 2. Shake contents of bottle well.
- Remove safety cap.
- 4. Attach tube to nozzle applicator.
- Attach bottle to open end of spray nozzle. Turn bottle counterclockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
- 6. Turn on water; place finger over hole on right side of nozzie and proper ratio of TRIMEC M 907 LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this liquid has been used.)



286

(B)

Conn.ct spray nozzle to Garden hose; remove safety cap from container, attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio of TRIMEC M 907 LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. Check handy measuring guide to see how much liquid has been used.)

(C)

- 1. Attach garden hose to connector on dispenser.
- 2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
- 3. Remove both parts of separated lock ring.
- 4. Turn arrow on activator switch to OFF position.
- 5. Push activator switch securely down against top of sprayer. Which will pierce the safety seal inside the dispenser.
- 6. To begin spraying, turn on water and then move activator switch to the ON position.
- 7. To stop dispensing the product, turn off water.

(D)

- 1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
- 2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
- 3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
- 4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc. slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
- To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

(E)

Add TRINEC M 907 LIQUID WEED & FEED to the hose-end sprayer jar, DO DO NOT ADD WATER TO THE JAR. One-half gallon covers 5,000 square feet. One gallon covers up to 10,000 square feet.

96

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A **PARTICULAR** PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM MANUFACTURER, WARRANTY ARE DISCLAIMED BY Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSJ.

EPA REG. NO. 2217-XXX EPA EST NO. /487