UNITED ATES ENVIRONMENTAL PROTECTION ' NCY

PM23

2217-738

MAR 1 4 1996

James A. Armbruster, Ph.D. PBI/Gordon Corporation P.O. Box 14090 1217 West 12th Street Kansas City, MO 64101

Dear Dr. Armbruster:

Subject: Revised Labeling - Add WPS Exclusionary Statement; Update Precautionary Language and Environmental Hazards MM 909 Liquid Weed and Feed EPA Registration No. 2217-738 Your Submission Dated August 24, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- Delete the phrase "... if irritation persists" from the end of 1) the IF ON SKIN statement in the Statement of Practical Treatment.
- 2) Revise the beginning of the Precautionary Statements to read "Causes moderate eye injury. Harmful if swallowed or absorbed through skin."
- 3) Add the statement "Wash thoroughly with soap and water after handling" to the Precautionary Statements.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

X:30	5-7546:	FAB/PM	123	CONCURRENCES		
STMBOL .	7505C					
SURRAME +	DKENNY					
DATE •	3/12/96					
		· · · · · · · · · · · · · · · · · · ·				

ErN Form 1320-1 (12-70)

OFFICIAL FILE COPY

MM 909 LIQUID WEED & FEED with COMMENTS

20-0-0

MAR 1 4 1996 Under the Federal Insecticide, Fundicide, and Redenticide Act as smended, for the posticide registered under EPA Reg. No. 2.76

KEEP FROM FREEZING

ONE-HALF GALLON COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds; some of which are shown on this label.

> No Spreading - No Complicated Mixing Just attach to a garden hose & spray.

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	3.638%	
** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid		
INERT INGREDIENTS	<u>93.966%</u>	
TOTAL	100.000%	

THIS PRODUCT CONTAINS:

*0.2754 lbs. 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 2.97%.

**0.1836 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 1.98%.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water-

For eyes, flush with water for 15 minutes and get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See back panel for additional Precautionary Statements.

NET CONTENTS ONE-HALF GALLON (NET WEIGHT 4 LBS. 12 OZ.)

APXXXXXX EPA REG NO 2217-738 EPA EST NO 2217-KS-1 Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURT 64101

Page 1 of 5

EPA Reg. No. 2217-738

STOPI READ THE ENTIRE L SEL FIRST. OBSERVE ALL PRECAUTIC 3 AND FOLLOW DIRECTIONS CAREFULLY.

346

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, longsleeved shirt and shoes when applying this product. Wear goggles when applying this product. In case of contact, wash skin with plenty of soap and water; for eyes, flush with plenty of water, and get-medical attention...

Environmental Hazards: Dritt or run-off may adversely affect nontarget plants. For terrestrial uses, Do not apply directly to water, to areas whore surface water is present or to intertidal areas below the mean high-water-mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. Avoid contamination of food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS: Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85°F. Seed can be sown 3 to 4 weeks after application. Do not use on carpetgrass, dichondra, St. Augustinegrass, centipedegrass, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area. Be particularly careful within dripline of trees and other ornamental species.

WEEDS CONTROLLED:

BEDSTRAW	HENBIT	SHEPHERDSPURSE
BLACK MEDIC	KNOTWEED	SPEEDWELL
BUCKHORN	LAMBSQUARTERS	SPURGE
BULL THISTLE	LESPEDEZA	TANSY MUSTARD
BURDOCK	MALLOW	THISTLE
BUTTERCUP	MORNINGGLORY	VELVETLEAF
CHICORY	MUSTARD	WILD CARROT
CHICKWEED	OXALIS	WILD GARLIC
CLOVER	PEPPERGRASS	WILD LETTUCE
COCKLEBUR	PIGWEED	WILD ONION
DANDELION	PLANTAIN	YARROW
DOCK	POISON IVY	and many
GALINSOGA	POISON OAK	other broadleaf
GROUND IVY	PURSLANE	lawn weeds.
HAWKWEED	RAGWEED	
HEAL-ALL	SHEEP SORREL	

EPA Reg. No. 2217-738

Page 2 of 5

))
GUARANTEED ANALYSIS	
Total Nitrogen(N)	20.00%
20% Urea Nitrogen	
Derived from Urea.	<u> </u>

(OPTION A OR B TO BE USED DEPENDING ON THE SUBREGISTRATION)

OPTION (A)

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed, this product supplies 0.19 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local Agricultural Extension Agent for the proper amount of nitrogen to be applied in your area.

OPTION (B)

MM 909 Liquid Weed & Feed should be supplemented by Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions concerning a regular fertilizer program.

WHERE TO USE: MM 909 Liquid Weed & Feed may be used on bahiagrass, bermudagrass, bluegrass, fescue, Perennial ryegrass or zoysiagrass lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition, MM 909 Liquid Weed & Feed controls most other broadleaf weeds, including sensitive weeds such as chickweed, clover, dandelion, knotweed and plantain.

WHEN TO USE:

- 1. Spray during the growing season when weeds are actively growing.
- 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks after application for seeding and sprigging.
- 3. Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results, mow 1 to 2 days before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW TO USE: Shake well before using.

Page 3 of 5

(One of the follow. will be used depending on the hose-e., applicator used.)

5.14

OPTION (A)

INSTRUCTIONS:

- 1. Connect spray nozzle to garden hose.
- 2. Shake contents of bottle well.
- 3. Remove safety cap.
- 4. Attach tube to nozzle applicator.
- 5. Attach bottle to open end of spray nozzle. Turn bottle counter-clockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
- 6. Turn on water; place finger over hole on right side of nozzle and proper ratio will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this liquid has been used.)

OPTION (B)

Connect spray nozzle to garden hose; remove safety cap from container; attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much liquid has been used.)

OPTION (C)

- 1. Attach garden hose to connector on dispenser.
- 2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
- 3. Remove both parts of separated lock ring
- 4. Turn arrow on activator switch to OFF position.
- Push activator switch securely down against top of sprayer, which will pierce the safety seal inside the dispenser.
- 6. To begin spraying, turn on water and then move activator switch to the ON position.
- 7. To stop dispensing the product, turn off water.

OPTION (D)

- 1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
- 2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
- 3. Turn the ON/OFF switch on top of the spray nozzle counter-clockwise to the OFF position. Then turn on the water at the faucet.
- 4. To begin spraying, turn the sprayer nozzle switch clockwise to the ON position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping, treated areas. Refer to graduated scale on side of container to guide coverage.
- 5. To stop spraying, turn the sprayer nozzle switch counter-clockwise to the OFF position and turn off-water at the faucet.

Page 4 of 5

EPA Reg. No. 2217-738

OPTION (E)

This gallon package is intended as a refill for the one-half gallon hose-end sprayer applicator/container of MM 909 Liquid Weed & Feed. However, this product may be used in any hose-end sprayer in which herbicides have been used.

1.76

Add MM 909 Liquid Weed & feed to the hose-end sprayer jar. DO NOT ADD WATER TO THE JAR. One-half gallon covers 5,000 square feet. One gallon covers up to 10,000 square feet.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

MEASURING GUIDE

1,000 SQ.FT.

3,000 SQ.FT.

COVERAGE

5,000 SQ.FT. COVERAGE

WHEN EMPTY

EPA Reg. No. 2217-738

Page 5 of 5