US ENVIRONMENTAL PHOTECTION AGENCY DIFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-267) WASHINGTON, DC 20460

NOTICE OF PESTICIDE:

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amonded)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

PBI/Gordon Corporation P.O. Box 4090 Kansas City, MO 64101-9984

NOT.E: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

建行917-7397

TERM OF ISSUANCE

DM 896.

Conditional

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approvation of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with PIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 2217-739."

b. Mooify Hazards to Humans statements as follows.

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or clothing. Wear goggles or a face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

EPA Form \$570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

10432:I:Mountfort:MF-02:KENCO:01/20/88:01/29/88:aw:VO:EK:aw

These statements are based on the following acute toxicity test results.

(

Category I - Eye irritation. Category III - Acute oral, dermal, inhalation. Category IV - Skin irritation; Nonsensitizing.

c. Modify first aid for swallowing to read:

If swallowed: Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Note to Physician: Probable mucosal damage may contraindicate use of gastric lavage

d. The Agency has revised the required Environmental Hazards language. Modify text to lead:

> Do not apply directly to water. Do not apply when weather conditions favor drift away from target area. Do not contaminate water when disposing of equipment washwaters.

e. Products for homeowner use must include disposal language as follows:

Do not reuse container. Rinse thoroughly, then securely wrap original container in several layers of newspaper and discard in trash.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Nitrosamine levels are less than 1 ppm NDMA, based on data submitted. A copy of the review is enclosed for your records.

Richard F. Mountfort (CF) Product Manager (23) Fungicide-Herbicide Branch Registration Division (TS-767C) G



DN 896 Turf Herbicide

For the control of broadleaf weeds in bluegrass, fescue. Bermudagrass and bentgrass turf.

This Product Contains: * 1.94 lbs 2.4-dichlorophenoxyacetic acid per gallon or 20.4% ** 2.03 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid per gallon or 21.3% *Isomer Specific by AOAC Method.

KEEP OUT OF REACH OF CHILDR

DANGER

Statement of Practical Treatment

IF IN ÉYES: In case of eye contect, immediately fluish eyes with
plently of water for 15 minutes. Call a physician at once.
IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.
If irritation develops, get medical attention.
IF SWALLOWED: Drink one or two glasses of water. Induce vomiting
by touching back of throat with finger. Call a physician at once.
Do not induce vomiting or give anything by mouth to an unconscious
person.
IF INHALED: Remove victim to fresh air and apply respiration if

! | See a ditional precautionary information elsewhere on this label.

NET CONTENTS

I indicated.

Mfd by. PBI/GORDON CORPORATION Kansas City, Kansas 66118

EPA REG NO. 2217-XXXX EPA EST NO. 1

X



STOP: READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

н

IPRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

IDANGER: Corrosive, causes eye damage and Iskin irritation. Do not get in eyes, on skin or Iclothing. Wear goggles or face shield, and Irubber gloves when handling. Harmful or fatal If swallowed.

Environmental Hazards

Do not apply directly to water. Do not apply when weather conditions favor drift away from starget area. Do not contaminate water by scleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

ISTORAGE: Store in original container in a locked Istorage area. Keep from freezing. To avoid I Icross-contamination. do not store near other I Ipesticides, fertilizers, or seeds.

IPRODUCT DISPOSAL: Do not contaminate water. I Ifood, or feed by storage or disposal. Pesticide I Iwastes are acutely hazardous. Improper disposal I Iof excess pesticide, spray mixture, or rinsate I Iis a violation of Federal Law. If these wastes I Icannot be disposed of by use according to label I Iinstructions, contact your State Pesticide or I IEnvironmental Control Agency. or the Hazardous I IWaste representative at the nearest EPA Regional I IOffice for guidance. I

CONTAINER DISPOSAL: Triple rinse (or equivalent)) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, for by other procedures approved by state and local authorities.

1

USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Avoid drift of spray mist to vegetables. flowers. ornamental plants, shrubs. trees and other desirable plants. Do not pour spray solutions near plants. Do not use on warm season grasses, such as St. non-target Augustine, Centipede. Dichondra, or on lawns and turf where desirable clovers are present. NOTE: Coarse sprays are less likely to winddrift. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not spray when air temperature excesss 85 degrees F. Seed can be safety sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation waters. After using this product, clean sprayer thoroughly with soap or detergent and water and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

(

GENERAL INFORMATION AND INSTRUCTIONS:

DM 896 is a selective herbicide for the control of broadleaf weeds in bluegrass, fescue, bermudagrass, and bentgrass turf. Do not use this product on closely-mowed bentgrass or bermudagrass as on golf greens or tees. Weeds are best controlled when they are young and actively growing.

Weeds Controlled:

Jusceptible -- Dandelion, clover, common chickweed, mouse ear chickweed, plantain, pigweed, ragweed and lambsquarter.

Noderately Susceptible -- Knotweed, black medic, English daisy, dock, purslane, oxalis, mallow.

Application Rate:

For established turf. apply 1 oz. to 1-1/4 oz. for 1.000 sqft. (2-2/3 pints to 3-1/3 pints per acre) in 1 to 2 gallons of water per 1.000 sqft. (30 to 60 gallons per acre). Use higher rates when hard-to-kill weeds are present. Maximum control of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during periods when turf is under stress from drought or extreme heat. Do not water for 24 hours after application. Do not apply to newly seeded turf until after the second or third mowing.

NOTE: Use application equipment that is capable of applying a uniform droplet over the entire area to be covered.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO law. THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED. OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER. and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS. and. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.