

DMDP 897

PM23
2217-740
pg. 194

CONTAINS 2,4-D, MCPP AND 2,4-DP

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	16.3%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.4%
***Dimethylamine Salt of 2-(2,4-dichlorophenoxy)propionic acid	16.2%
INERT INGREDIENTS	51.1%
TOTAL	100.0%

THIS PRODUCT CONTAINS:

- *1.3 lbs 2,4-dichlorophenoxyacetic acid equivalent per gallon or 13.6%
- **1.3 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 13.6%
- ***1.3 lbs 2-(2,4-dichlorophenoxy)propionic acid equivalent per gallon or 13.6%

KEEP OUT OF REACH OF CHILDREN

D A N G E R

Statement of Practical Treatment

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

See additional Precautionary Statements elsewhere on this label.

NET CONTENTS U. S. GALLONS

/590 AP010388

EPA REG NO. 2217-740
EPA EST NO. 2217-KS-1

Mfd by. PBI/GORDON CORPORATION
Kansas City, Kansas 66118

NOTIFICATION
LABEL NOT REVIEWED
PER PB NOTICE 88-6
DATE. AUG 12 1990

8/13/90

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

pg. 2 of 4

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

DANGER: Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product. When handling this product, wear chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. If spills occur, collect the material and dispose of by following disposal instructions on this label. Harmful or fatal if swallowed.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift away from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit workers to reenter treated areas until sprays have dried or dusts have settled.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D, MCP, and 2,4-DP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D, MCP, and 2,4-DP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area. Keep from freezing. To avoid cross-contamination, do not store near other pesticides, fertilizers, or seeds.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

pg. 3 of 4

USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near non-target plants. Do not use on warm season grasses, such as St. Augustine, Centipede, Dichondra, or on lawns and turf where desirable clovers are present. **NOTE:** Coarse sprays are less likely to wind-drift. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not spray when air temperature exceeds 85 degrees F. Seed can be safely sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation waters. After using this product, clean sprayer thoroughly with soap or detergent and water and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

WEEDS

Black Medic	Lambsquarter	Speedwell
Buckhorn	Mallow	Spurge
Burdock	Morningglory	White Clover
Chicory	Oxalis (Wood Sorrel)	Wild Carrot
Chickweed	Pigweed	Wild Garlic
Clover	Plantains	Wild Onion
Dandelion	Poison Ivy	Wild Lettuce
Dock	Poison Oak	Yarrow
English Daisy	Purslane	and many other
Ground Ivy	Ragweed	broadleaf weeds
Heal-All	Red Clover	in lawns & turf.
Knotweed	Red Sorrel	

ORNAMENTAL LAWNS & TURF (other than Bentgrass)

Apply DMDP 897 at a rate of 3 pints per acre in sufficient water for good coverage (40-80 gallons of water per acre or 1-2 gallons of water per 1000 sq ft. is normal). Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not mow within two days before or after application.

Controlled Droplet Applicator:

Reduced rates of DMDP 897 must be used when grass is stressed from heat, drought, etc. Add 2 pints of DMDP 897 to the herbicide container then fill with 3 pints of water, keeping container agitated. Spray entire contents over 33,000 sq. ft. (about 3/4 acre). Do not overlap between spray patterns.

PAHOL

BENTGRASS TURF

Apply DMDP 897 at a maximum rate of 1/2 ounce per 1,000 square feet in spring or early fall when weeds are actively growing. Avoid overdosing Bentgrass or injury may result. Increasing the volume of spraywater to 3 gallons per 1,000 square feet will help avoid localized application which may result in turf injury. Do not mow within two days before or after application.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.