······································	2217-741 PM 23 10-6 TEPA REGISTRATION NO. ( DATE OF ISSUANCE
US ENVIRONMENTAL PROTECTA GENCY	2217-741 DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767)	TERM OF ISSUANCE
WASHINGTON, DC 20460	
<b>~</b>	Conditional /
NOTICE OF PESTICIDE: DE REGISTRATION	DMDP 898 Liquid Weed & Ford
(Under the Federal Insecticide, Fungicide. and Rodenticide Act, as amended)	Dank obe bidard weed a reed
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	
Г	7
-	
PB1/Gordon Corporation	
1217 West 12th Street	
P.O. box 4096	
kansas City, 20 - 64101-9984	
L	_1
NOTE: Changes in labeling formula differing in substance fr	om that accepted in connection with this registration must be
	to use of the label in commerce. In any correspondence on th
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby Registered/Reregistered und
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is returned herewith.
icide in accordance with the Act. The acceptance of any nar Act is not to be construed as giving the registrant a right to by oth.s.	n, may at any time suspend or cancel the registration of a pest ne in connection with the registration of a product under this exclusive use of the name or to its use if it has been covered
This product is conditionally regisection $3(c)(7)(a)$ provided that you:	istered in accordance with rink
1. Submit/cite all data required	for registration/rere_istration
of your product under IIFRA section 3(	
registrants of smilar rooucts to sul	-
<ol> <li>Make the labeling changes lis for shipment;</li> </ol>	ted below before you release the product
a. add the phiase "EPA Regie	tration No. 2217-741."
D. Modify Hazards to Humans text:	statements to incorporate the following
Causes eve irritatio through the skin of	n. Daratul 1) ansorred Inhaled.
	d on acute toxicity test results ermal, innotation, and eye irritation.
Oral toxicity and 5kin if	LITATION ALC Category IV. The
Oral toxicity and skin if formulation is nonsensiti	ritation are Category IV. The 2159.
	23 big .
formulation is nonsensiti	211sg.

Į

1.

Ì

i

1

. . . . . . . . . .

1

. . .

×.

10433:I:Mountfort:MF-02:KENCO:01/21/88:02/01/88:aw:vo:ek:rw

c. Modify "Do not contaminate water . . . " to read "Do not contaminate water when disposing of equipment washwaters." This revised language is a new labeling requirement.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Nitrosamine levels are less than 1 ppm NDNA, based on data submitted. A copy of the review is enclosed for your records.

> Richard F. Mountfort FFM Product Manager (23) Fungicide-Herbicide Branch Registration Division (TS-767C)

Enclosures

## DMDP 895 LIQUID WEED & FEED

t

20-0-0

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS 6 OZ)

--KEEP FROM FREEZING--ONE QUART COVERS UP TO 5.000 SQFT.

CONTROL5: Dandelion. Chickweed. Knotweed. Plantains. Clover. Mallow. Purslane and many other broadleaf lawn weeds: some of which are shown on this label.

> No Spreading -- No complicated Mixing Just attach to a garden hose & spray

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2.4-dichlorophenoxyacetic acid
** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic
acid
acid
INERT INGREDIENTS
TOTAL 100.00%
TUIS PRODUCT CONTAINS: UN ANZ 61988
We when the second
THIS PRODUCT CONTAINS:

THIS PRODUCT CONTAINS:

- \* 0.26 lbs 2.4-dichlorophenoxyacetio ad per gallon or 2.73%
- \*\* 0.26 Ibs 2-(2-methyl-4-chlorophenexy)propionic acid per gallon or 2.70%
- \*\*\* 0.26 lbs 2-(2.4-dichlorophenoxy)propionic acid per gallon or 2.70%

KEEP OUT OF REACH OF CHILDREN

## CAUTION

STATEMENT OF PRACTICAL TREATMENT

I In case of contact, wash skin with plenty of soap I and water: for eyes. flush with water for 15 minutes I I and get medical attention.

ISee back panel for additional precautionary statements. I\_\_\_\_

Mfd. by PBI/GORDON CORPORATION KANSAS CITY. KANSAS 66118

BEST AVAILABLE COPY STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY. 1.1-2-5140-1 PRECAUTIONARY STATEMENTS MEASURING Hazards to Humans and Domestic Animals: GUIDE ICAUTION: Harmful if swallowed! Avoid contact lwith eyes, skin or clothing. In case of contact. 1.000 SQFT limmediately flush eyes or skin with plenty of ------ Iwater. If irritation develops get medical atten-COVERAGE Ition. Avoid contamination of food or feedstuffs [Environmental Hazards: Do not apply directly to Iwater. Do not apply when weather conditions favor 4 Idrift from target area. Do not contaminate water/(Kenned Iby cleaning of equipment or disposal of wastes, / 11 IDo not contaminate domestic or irrigation waters. DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. ISTORAGE: Keep from freezing. Store in original Icontainer in a locked storage area inaccessible 1 Ito children. Do not store near food or feedstuffs. ITe prevent cross-contamination, do not store near lother fertilizers, insecticides, fungicides, or Iseeds. IPRODUCT DISPOSAL: Securely wrap original container | lwith unused product in several layers of newspaper | land discard in trash. ICONTAINER DISPOSAL: Do not reuse empty container. I 3,000 soft IRinse thoroughly before discarding in trash. COVERAGE **OTHER USE PRECAUTIONS:** Do not allow spray to drift to vegetables. flowers. ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85 degrees F. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, dichondra. St. Augustine, Centipede, closely-mowed bentgrass. nor on lawns or turf where desirable clovers are 5,000 sqft present. Do not spray roots of trees of trees and ornamentals. Do not exceed specified dosages for any area, COVERAGE WHEN EMPTY be particularly careful within dripline of tree and other ornamental species.

t

Hoz 8

(

I WEEDS I 1 | Black Medic L | Buckhorn | Burdock | Chicory | Chickweed | Clover 1 Dandelion I Dock I English Daisv | Ground Ivy I Heal-All I Knotweed | Lambsquarter | Mallow 1 Morningglory 1 Oxalis (Wood Sorrel | Pigweed I Plantain I Poison Ivy I Poison Oak | Purslane | Ragweed I Red Clover I Stitchwort I Speedwell | Spurge I White Clover I Wild Carrot I Wild Garlic I Wild Lettuce | Wild Onion | Yarrow I and many other I broadleaf lawn weeds. 1 1 \_\_\_\_\_1

t

5088

(

(

# WHERE TO USE:

LIQUID WEED & FEED may be used on Bentgrass, Bermuda, Bluegrass, Fescue, lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. LIQUID WEED & FEED controls most broadleaf weeds, including sensitive weeds such as Chickweed, Clover, Dandelion, Knotweed and Plantain.

WHEN TO USE:

- 1. Spray at any time during the growing season when weeds are actively growing.
- 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
- 3. Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results. mow 1 to 2 days before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW TO USE: Shake Well Before Using.

(one of the following will be used depending on the hose end applicator used.)

### (A)

INSTRUCTIONS

- 1. Connect spray nozzle to garden hose.
- 2. Shake contents of bottle well.
- 3. Remove safety cap.
- 4. Attach tube to nozzle applicator.
- 5. Attach bottle to open end of spray nozzle. Turn bottle counterclockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
- 6. Turn on water: place finger over hole on right side of nozzle and proper ratio of LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to see how much of this líquid has been used.)

708

(B)

Connect spray nozzle to Garden hose: remove safety cap from container. attach tube to applicator and insert tube section. Attach container to end of nozzle.

Turn on water: place finger over hole on right side of nozzle and proper ratio of LIQUID WEED & FEED will automatically be dispersed. Spray directly over area requiring application evenly and uniformly. Check handy measuring guide to see how much liquid has been used.)

#### (C)

- 1. Attach garden hose to connector on dispenser.
- Insert screwdriver into slot in orange lock ring and twist. snapping lock ring in two.
- 3. Remove both parts of separated lock ring.
- 4. Turn arrow on activator switch to OFF position.
- 5. Push activator switch securely down against top of sprayer. Which will pierce the safety seal inside the dispenser.
- 6. To begin spraving, turn on water and then move activator switch to the ON position.
- 7. To stop dispensing the product. turn off water.

(D)

- 1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach if to hose.
- Remove cap from bottle (directions on cap) \_\_\_\_\_ crew bottle into spray nozzle.
- 3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
- 4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc. slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
- 5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet.

(E)

This one-half gallon package is intended as a refill for the quart hose-end sprayer applicator/container of LIQUID WEED & FEED. However, this product may be used in any hose-end sprayer in which herbicides have been used.

Add LIQUID WEED & FEED to the hose-end sprayer jar. <u>DO NOT ADD WATER</u> <u>TO THE JAR.</u> One quart covers 5,000 square feet. One-half gallon covers up to 10,000 square feet. LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

(

(

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO law. THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED. OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID WARRANTY ARE DISCLAIMED LIMITED BY MANUFACTURER. and. upon Nanufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

LPA REG. NO. 2217-XXX EPA EST NO. /887