

2217-743 PM 23

1 of 5

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION 2217-743	DATE OF ISSUANCE JAN 26 1988
	TERM OF ISSUANCE Conditional	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT TRIMEC M891 Weed & Feed	
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	
PBI/Gordon Corporation 1217 West 12th Street P.O. Box 4090 Kansas City, MO 64101-9984		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 2217-743."		
b. Change the signal word to "WARNING" and modify Hazards to Humans statements to incorporate the following text:		
Causes substantial but temporary eye injury. Harmful if absorbed through the skin or inhaled. Wear goggles or safety glasses.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE JAN 26 1988

These statements are based on acute toxicity test results indicating Category II eye irritation and Category III dermal and inhalation toxicity. Oral toxicity and skin irritation are Category IV. The formulation is nonsensitizing.

- c. Modify "Do not contaminate water . . ." to read "Do not contaminate water when disposing of equipment washwaters." This revised language is a new labeling requirement.

Delete "(works) gently and is friendly to your lawn." These are implied safety claims.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

We note that, given the "WARNING" designation for this TRIMEC formulation, any substantially similar products you have for which these data apply should carry the revised precautionary text.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

TRIMEC^(R) M 891
WEED & FEED
FOR SENSITIVE GRASSES

27-3-6

(FIFTEEN, SIXTEEN, OR EIGHTEEN) POUNDS COVERS UP TO 5,000 SQFT.

CONTROLS: Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds in St. Augustine, Centipede, Bahia, Bermuda, Zoysia and Bentgrass lawns; some of which are listed on the back panel.

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....	0.642%
** Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid....	0.353%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)...	0.071%
INERT INGREDIENTS.....	98.934%
	TOTAL 100.00%

ACCEPTED
with comments
JAN 15 1988
U.S. Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 2217-743

THIS PRODUCT CONTAINS:

- * 10.62 lbs or 0.531% 2-(2-methyl-4-chlorophenoxy)propionic acid per ton
- ** 5.76 lbs or 0.288% 2-methyl-4-chlorophenoxyacetic acid per ton.
- *** 1.18 lbs or 0.059% 3,6-dichloro-o-anisic acid per ton.

KEEP OUT OF REACH OF CHILDREN

CAUTION *WARRANT*

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.


See back panel for additional precautionary statements.

Trimec^(R) is a registered trademark of PBI/GORDON CORPORATION.

NET WEIGHT (15, 16 OR 18) POUNDS

Mfd by PBI/GORDON CORPORATION
KANSAS CITY, KANSAS 66118

EPA REG NO. 2217-xxxx
EPA EST. No. 1687



STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
(Causes substantial damage)
absorbed through the skin or inhaled. but to get eye
injury, use safety glasses
Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wash thoroughly after handling.

Environmental Hazards

Do not apply directly to water. Do not apply when weather conditions favor drift from target area.
Do not apply directly to water
Use New State

DIRECTIONS FOR USE

it is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

USE PRECAUTIONS

Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

27-3-6

GUARANTEED ANALYSIS

Total Nitrogen (N).....	27%
Available Phosphoric Acid (P ₂ O ₅).....	3%
Soluble Potash (K ₂ O).....	6%

BEST AVAILABLE COPY

INSTRUCTIONS

TRIMEC M891 Weed & Feed for Sensitive Grasses controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 27-3-6 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Do not use on dichondra. Do not overapply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on St. Augustine. Under these conditions, however, the vigorous growth of St. Augustine will choke out most weeds and herbicide treatment would not be necessary.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Be patient, TRIMEC : 891 works slowly and gently and is friendly to your lawn.

SPREADER SETTINGS

Scott.....	6
Lawn Beauty.....	5
Jackson.....	7 1/2
Sears.....	4

1. Safety Lawn

The above spreader settings are approximate. (15 pound bag: Check your spreader on 330 sqft. and adjust to apply at the rate of 1 lb. per 330 sqft.) (16 pound bag: Check your spreader on 310 sqft. and adjust to apply at the rate of 1 lb. per 310 sqft.) (18 pound bag: Check your spreader on 270 sqft. and adjust to apply at the rate of 1 lb. per 270 sqft.)

WEEDS

BEDSTRAW	DANDELION	LESPEDEZA	POISON IVY	SPURGE
BLACK MEDIC	DOCK	MALLOW	POISON OAK	THISTLE
BUCKHORN	GROUND IVY	MORNINGGLORY	PURSLANE	WILD CARROT
BURDOCK	HEAL-ALL	OXALIS	RAGWEED	WILD GARLIC
CHICORY	HENBIT	PEPPERGRASS	SHEEP SORREL	WILD LETTUCE
CHICKWEED	KNOTWEED	PIGWEEED	SHEPHERD'S PURSE	WILD ONION
CLOVER	LAMBSQUARTER	PLANTAINS	SPEEDWELL	YARROW

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary. Seller makes no claims other than those stated on this label.