

OCT 1992

Ms. Cynthia A. Smith
Agent for PBI/Gordon Corporation
PBI/Gordon Corporation
1217 West 12th Street,
P.O. Box 4090
Kansas City, MO 64101

Dear Ms. Smith:

Subject: Primec[®] M891 Weed and Feed
EPA Registration No. 2217-743
Application Dated October 6, 1992, Revised
Precautionary Labeling

The proposed revised precautionary labeling submitted with the subject application to amend this pesticide product registration is acceptable under the Federal Insecticide, Fungicide, and Rodenticide Act as amended provided that you:

- o Submit five (5) printed copies of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H-7505C)

Enclosure

E.wilson:Diskette #ABC3:10-09-92

2217-743

TRIMEC^(R) M 891 WEED & FEED FOR SENSITIVE GRASSES

27-3-6

(FIFTEEN, SIXTEEN, OR EIGHTEEN) POUNDS COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge, and many other broadleaf weeds in St. Augustinegrass, Centipedegrass, Bahiagrass, Bermudagrass, Zoysiagrass and Bentgrass lawns including those listed on the back panel.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.642%
**Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid.....	0.353%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.071%
INERT INGREDIENTS:	98.934%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- *10.62 lbs. or 0.531% 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton.
- ** 5.76 lbs. or 0.288% 2-methyl-4-chlorophenoxyacetic acid equivalent per ton.
- *** 1.18 lbs. or 0.059% 3,6-dichloro-o-anisic acid equivalent per ton.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water;
For eyes, flush with water and get medical attention.
See back panel for additional Precautionary Statements.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION.

NET WEIGHT (15, 16 OR 18) POUNDS

1092 APXXXXXX
EPA REG NO 2217-743
EPA EST NO 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes eye irritation. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wear long pants, long-sleeved shirt and shoes when applying this product. Wash thoroughly with soap and water after handling.

Environmental Hazards: Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

- USE PRECAUTIONS -

Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

27-3-6

GUARANTEED ANALYSIS

Total Nitrogen (N).....	27%
Available Phosphoric Acid (P ₂ O ₅).....	3%
Soluble Potash (K ₂ O).....	6%

- INSTRUCTIONS -

TRIMEC^(R) M891 WEED & FEED for Sensitive Grasses controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 27-3-6 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Do not use on dichondra. Do not overapply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on St. Augustinegrass.

4.0711

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

SPREADER SETTINGS

- Scott..... 6
- Lawn Beauty..... 5
- Jackson..... 7-1/2
- Sears..... 4

The above spreader settings are approximate. (15 pound bag: Check your spreader on 330 square feet and adjust to apply at the rate of 1 lb. per 330 square feet) (16 pound bag: Check your spreader on 310 square feet and adjust to apply at the rate of 1 lb. per 310 square feet) (18 pound bag: Check your spreader on 270 square feet and adjust to apply at the rate of 1 lb. per 270 square feet).

- WEEDS -

BEDSTRAW	KNOTWEED	RAGWEED
BLACK MEDIC	LAMBSQUARTER	SHEEP SORREL
BUCKHORN	LESPEDEZA	SHEPHERDSPURSE
BURDOCK	MALLOW	SPEEDWELL
CHICORY	MORNINGGLORY	SPURGE
CHICKWEED	OXALIS	THISTLE
CLOVER	PEPPERGRASS	WILD CARROT
DANDELION	PIGWEEED	WILD GARLIC
DOCK	PLANTAINS	WILD LETTUCE
GROUND IVY	POISON IVY	WILD ONION
HEAL-ALL	POISON OAK	YARROW
HENBIT	PURSLANE	

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by application law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.