

# TRIMEC<sup>®</sup> M 891 WEED & FEED FOR SENSITIVE GRASSES 27-3-6

[(FIFTEEN, SIXTEEN, OR EIGHTEEN) POUNDS COVERS UP TO 5,000 SQUARE FEET]  
[TWENTY POUNDS COVERS UP TO 5,500 SQUARE FEET.]

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge, and many other broadleaf weeds in St. Augustinegrass, Centipedegrass, Bahiagrass, Bermudagrass, Kentucky bluegrass, Fescue spp., Perennial Ryegrass, Zoysiagrass and Bentgrass lawns including those listed on the back panel.

**ACTIVE INGREDIENTS:**

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.642%
**Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid.....	0.353%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.071%
INERT INGREDIENTS: .....	98.934%
<b>TOTAL</b>	<b>100.000%</b>

**THIS PRODUCT CONTAINS:**

- \*10.62 lbs. or 0.531% 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton.
- \*\* 5.76 lbs. or 0.288% 2-methyl-4-chlorophenoxyacetic acid equivalent per ton.
- \*\*\* 1.18 lbs. or 0.059% 3,6-dichloro-o-anisic acid equivalent per ton.

KEEP OUT OF REACH OF CHILDREN

CAUTION

**ACCEPTED**  
 05 APR 1983  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2217-743

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water and get medical attention. See back panel for additional Precautionary Statements.

TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION.

NET WEIGHT (15, 16, 18, OR 20) POUNDS

/1002 AP101592  
 EPA REG NO 2217-743  
 EPA EST NO 2217-KS-1  
 Mfd. by: PBI-GORDON CORPORATION  
 KANSAS CITY, MISSOURI 64101

**BEST AVAILABLE COPY 1.**

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

2 8 3

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals:**

**CAUTION:** Causes eye irritation. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wear long pants, long-sleeved shirt and shoes when applying this product. Wash thoroughly with soap and water after handling.

**Environmental Hazards:** Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift from target area.

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

**STORAGE & DISPOSAL**

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

**PRODUCT DISPOSAL:** Securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

**- USE PRECAUTIONS -**

Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

27-3-6

**GUARANTEED ANALYSIS**

Total Nitrogen (N).....	27%
Available Phosphoric Acid (P2O5).....	3%
Soluble Potash (K2O).....	6%

**- INSTRUCTIONS -**

**TRIMEC<sup>®</sup> M801 WEED & FEED** for Sensitive Grasses controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found on home lawns. In addition, a 27-3-6 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and lawns are in a state of poor growth. A second application may be made in approximately 30 days. Do not apply to lawns with a heavy thatch or moss on dichondra. Do not overapply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on St. Augustinegrass.

**BEST AVAILABLE COPY**

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

**SPREADER SETTINGS**

- Scott..... 6
- Lawn Beauty..... 5
- Jackson..... 7 1/2
- Sears.... ..... 4

The above spreader settings are approximate. (15 pound bag: Check your spreader on 330 square feet and adjust to apply at the rate of 1 pound of product per 330 square feet) (16 pound bag: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (18 pound bag: Check your spreader on 300 square feet and adjust to apply at the rate of 1 pound of product per 300 square feet). (20 pounds bag: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet).

**- WEEDS -**

- |             |              |                |
|-------------|--------------|----------------|
| BEDSTRAW    | KNOTWEED     | RAGWEED        |
| BLACK MEDIC | LAMBSQUARTER | SHEEP SORREL   |
| BUCKHORN    | LESPEDEZA    | SHEPHERDSPURSE |
| BURDOCK     | MALLOW       | SPEEDWELL      |
| CHICORY     | MORNINGGLORY | SPURGE         |
| CHICKWEED   | OXALIS       | THISTLE        |
| CLOVER      | PEPPERGRASS  | WILD CARROT    |
| DANDELION   | PIGWEEED     | WILD GARLIC    |
| DOCK        | PLANTAINS    | WILD LETTUCE   |
| GROUND IVY  | POISON IVY   | WILD ONION     |
| HEAL-ALL    | POISON OAK   | YARROW         |
| HENBIT      | PURSLANE     |                |

**LIMITED WARRANTY AND DISCLAIMER**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

**BEST AVAILABLE COPY**