

22 MAR 1993

James A. Armbruster, Ph.D.
PBI/Gordon Corporation
1217 West 12th Street
Kansas City, MO 64101

Dear Dr. Armbruster:

Subject: Revised Label
Trimec M893 Weed and Feed
Registration No. 2217-745
Your Submission Dated October 17, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) Correct the spelling of "for" under the Statement of Practical Treatment to read, "for eyes, flush with water for 15 minutes and get medical attention."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

| CONCURRENCES | | | | | | | |
|--------------|---------|--|--|--|--|--|--|
| SYMBOL | H7505C | | | | | | |
| SURNAME | JAM | | | | | | |
| DATE | 3/22/93 | | | | | | |

294

MM 893 WEED & FEED

27-3-6

[(FIFTEEN, SIXTEEN or EIGHTEEN) POUNDS COVERS UP TO 5,000 SQUARE FEET.]
[TWENTY POUNDS COVERS UP TO 6,000 SQUARE FEET.]

CONTROLS DANDELION, CHICKWEED, KNOTWEED, PLANTAINS, HENBIT, SPURGE
and many other broadleaf weeds including those listed on the back panel.

ACTIVE INGREDIENTS:

| | |
|--|----------|
| *Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid..... | 1.194% |
| **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid..... | 0.786% |
| INERT INGREDIENTS:..... | 98.020% |
| TOTAL | 100.000% |

THIS PRODUCT CONTAINS:

- *19.50 lbs. or 0.975% 2-methyl-4-chlorophenoxyacetic acid equivalent per ton.
- **13.00 lbs or 0.650% 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton.

KEEP OUT OF REACH OF CHILDREN **2 MAR 1993**

CAUTION *2217-745*

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water;
For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.

NET WEIGHT (15, 16, 18, OR 20) POUNDS

/1082 AP100792

EPA REG NO 2217-745
EPA EST NO 2217-KS-1
Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

394

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes eye irritation. Harmful if absorbed through the skin or inhaled. Wear long pants, long-sleeved shirt and shoes when applying this product. Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wash thoroughly after handling.

Environmental Hazards: Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

27-3-6

USE PRECAUTIONS: Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

27-3-6

GUARANTEED ANALYSIS

| | |
|---------------------------------------|-----|
| Total Nitrogen(N)..... | 27% |
| Available Phosphoric Acid (P2O5)..... | 3% |
| Soluble Potash (K2O)..... | 6% |

INSTRUCTIONS: MM893 Weed & Feed controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 27-3-6 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass lawns.

BEST AVAILABLE COPY

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

SPREADER SETTINGS

- Scott..... 6
- Lawn Beauty..... 5
- Jackson..... 7 1/2
- Sears..... 4

The above spreader settings are approximate. (15 pound bag: Check your spreader on 330 square feet and adjust to apply at the rate of 1 pound of product per 330 square feet) (16 pound bag: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (18 pound bag: Check your spreader on 270 square feet and adjust to apply at the rate of 1 pound of product per 270 square feet) (20 pound bag: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.)

WEEDS

- | | | |
|-------------|--------------|----------------|
| BEDSTRAW | KNOTWEED | RAGWEED |
| BLACK MEDIC | LAMBSQUARTER | SHEEP SORREL |
| BUCKHORN | LESPEDEZA | SHEPHERDSPURSE |
| BURDOCK | MALLOW | SPEEDWELL |
| CHICORY | MORNINGGLORY | SPURGE |
| CHICKWEED | OXALIS | THISTLE |
| CLOVER | PEPPERGRASS | WILD CARROT |
| DANDELION | PIGWEEED | WILD GARLIC |
| DOCK | PLANTAINS | WILD LETTUCE |
| GROUND IVY | POISON IVY | WILD ONION |
| HEAL-ALL | POISON OAK | YARROW |
| HENBIT | PURSLANE | |

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this

BEST AVAILABLE COPY