22 Please read instructions on reverse befor	e completing form	1-16-	5003 Form Ap	proved	OMB I	No. 2070-	0060.	Approval Expires 2-28-96
0=04	United Sta ronmental Prof Washington, D	ection Age			Regis	stration ndmen		OPP Identifier Number
	Applicati	on for Pest	icide - Sect	tion I				
Company/Product Number 2217-746		2. EPA Product Ma Joanne		•	_		3. Pro	posed Classification
4. Company/Product (Name) Trimec® 914 Ready-To	o-Use Brush Killer	РМ	# Product Man	nger, Te	eam 2	23	X Restr	None
5. Name and Address of Applicant (In PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101		(b)(EF	(i), my product is	similar	or ide	entical in	comp	RA Section 3(c)(3) osition and labeling to:
- besteroid	PFIII	Section	- II					
Amendment - Explain below. Resubmission in response to Ager Notification - Explain below.		Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.			_	OTIFICATION EP 1 6 2003		
We ask to adopt the Disp Five (5) copies of the draft	it labeling are enclo		eview.	restion				510C (1111 4) 2001 0.
Material This Product Will Be Package		T		<u> </u>	Type	of Contair	or .	
Child-Resistant Packaging Yes* No * Certification must be submitted Unit Packa Unit Packa Unit Packa	No. per	Yes No If "Yes" Package wg	No. per			Metal Plastic Glass Paper Other (Spe		·
3. Location of Net Contents Information Label Container	4. Size(s) Re	etail Container		On	tion of Label	Label Dire	ections	g product
6. Manner in Which Label is Affixed to Prod	duct Lithogr	glued ed	Other_					
1 Contact Boint (Consolate House d'activité		Section				- 44.l	dia e 41 e	
Contact Point (Complete items directly be Name Craig Martens	elow for identification of	Title	r of Regulatory				hone N	n.) lo. (Include Area Code) 16-469-6287
I certify that the statements I have ma I acknowledge that any knowingly fals both under applicable law.		ation attachments there ent may be punisl	to are true, accura	ate and c	comple	te.	6.	Date Application Received (Stamped)
2. Signature Canhartme		- -	nager of Regulatory Services			GO TO THE STATE OF		
Typed Name Craig Martens		5. Date	August 21, 2003					

TRIMEC® 914 READY-TO-USE BRUSH KILLER

Controls Poison Ivy, Poison Oak, Multiflora Rose, Wild Plum, and other species of brush and broadleaf weeds. See back panel for partial list.

ACTIVE INGREDIENTS:

Dimethylamine Salt of (+)-(R)-2-(2-methy-4-chlorophenoxy)propionic acid	0.21%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	0.40%
Dimethylamine Salt of dicamba: 3,6-dichloro-o-anisic acid	0.07%
INERT INGREDIENTS:	<u>99.32%</u>
TOTAL	100.00%

THIS PRODUCT CONTAINS:

0.02 lbs. (+)-(R)-2-(2 methy-4-chlorophenoxy)propionic acid equivalent per gallon or 0.18%.

0.03 lbs 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.33%

0.01 lbs. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.06%

Isomer Specific by AOAC Methods. Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for additional Precautionary Statements.

SHAKE WELL - KEEP FROM FREEZING

NET CONTENTS: 24 FLUID OUNCES

AP-----EPA REG. NO. 2217-746 EPA EST. NO. 2217-KS-1 MANUFACTURED BY:



Telephone: 1-800-821-7925

NOTIFICATION
SEP 1 6 2003





Page 1 of 6

. . . .

4. 80



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

First Aid					
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.				
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. 				
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 				
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. 				
	 Call a poison control center or doctor for treatment advice. ct container or label with you when calling a poison control center or doctor or going for se of medical emergency, call toll-free 1-877-800-5556. 				

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pels. Keep from freezing. Avoid contamination of food or feedstuffs.

CONTAINER DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE PRECAUTIONS:

- Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result.
- Avoid fine mist sprays. Coarse spray droplets are less likely to drift and cause damage to nontarget plants.
- Do not spray roots of desirable trees and shrubs.

HOW TO USE:

Use Trimec® 914 Ready-To-Use Brush Killer for spot treating individual plants. For best control of the brush and broadleaf weeds listed on the label, spray each plant until it is wet.

This product may be applied to brush and broadleaf weeds around farm premises including:

- along fences, walkways, private roads, and driveways
- on vacant lots, yards, lawns and fringe areas
- · around outbuildings, equipment parking areas, and farmyards

Also, this product may be applied in residential or suburban areas including:

- · along fences, driveways, parking areas, and roads
- on vacant lots, yards, lawns and fringe areas
- around buildings, patios, houses, and areas associated with household or home life.

For best results, apply when brush and broadleaf weeds are actively growing. Do not water within 24 hours of application.

Be careful not to spray this product in a manner which will allow drift of the spray onto desirable broadleaf plants such as tomatoes, grapes, flowers, ornamental plantings, shrubs, and trees.

CONTROLS:

This product controls these species of brush, vines, and broadleaf weeds.

- BRUSH -				
Ash Cottonwood Aspen Dogwood Birch Elm Blackberry Gooseberry Black cherry Honey locust Black locust Honeysuckle Brambles Kudzu Buckbrush Maple Cedar		Multiflora rose Oak Poplar Pine Spruce Sycamore Wild plum Willow		
	- BROADLEAF WEE	DS -		
Bedstraw Bindweed Black medic Buckhorn Burdock Chicory Chickweed Clover Dandelion Dock	Kochia Knotweed Lambsquarters Lespedeza Mallow Morningglory Mustard Nettle Peppergrass Pigweed	Ragweed Sheep sorrel Shepherdspurse Smartweed Speedwell Spurge Sunflower Thistles Velvetleaf Wild carrot	ලම් අය ආයම් අ දෙව දි දෙව දි ආයම් දි ආයම් දි	
Ground ivy Healall Henbit Jimsonweed	Plantains Poison ivy Poison oak Purslane	Wild garlic Wild lettuce Wild onion Yarrow	9 8 5 9 6 76 7 0 0 0 0 9 0 0 0 9 0 0	

5/7

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

4)

APPENDIX

- I. Advertising claims that may be presented on the container labeling of supplemental registrants.
- Systemic Action Kills Woody Plants, Weeds, Vines & Brambles.
- Kills Poison Ivy, Poison Oak, Kudzu, Willow & Other Listed Woody Plants.
- Controls (Number) weeds! (Listing of weeds may include the following.)

• (Listing of weeds may include the following.)

1 1 No. 1 No. 2	- WEEDS -					
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth			
Aster	Cocklebur	Mustard	Spiny cocklebur			
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle			
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear			
Beggarticks	Cudweed	Nettle	Spotted spurge			
Betony, Florida	Curly dock	Orange hawkweed	Spurweed			
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle			
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock			
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle			
Bittercress, hairy	Dandelion	Parsnip	Tall vervain			
Bitterweed	Dichondra	Pearlwort	Tansy ragwort			
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard			
Black medic	Dogfennel	Pennywort	Tanweed			
Black mustard	Dollarweed	Peppergrass	Thistle			
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch			
Blessed thistle	False dandelion	Pigweed	Tumble mustard			
Bloodflower milkweed	False flax	Pineywoods bedstraw	Tumble pigweed			
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf			
Blue vervain	Fiddleneck	Plantain	Venice mallow			
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed			
Brassbuttons	Frenchweed	Poison oak	Virginia creeper			
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed			
Broadleaf dock	Goathead	Poorjoe	Water pennywort			
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle			
Broomweed	Ground ivy	Prickly lettuce	Western clematis			
Buckhorn	Gumweed	Prickly sida	Western salsify			
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard			
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster			
Bull thistle	Healall	Prostrate spurge	Wild buckwheat			
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot			
Burclover	Heathaster	Puncturevine	Wild four-o'clock			
Burdock	Hedge bindweed	Purslane, common	Wild garlic			
Burning nettle	Hedge mustard	Ragweed	Wild geranium			
Burweed	Hemp	Red sorrel	Wild lettuce			
Buttercup	Henbit	Redroot pigweed	Wild marigold			
Buttonweed	Hoary cress	Redstem filaree	Wild mustard			
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion			
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip			
Carpetweed	Horsenettle	Russian pigweed	Wild radish			
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape			
Catnip	Knawel	Scarlet pimpernel	Wild strawberry			
Catsear	Knotweed	Scotch thistle	Wild sweet potato			
Chickweed, common	Kochia	Sheep sorrel	Wild vetch			
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel			
Chicory	Lespedeza	Slender plantain	Woolly croton			
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory			
Clover, crimson	Matchweed	Smooth dock	Woolly plantain			
Clover, crimson Clover, hop	Mexicanweed		Wormseed			
Clover, red	Milk vetch	Smooth pigweed Sorrel	Yarrow			
Clover, strawberry	Morningglory	Sorrei				
Clover, sweet	Mouseear hawkweed		Yellow rocket			
Clover, sweet Clover, white	Mugwort	Spanishneedles Spandwall	Yellowflower pepperweed			
Clover, winte	1VIUE WOIL	Speedwell	and other broadleaf weeds			