2217-746	,	740	7:-	aar
----------	---	-----	-----	-----

07/26/2004

NOTIFICATIO	7
NOTIFICATIÓ	Ń

1. Company/Product Num 4. Company/Product (Nam	Washington Applic ber 2217-746	States rotection Agency , DC 20460 ation for Pesticide - Se 2. EPA Product	Registration Amendmen Other ction I	3. Proposed Classification
	Ready-To-Use Brush Kille	l l	nager—Team 23	None Restricted
5. Name and Address of A PBI/Gordon Corporat Post Office Box 0140 Kansas City, Missour	Applicant <i>(Include ZIP Code)</i> ion 90	6. Expedited Re (b)(i), my product EPA Reg. No Product Name	view. In accordance w	
		Section - II		
Notification - Explain b	onse to Agency letter dated	Agency le "Me Too" Other - Ex	ed labels in response to ter dated Application. plain below.	JUL 2 6 2004
labeling or Confidential Stater the EPA. I further understand	nent of Formula of this product. I I that if this notification is not con	98-10 and EPA regulations at 40 <u>CF</u> understand that it is a violation of 18 sistent with the terms of <u>PR Notice Ses</u> under Section 12 and 14 of FIFR.	3 U.S.C Sec. 1001 to willfu <u>8-10</u> and 40 <u>CFR</u> 152.46,	lly make any false statement to
Material This Product Will	Bo Packaged In	Section - III		• • •
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. containe	Water Soluble Packaging Yes No If "Yes" No. per Package wgt. container	2. Type of Contain Metal Plastic Glass Paper . Other (Sp.	• • • •
Label Contents Int Label Conta Conta Manner in Which Label is Al	ffixed to Product Lith) Retail Container nograph	5. Location of Label Directors On Label On Labeling accom	* * * * * * * * * * * * * * * * * * *
4. Comments its	ma directly holow to identification	Section - IV		-li-ation 1
Name	unstman, Ph.D.	n of individual to be contacted, if nec Title Director of Regulator	Telep	phone No. (Include Area Code) 816-460-6292
I acknowledge that any ki both under applicable law 2. Signature	its I have made on this form and nowingly false or misleading stati	fication all attachments thereto are true, accement may be punishable by fine or 3. Title Director of Regulatory	imprisonment or	6. Date Application Received (Stamped)
4. Typed Name		5. Date		

TRIMEC[®] 914 READY-TO-USE BRUSH KILLER

Controls Poison Ivy, Poison Oak, Multiflora Rose, Wild Plum, and other species of brush and broadleaf weeds. See back panel for partial list.

ACTIVE INGREDIENTS:

Dimethylamine Salt of (+)-(R)-2-(2-methy-4-chlorophenoxy)propionic acid	0.21%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	0.40%
Dimethylamine Salt of dicamba: 3,6-dichloro-o-anisic acid	0.07%
INERT INGREDIENTS:	99.32%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

0.02 lbs. (+)-(R)-2-(2 methy-4-chlorophenoxy) propionic acid equivalent per gallon or 0.18%.

0.03 lbs 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.33%

0.01 lbs. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.06%

Isomer Specific by AOAC Methods. Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional Precautionary Statements.

SHAKE WELL - KEEP FROM FREEZING

NET CONTENTS: 24 FLUID OUNCES

AP071504 EPA REG. NO. 2217-746 EPA EST. NO. 2217-KS-1 MANUFACTURED BY:

An Employee-Owned Company
1217 West 12th Street

Telephone: 1-800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

old eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove ntact lenses, if present, after the first 5 minutes, then continue rinsing eye. all a poison control center or doctor for treatment advice.		
ke off contaminated clothing.		
 If on skin or clothing: Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. 		
all a poison control center or doctor immediately for treatment advice. ave person sip a glass of water if able to swallow. not induce vomiting unless told to do so by the poison control center or doctor. not give anything by mouth to an unconscious person.		
ove person to fresh air. Derson is not breathing, call 911 or an ambulance, then give artificial respiration, deferably mouth-to-mouth if possible. All a poison control center or doctor for treatment advice.		

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. Avoid contamination of food or feedstuffs.

CONTAINER DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE PRECAUTIONS:

- Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result.
- Avoid fine mist sprays. Coarse spray droplets are less likely to drift and cause damage to nontarget plants.
- Do not spray roots of desirable trees and shrubs.

HOW TO USE:

Use Trimec® 914 Ready-To-Use Brush Killer for spot treating individual plants. For best control of the brush and broadleaf weeds listed on the label, spray each plant until it is wet.

This product may be applied to brush and broadleaf weeds around farm premises including:

- along fences, walkways, private roads, and driveways
- on vacant lots, yards, lawns and fringe areas
- around outbuildings, equipment parking areas, and farmyards

Also, this product may be applied in residential or suburban areas including:

- along fences, driveways, parking areas, and roads
- on vacant lots, yards, lawns and fringe areas
- around buildings, patios, houses, and areas associated with household or home life.

For best results, apply when brush and broadleaf weeds are actively growing. Do not water within 24 hours of application.

Be careful not to spray this product in a manner which will allow drift of the spray onto desirable broadleaf plants such as tomatoes, grapes, flowers, ornamental plantings, shrubs, and trees.

CONTROLS:

This product controls these species of brush, vines, and broadleaf weeds.

- BRUSH -			
Ash Cottonwood Aspen Dogwood Birch Elm Blackberry Gooseberry Black cherry Honey locust Black locust Honeysuckle Brambles Kudzu Buckbrush Maple Cedar		Multiflora rose Oak Poplar Pine Spruce Sycamore Wild plum Willow	
- BROADLEAF WEEDS -			
Bedstraw Bindweed Black medic Buckhorn Burdock Chicory Chickweed Clover Dandelion Dock Ground ivy Healall Henbit Jimsonweed	Kochia Ragwe ed Knotweed Sheep nedic Lambsquarters Shepher		

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



APPENDIX

- I. Advertising claims that may be presented on the container labeling of supplemental registrants.
- Systemic Action Kills Woody Plants, Weeds, Vines & Brambles.
- ♦ Kills Poison Ivy, Poison Oak, Kudzu, Willow & Other Listed Woody Plants.
- Controls (Number) weeds! (Listing of weeds may include the following.)



♦ Good Housekeeping Seal of Approval



- WEEDS -					
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth		
Aster	Cocklebur	Mustard	Spiny cocklebur		
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle		
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear		
Beggarticks	Cudweed	Nettle	Spotted spurge		
Betony, Florida	Curly dock	Orange hawkweed	Spurweed		
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle		
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock		
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle		
Bittercress, hairy	Dandelion	Parsnip	Tall vervain		
Bitterweed	Dichondra	Pearlwort	Tansy ragwort		
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard		
Black medic	Dogfennel	Pennywort	Tanweed		
Black mustard	Dollarweed	Peppergrass	Thistle		
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch		
Blessed thistle	False dandelion	Pigweed	Tumble mustard		
Bloodflower milkweed	False flax	Pineywoods bedstraw	Tumble pigweed		
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf		
Blue vervain	Fiddleneck	Plantain	Venice mallow		
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed		
Brassbuttons	Frenchweed	Poison oak	Virginia creeper		
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed		
Broadleaf dock	Goathead	Poorjoe	Water pennywort		
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle		
Broomweed	Ground ivy	Prickly lettuce	Western clematis		
Buckhorn	Gumweed	Prickly sida	Western salsify		
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard		
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster		
Bull thistle	Healall	Prostrate spurge	Wild buckwheat		
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot		
Burclover	Heathaster	Puncturevine	Wild four-o'clock		
Burdock	Hedge bindweed	Purslane, common	Wild garlic		
Burning nettle	Hedge mustard	Ragweed	Wild geranium		
Burweed	Hemp	Red sorrel	Wild lettuce		
Buttercup	Henbit	Redroot pigweed	Wild marigold		
Buttonweed	Hoary cress	Redstem filaree	Wild mustard		
Canada thistle	Hoary plantain	Rough cinquefoil	Wild enion •		
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip		
Carpetweed	Horsenettle	Russian pigweed	Wild radish		
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape		
Catnip	Knawel	Scarlet pimpernel	Wild strawberry		
Catsear	Knotweed	Scotch thistle	Wild sweet potato		
Chickweed, common	Kochia	Sheep sorrel	Wild vetch		
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel		
Chicory	Lespedeza	Slender plantain	Woolly croton		
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory		
Clover, crimson	Matchweed	Smooth dock	Woolly plantain		
			Wormseed		
Clover, hop	Mexicanweed Milk verteb	Smooth pigweed			
Clover, red	Milk vetch	Sorrel Southietle	Yarrow Voltany realest		
Clover, strawberry	Morningglory Movement handward	Sowthistle	Yellow rocket		
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed		
Clover, white	Mugwort	Speedwell	and other broadleaf weeds		