

Common Name/Variety	Scientific Name
Moon Glow	<i>Sansevieria sp.</i>
Morrow honeysuckle	<i>Lonicera x morrowii</i>
Mother's Day	<i>Rhododendron sp.</i>
Myres asparagus	<i>Asparagus densiflorus</i>
Myrtle, Dwarf periwinkle	<i>Vinca minor</i>
Nanum	<i>Viburnum opulus</i>
Narrow-leaf gimlet	<i>Eucalyptus spathulata</i>
Natal plum	<i>Carissa grandiflora</i>
Newport red	<i>Weigela florida</i>
New Zealand christmas tree	<i>Metrosideros excelsus</i>
Nicks compact juniper	<i>Juniperus chinensis</i>
Noble fir	<i>Abies procera</i>
Norfolk Island pine	<i>Araucaria heterophylla</i>
Norway maple	<i>Acer platanoides</i>
Norway spruce	<i>Picea abies</i>
Oakleaf hydrangea	<i>Hydrangea quercifolia</i>
Oak, live	<i>Quercus virginiana</i>
Pygmy date palm	<i>Phoenix roebelenii</i>
Pyramidalis	<i>Thuja occidentalis</i>
Queen plam	<i>Acrecastrum romanzoffianum</i>
Queen palm	<i>Cocos plumosa</i>
Radiator plant	<i>Peperomia scandens</i>
Raspberry ice	<i>Bougainvillea sp.</i>
Red bearberry	<i>Arctostaphylos uva-ursi</i>
Red box gum	<i>Eucalyptus polyanthemos</i>
Red bud	<i>Cercis canadensis</i>
Red cedar	<i>Juniperus virginiana</i>
Red fountain grass	<i>Pennisetum setaceum</i>
Reg Gum	<i>Eucalyptus rostrata</i>
Red pine	<i>Pinus resinosa</i>
Red ruffle	<i>Rhododendron sp.</i>
Red spike ice plant	<i>Mesembryanthemum lampranthus spectabilis</i>
Red twig dogwood	<i>Cornus sericea</i>
Red wing	<i>Rhododendron sp.</i>
Road runner	<i>Rhododendron sp.</i>
Rock rose	<i>Cistus hybridus</i>
Rose	<i>Rosa sp.</i>
Rosebud	<i>Rhododendron sp.</i>
Rosemary dwarf	<i>Rosmaninus officinalis prostratus</i>
Roseum elegant	<i>Rhododendron catawbiense</i>
Roseum superbum	<i>Rhododendron catawbiense</i>
Rose greely	<i>Rhododendron</i>

Common Name/Variety	Scientific Name
Rose ice plant	<i>Mesembryanthemum drosanhemum hispidum</i>
Royalty	<i>Rhododendron sp.</i>
Royal beauty	<i>Cotoneaster dammeri</i>
Rubber tree	<i>Ficus elastica decora</i>
Russian oliive	<i>Elaeagnus angustifolia</i>
Rutherfordiana Constance	<i>Rhododendron sp.</i>
Sago palm	<i>Cycus revoluta</i>
Saguaro cactus	<i>Carnegiea gigantea</i>
Salmon spray	<i>Rhododendron sp.</i>
Saltbrush	<i>Atriplex sp.</i>
Sandankwa viburnum	<i>Viburnum suspensum</i>
Sandwort	<i>Arenaria verna</i>
San Jose	<i>Juniperus chinensis</i>
Sargent juniper	<i>Juniperus chinensis</i>
Sasanqua camellia	<i>camellia sasanqua</i>
Scarlet firethorn, Lalandei	<i>Pyracantha coccinea</i>
Scotch heather	<i>Calluna vulgaris</i>
Scotch pine	<i>Pinus sylvestris</i>
Sedum	<i>Sedum spectabile</i>
Serbian spruce	<i>Picea omorika</i>
Shasta daisy	<i>Chrysanthemum x superbum</i>
Shoe-string acacia	<i>Acacia stenophylla</i>
Shore juniper	<i>Juniperus conferta</i>
Showy crabapple	<i>Malus floribunda</i>
Siebold	<i>Euonymus alata</i>
Silk oak	<i>Grevillea robusta</i>
Silver King	<i>Euonymus japonica</i>
Silver maple	<i>Acer saccharinum</i>
Silver Queen evergreen	<i>Aglanoma commutatum</i>
Skandia	<i>Juniperus sabina</i>
Slender deutzia	<i>Deutzia gracilis</i>
Snow	<i>Rhododendron sp.</i>
Snowmound spirea	<i>Spireaea nipponica</i>
Snow in summer	<i>Cerastium tomentosum</i>
Sour orange	<i>Citrus aurantium</i>
Spanish dagger	<i>Yucca gloriosa</i>
Spider flower	<i>Grevillea rosmarinifolia</i>
Spreading cotoneaster	<i>Cotoneaster divaricatus</i>
Spreading euonymus	<i>Euonymus kiautschovica</i>
Sprenger	<i>Asparagus densiflorus</i>
Sprenger asparagus	<i>Asparagus densiflorus</i>
Star jasmine	<i>Trachelospermum jasminoides</i>

Common Name/Variety	Scientific Name
Star Magnolia	<i>Magnolia stellata</i>
Stewartstonian	<i>Rhododendron sp.</i>
Swamp immortalia	<i>Eruthrina fusca</i>
Sweetheart	<i>Rhododendron sp.</i>
Sweet William	<i>Dianthus barbatus</i>
Sword fern	<i>Nephrolepis exaltata</i>
Tabor	<i>Rhododendron sp.</i>
Tahitian gardenia	<i>Gardenia taitensis</i>
Tallhedge buckthorn	<i>Rhamnus frangula</i>
Techny	<i>Thuja occidentalis</i>
Techny american arborvitae	<i>Thuja occidentalis</i>
Texas privet	<i>Ligustrum texanum</i>
Texas sage	<i>Leucophyllum frutescens</i>
Thayeri yew	<i>Taxus x media</i>
Threadleaf coreopsis	<i>Coreopsis verticillata</i>
Ti	<i>Cordyline terminalis</i>
Tortuosa corkscrew willow	<i>Salix matsudana</i>
Torulosa	<i>Juniperus chinensis</i>
Tradition	<i>Rhododendron sp.</i>
Treubii Ribbon evergreen	<i>Aglaonema commutatum</i>
Variiegated firethorn	<i>Pyracantha angustifolia</i>
Variiegated hosta	<i>Hosta lancifolia</i>
Variegated mirror plant	<i>Coprosma repens</i>
Viburnum	<i>Viburnum odoratissium</i>
Viburnum/willowwood	<i>Viburnum x rhytidophylloides</i>
Vicari	<i>Ligustrum x Vicari</i>
Waffle plant/Metallic plant	<i>Hemigraphis sp.</i>
Wax myrtle	<i>Myrica cerifera</i>
Weeping dagger	<i>Yucca pendula</i>
Weeping forsythia	<i>Forsythia suspensa</i>
Weeping willow	<i>Salix alba</i>
Welleri	<i>Buxus sempervirens</i>
Western/Ponderosa pine	<i>Pinus ponderosa</i>
Wheeler's dwarf, variegated	<i>Pittosporum Tobira</i>
White African Daisy	<i>Osteospermum fruticosum alba</i>
White cascade	<i>Rhododendron sp.</i>
White catawba	<i>Rhododendron catawbiense</i>
White cedar	<i>Thuja occidentalis</i>
Willowleaf cotoneaster	<i>Cotoneaster salicifolius franch</i>
Willow acacia	<i>Acacia saligna</i>
Willow-leaved acacia	<i>Acacia salacina</i>
Windmill palm	<i>Chamaerops excelsa</i>

Common Name/Variety	Scientific Name
Witchita blue	<i>Juniperus scopulorum</i>
Woodwardii	<i>Thuja occidentalis</i>
Yedda/Indian hawthorn	<i>Raphiolepis umbellata</i>
Yellow bells	<i>Tecoma stans angustate</i>
Yellow oleander tree	<i>Thevetia peruviana</i>
Yew pine	<i>Podocarpus macrophylla</i>
Yucca	<i>Yucca filamentosa</i>

TABLE II

DIRECTED APPLICATIONS to avoid ornamental foliage are recommended for the list below:

- ♦ When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- ♦ Limited testing of the same plants has shown phytotoxicity of up to 20% when EH951 herbicide is applied over-the-top at label rates.

Common Name/Variety	Scientific Name
	<i>Ceanothus griseus</i>
	<i>Gamolepis chrysanthemoides</i>
	<i>Gazania ringens</i>
	<i>Philodendron sp.</i>
Arcadia	<i>Juniperus sabina</i>
Blue Pacific	<i>Juniperus conferta</i>
Blue rug	<i>Juniperus horizontalis</i>
Broadmoor	<i>Juniperus sabina</i>
Bugle weed	<i>Ajuga variegata</i>
Cats claw, Yellow trumpet	<i>Bignonia tweediana</i>
Chinese snowball	<i>Viburnum macrocephalum</i>
Columbine	<i>Aquilegia hybrida</i>
Eureka	<i>Rhododendron obtusum</i>
Fetterbush	<i>Leucothoe axillaris</i>
Fraser Fir	<i>Abies fraseri</i>
Gallery	<i>Gladiolus x hortulanus</i>
Green Carpet	<i>Herniaria glabra</i>
Green fountain grass	<i>Pennisetum setaceum</i>
Grey owl	<i>Juniperus virginiana</i>
Heavenly bamboo	<i>nandina domestica</i>
Hughes	<i>Juniperus horizontalis</i>
Indica	<i>Rhododendron indicum</i>
Japanese honeysuckle	<i>Lonicera japonica</i>
Japanese privet	<i>Ligustrum japonicum</i>
Kurume	<i>Rhododendron obtusum</i>
Lavender star plant	<i>Grewia caffra</i>

Common Name/Variety	Scientific Name
Lemon-scented gum	<i>Eucalyptus citriodora</i>
Leyland cypress	<i>Cupressocyparis leylandi</i>
Lilac	<i>Syringa chinensis</i>
Maki	<i>Podocarpus macrophyllus</i>
Maney	<i>Juniperus chinensis</i>
Maple/red	<i>Acer rubrum</i>
Massangeana, dracaena	<i>Dracaena fragans</i>
Mondo grass	<i>Ophiopogon japonicum</i>
Nana	<i>Juniperus chinensis</i>
Old Gold	<i>Juniperus chinensis</i>
Oleander	<i>Nerium oleander standard</i>
Oyster plant	<i>Rhoeo spathacea</i>
Pathfinder	<i>Juniperus scopulorum</i>
Pfitzerana	<i>Juniperus chinensis</i>
Pineapple guava	<i>Feijoa sellowiana</i>
Prickly pear cactus	<i>Opuntia sp.</i>
Prostrata	<i>Juniperus chinensis</i>
P.J.M.	<i>Rhododendron sp.</i>
Robusta	<i>Juniperus chinensis</i>
Ruellia	<i>Ruellia ciliosa</i>
San Jose	<i>Juniperus japonica</i>
Scandia	<i>Juniperus sabina</i>
Sky Rocket	<i>Juniperus virginiana</i>
Spearmint	<i>Juniperus chinensis</i>
Spring cinquefoil	<i>Potentilla verna</i>
Strawberry tree	<i>Arbutus unedo</i>
Tamariseifolia	<i>Juniperus sabina</i>
Temple tree	<i>Plumeria acuminata</i>
Tricolor dracaena	<i>Dracaena marginata</i>
Vanhoutte spirea	<i>Spiraea x vanhoutteii</i>
Variagata	<i>Juniperus horizontalis</i>
Variiegated ajuga	<i>Ajuga reptans</i>
Webberi	<i>Juniperus horizontalis</i>
Weeping bottle-brush	<i>Callistemon viminalis</i>
Welchii	<i>Juniperus scopulorum</i>
White lantana	<i>Lantana montevidensis</i>
Willow	<i>Salix caroliniana</i>
Wiltonii	<i>Juniperus horizontalis</i>
Youngtown Compacta	<i>Juniperus horizontalis</i>

TABLE III

DIRECTED APPLICATIONS To avoid ornamental foliage are recommended for the list below:

- When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown phytotoxicity of up to 50% when EH951 herbicide is applied over-the-top at label rates.

Common Name/Variety	Scientific Name
	<i>Acacia latifolia</i>
	<i>Cassia condolioma</i>
	<i>Eucalyptus nicholii</i>
	<i>Hibiscus lepenk</i>
Armstrongii	<i>Juniperus chinensis</i>
Baby rubber plant	<i>Peperomia obtusifolia</i>
Bleeding heart	<i>Dicentra spectabilis</i>
Bottle tree	<i>Brachychiton populneus</i>
Burkii	<i>Juniperus virginiana</i>
Carrot wood	<i>Cupaniopsis anacardioides</i>
Chinese crenate croton	<i>Exococaria cochichinensis</i>
Cordyline	<i>Cordyline stricta</i>
Coromandel	<i>Asystasia gangetica</i>
Desert broom	<i>Baccharis sarothroides</i>
Excelsa Strieta	<i>Juniperus scopulorum</i>
Fiddlewood	<i>Citharexylum spinosum</i>
Formosa	<i>Rhododendron indicum</i>
Hearts and flowers	<i>Aptenia cordifolia</i>
Hersey red	<i>Rhododendron obtusum</i>
Hinodegeri	<i>Rhododendron obtusum</i>
Hino Pink	<i>Rhododendron obtusum</i>
Jade plant	<i>Crassula argentea</i>
Janet Craig/Warneckii	<i>Dracaena deremensis</i>
Karen	<i>Rhododendron poukhanense</i>
Kings crown	<i>Justicia carnea</i>
Fragrant sumac	<i>Rhus aromatica</i>
Laurel-leaved thunbergia	<i>Thunbergia laurifolia</i>
Marble Queen pothos	<i>Epipremnum aureum</i>
Mexican evening primrose	<i>Oenothera berlandieri</i>
Pinkhead knotweed	<i>Polygonum capitatum</i>
Red justicia	<i>Odontonema strictum</i>
Shrimp plant	<i>Justicia brandegeana</i>
Slipper flower	<i>Pedilanthus tithymaloides</i>
Sonoran palo verde	<i>Cercidium praecox</i>
Southern magnolia	<i>Magnolia grandifolia</i>
Spiny Greek	<i>Juniperus scopulorum</i>
Swedish ivy	<i>Plectranthus australis</i>

Common Name/Variety	Scientific Name
Sweet acacia	<i>Acacia farnesiana</i>
Tifblue Blueberry	<i>Vaccinium ashei</i>
Umbrella plant	<i>Cyperus alternifolius</i>
White ice plant (trailing)	<i>Mesembryanthemum delosperma alba</i>
White shrimp plant	<i>Justicia betonia</i>
Yellow shrimp plant	<i>Pachystachys lutea</i>

TABLE IV

DIRECTED APPLICATIONS To avoid ornamental foliage are recommended for the list below:

- ◆ When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- ◆ Limited testing of the same plants has shown phytotoxicity greater than 50% when EH951 herbicide is applied over-the-top at label rates.

Common Name/Variety	Scientific Name
	<i>Acalypha godseffiana hertophylla</i>
Australia tree fern	<i>Alsophia australis</i>
Bar Harbor	<i>Juniperus horizontalis</i>
Birch/River	<i>Betula nigra</i>
Blue Chip	<i>Juniperus horizontalis</i>
Blue Haven	<i>Juniperus scopulorum</i>
Boulevard falsecypress	<i>Chamaecyparis pisifera</i>
Chandelier plant	<i>Kalanchoe tubiflora</i>
Compacta	<i>Euonymus alata</i>
Hinocrimson	<i>Rhododendron obtusum</i>
Katherine Dykes	<i>Physocarpus fruticosa</i>
Lavender-scallops	<i>Kalanchoe fedtschenkoi</i>
Madagascar periwinkle	<i>Catharanthus roseus</i>
Pampas grass	<i>Cortaderia selloana</i>
Prince of Wales	<i>Juniperus horizontalis</i>
Purple heart	<i>Setcreasea purpurea</i>
Sea Green	<i>Juniperus chinensis</i>
Spider plant	<i>Chlorophytum comosum</i>
Wandering jew	<i>Zebrina pendula</i>

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a

breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

James A. Armbruster, Ph.D.
Chemical Consultants International
Agent for: PBI/GORDON CORPORATIONPRISES
7270 W. 98th Terrace, Suite 100
Overland Park, KS 66212

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/17/93 in Response to PR Notice 93-7
EPA Reg. No. 2217-751
EH 951 GRASS HERBICIDE


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola ink
contains at least 50% recycled fiber

Certification when deviations are proposed for the labeling of EH 951 Herbicide (EPA Reg. No. 2217-751)

I certify that the revised labeling being submitted for this product is in complete accordance with the labeling requirements of PR Notice 93-7, which reflects the requirements of EPA's labeling regulations for worker protection statements (40 CFR part 156, subpart K), except where noted. I have, in one or more places in the revised labeling, proposed changes that deviate from the exact language or location specified in the PR Notice. I have identified all such statements by highlighting them in a way that distinguishes them from any other label revisions. I have attached an explanation for each proposed deviation. I have proposed no changes to this labeling other than those required to comply with 40 CFR part 156, subpart K. I understand that EPA cannot guarantee to render its decision on revised labeling not in complete conformance with PR Notice 93-7 by April 21, 1994. I understand that it would be a violation of FIFRA if I or my supplemental registrants were to sell or distribute this product after April 21, 1994, without amended labeling complying with the requirements of 40 CFR part 156, subpart K.

BEST AVAILABLE COPY

EH 951 GRASS HERBICIDE

- SHAKE WELL BEFORE USING -

ACTIVE INGREDIENT:

fluazifop-P-butyl butyl(R)-2-[4-[[5-(trifluoromethyl)-
2-pyridinyl]oxy]phenoxy] propanoate' 1.70%

INERT INGREDIENTS..... 98.30%

TOTAL 100.00%

EH951 contains 0.125 pound (+) isomer (fluazifop-P-butyl) per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional Precautionary Statements Including
Statement of Practical Treatment on next panel.

ACCEPTED
with COMMENTS
In EPA Letter Dated

FEB 17 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2217-751

NET CONTENTS ONE U.S. QUART (32 FL. OZ.)

677/993 AP
EPA REG NO 2217-751
EPA EST NO 2217-KS-1
MFD BY PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTIONS. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wear protective clothing, PVC gloves and apron and full face shield when handling or mixing concentrate. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN: Immediately remove contaminated clothing and wash thoroughly with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

GROUNDWATER ADVISORY: Residues of fluazifop-P-butyl can seep or leach through soil and can contaminate groundwater which may be used as drinking water. Users are advised not to apply fluazifop-P-butyl where the water table (groundwater) is close to the surface and where the soils are very permeable, i.e., well drained soils such as loamy sands. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse container.

STORAGE: Store in original container only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

- GENERAL INFORMATION -

EH951 is a selective postemergence herbicide for control of annual and perennial grass weeds. EH951 does not control broadleaf weeds or sedges (nutgrass).

Control Symptoms – EH951 is a systemic herbicide which moves from the treated foliage into the shoots, roots, rhizomes, stolons, and growing points (meristematic regions) of treated grass weeds.

Excellent control of a wide range of annual and perennial grass weeds will be obtained with EH951 when applied as recommended on this label.

Growth of treated grass weeds stops soon after application. Symptoms include loss of vigor, yellowing and/or reddening, and eventual death to the treated grass plant. Symptoms are generally observed within one to three weeks, depending on grass weed species and environmental conditions.

APPLICATION DIRECTIONS: EH951 can be used to control grass weeds in many newly transplanted and established nongrassy ornamentals, trees, shrubs and groundcovers. Apply to actively growing grass weeds before they exceed the recommended growth stages shown below.

Do not apply EH951 if rainfall is expected within 1 hour.

"Over-the-top" applications are recommended for the ornamentals listed in Table I. "Over-the-top" applications are defined as spray patterns delivered to the upper portions of the established ornamentals and target weeds. Use sufficient spray volumes to ensure a uniform distribution and complete spray coverage of the target weeds.

Directed spray applications are recommended for the ornamentals listed in Tables II, III, and IV. Directed spray applications are defined as spray patterns aimed or directed toward the lower portion of the established ornamentals, and this method of application will minimize the phytotoxicity of the desired species. If the growth habit of the plant or other factors do not allow a directed spray, an over-the-top application can be made to plants in Table II - IV. However, there is the possibility of damage in the range listed for each table when applied at label rates. Refer to Table II - IV for the list of ornamental species appropriate for directed spray applications.

DO NOT APPLY TO ORNAMENTALS THAT MAY BE HARVESTED FOR FOOD WITHIN ONE YEAR AFTER APPLICATION.

NOTICE TO BUYER AND USER: It is impossible to test every species and variety of cultivar of ornamental or nursery plants under all conditions. Plant tolerance of pesticides vary as conditions vary. Plant tolerance of EH951 at label rates has been found to be acceptable within the ranges specified for the indicated genera and species. Neither the manufacturer nor the seller has determined whether EH951 can safely be used on plants not specified on this label. The user should determine if EH951 can be used safely prior to use.

-SPOT TREATMENTS-

Mix EH951 with water according to the amounts shown below. Spray to obtain thorough coverage, but do not spray to runoff. Retreat if necessary.

To Make Volume	Add EH 951
1 gallon	10 fluid ounces (18 tablespoons)
10 gallons	104 fluid ounces
25 gallons	256 fluid ounces
50 gallons	512 fluid ounces

ANNUAL AND PERENNIAL GRASS CONTROL RECOMMENDATIONS

- For annual grass species, use 6 to 9 fluid ounces of EH951 per 1,000 square feet. For perennial grass species, use 9 fluid ounces of EH951 per 1,000 square feet per application; three applications will be needed.
- Spray to obtain thorough coverage of grass foliage, but not to runoff. Repeat treatments may be necessary to provide full season control.
- Use standard hollow cone or flat fan nozzles.
- Apply EH951 herbicide to actively growing grasses before they exceed the recommended growth stages shown below.
- Do not apply EH951 herbicide to grasses which are stressed due to moisture, temperature, low soil fertility, mechanical or chemical injury.
- Do not apply to grasses which have tillered, formed seed heads, or exceeded recommended growth stages.

- Apply EH951 herbicide when the first grass species in a mixed grass weed population reaches the recommended growth stage for treatment.

ANNUALS	
GRASS SPECIES - Growth Stage: 2 to 8 inches tall, before tillering and/or heading.	
Barnyardgrass (<i>Echinochloa crusgalli</i>)	
Broadleaf signalgrass (<i>Brachiaria platyphylla</i>)	
Crabgrass, large (<i>Digitaria sanguinalis</i>)	
Crabgrass, smooth (<i>Digitaria ischaemum</i>)	
Fall Panicum (<i>Panicum dichotomiflorum</i>)	
Field sandbur (<i>Cenchrus pauciflorus</i>)	
Foxtail, giant (<i>Setaria faberi</i>)	
Foxtail, green (<i>Setaria viridis</i>)	
Foxtail, yellow (<i>Setaria lutescens</i>)	
Goosegrass (<i>Eleusine indica</i>)	
Guineagrass, seedling (<i>Panicum maximum</i>)	
Itchgrass (<i>Rottboellia exaltata</i>)	
Johnsongrass, seedling (<i>Sorghum halepense</i>)	
Junglerice (<i>Echinochloa contracta</i>)	
Prairie cupgrass (<i>Eriochloa contracta</i>)	
Red rice (<i>Oryza sativa</i>)	
Shattercane/Wildcane/Volunteer milo (<i>Sorghum bicolor</i>)	
Southern sandbur (<i>Cenchrus echinatus</i>)	
Southwestern cupgrass (<i>Eriochloa gracilis</i>)	
Texas panicum (<i>Panicum texanum</i>)	
Volunteer barley (<i>Hordeum vulgare</i>)	
Volunteer oats (<i>Avena fatua</i>)	
Volunteer rye (<i>Secale cereale</i>)	
Volunteer corn (<i>Zea mays</i>)	
Volunteer wheat (<i>Triticum aestivum</i>)	
Wild oats (<i>Avena fatua</i>)	
Wild proso millet (<i>Panicum milliaceum</i>)	
Witchgrass (<i>Panicum capillare</i>)	
Woolly cupgrass (<i>Eriochloa villosa</i>)	
PERENNIALS	
Grass Species	Growth Stage
Bermudagrass (<i>Cynodon dactylon</i>)	4 to 8 inch runners
Guineagrass (<i>Panicum maximum</i>)	6 to 12 inches tall before seedhead initiation
Quackgrass (<i>Agropyron repens</i>)	6 to 10 inches
Rhizome johnsongrass (<i>Sorghum halepense</i>)	8 to 18 inches tall and before boot stage
Torpedograss	3 to 6 inches tall (1st application)
(<i>Panicum repens</i>)	2 to 3 inches tall (subsequent application)
Wirestem muhly (<i>Muhlenbergia fronosa</i>)	4 to 12 inches tall before seedhead initiation

Use 9 fluid ounces of product per 1000 square feet per application. Three applications will be needed

TABLE I. OVER-THE-TOP APPLICATIONS may be applied to the following ornamentals:

Common Name/Variety	Scientific Name
	<i>Ageratum sp.</i>
	<i>Aloe vera</i>
	<i>Aloe zanzibarica</i>
	<i>Alyssum sp.</i>
	<i>Aucuba japonica variegata</i>
	<i>Caesalpinia cacalaco</i>
	<i>Carissa tuttlei</i>
	<i>Cassia sturtii</i>
	<i>Cotoneaster apiculata</i>
	<i>Cotoneaster microphyllus</i>
	<i>Escallonia fradessii</i>
	<i>Escallonia rubra</i>
	<i>Euonymus fortunei</i>
	<i>Euryops pectinatus</i>
	<i>Forsythia intermedia</i>
	<i>Forsythia sp.</i>
	<i>Forsythia x intermedia</i>
	<i>Gazania uniflora leucholaena</i>
	<i>Hesperaloe parviflora</i>
	<i>Iris sp.</i>
	<i>Jacobinia ghiesbreghtiana</i>
	<i>Juniperus procumbens</i>
	<i>Leptospermum laevigatum</i>
	<i>Odocanthus sp.</i>
	<i>Petunia sp.</i>
	<i>Philodendron selloum</i>
	<i>Polystichum capense</i>
	<i>Pyracantha graberi</i>
	<i>Rhododendron formosa</i>
	<i>Rheullia californica</i>
	<i>Salvia greggii</i>
	<i>Sedum x rubrotinctum</i>
	<i>Xylosma senticosa</i>
Abbotswood	<i>Physocarpus fruticosa</i>
Acacia ongerops	<i>Acacia redolens</i>
Admiral	<i>Juniperus horizontalis</i>
African cassia	<i>Cassia didymobotrya</i>
African fem pine	<i>Podocarpus gracilior</i>
African sumar standard	<i>Rhus lancea</i>
Algerian ivy	<i>Hedera canariensis</i>
Lawson cypress	<i>Chamaecyparis lawsoniana</i>

Common Name/Variety	Scientific Name
Athea	<i>Hibiscus syriacus</i>
American Holly	<i>Ilex opaca</i>
American sweetgum	<i>Liquidambar styraciflua</i>
Amoenum	<i>Rhododendron obtusum</i>
Amur River	<i>Ligustrum amurense</i>
Annual statice	<i>Statice sinuata</i>
Anthony Waterer	<i>Spiraea x bumalda</i>
Arizona Ash	<i>Fraxinus velutina</i>
Asiatic jasmine	<i>Trachelospermum asiaticum</i>
Aucuba	<i>Aucuba japonica</i>
Aurea	<i>Philadelphus coronarius</i>
Australian bush cherry	<i>Syzygium paniculatum</i>
Australia willow	<i>Geijera parviflora</i>
Austrian pine/Black pine	<i>Pinus nigra</i>
Banksia	<i>Rosa Banksiae</i>
Barbados aloe	<i>Aloe barbadensis</i>
Barrel cactus	<i>Ferocactus sp.</i>
Bellflower	<i>Campanula carpatica</i>
Berkman's	<i>Thuja orientalis</i>
Billiard spirea	<i>Spiraea x billiardii</i>
Bird of paradise	<i>Caesalpinia gilliesii</i>
Bird of paradise	<i>Strelitzia reginae</i>
Brittle bush	<i>Encelia farinosa</i>
Blaauw's pink	<i>Rhododendron sp.</i>
Black Hills	<i>Picea glauca</i>
Blue Point	<i>Juniperus chinensis</i>
Blue Spruce	<i>Picea pungens</i>
Blue star creeper	<i>Isotoma sp.</i>
Blue vase juniper	<i>Juniperus chinensis</i>
Bottle-brush	<i>Callistemon lanceolatus</i>
Boule de neige	<i>Rhododendron sp.</i>
Bradford pear	<i>Pyrus calleryana</i>
Brazilian peppertree	<i>Schinus terebinthifolius</i>
Brown beam	<i>Sedum guatemalense</i>
Brush cherry	<i>Eugenia myrtifolia</i>
Buffalo	<i>Juniperus sabina</i>
Bush honeysuckle	<i>Diervilla lonicera</i>
Bush lantana	<i>Lantana camara</i>
Bush morningglory	<i>Convolvulus oneocum</i>
California pepper tree	<i>Schinus molle</i>
Camellia	<i>Camellia japonica</i>
Canary Island date palm	<i>Phoenix canariensis</i>

Common Name/Variety	Scientific Name
Canary Island pine	<i>Pinus canariensis</i>
Candelabra plant	<i>Euphorbia lactea</i>
Candytuff	<i>Iberis sempervirens</i>
Cane plumbago	<i>Plumbago capensis</i>
Cape honeysuckle	<i>Tecomaria capensis</i>
Capeweed	<i>Arctotheca calendula</i>
Caricature plant	<i>Graptophyllum pictum</i>
Carob tree	<i>Ceratonia siliqua</i>
Carolina cherry	<i>Prunus caroliniana compacta</i>
Carolina jessamine	<i>Gelsemium sempervirens</i>
Century plant	<i>Agave americana</i>
Chilean mesquite	<i>Prosopis chilensis</i>
Chinese fan palm	<i>Livistona chinensis</i>
Chinese hibiscus	<i>Hibiscus rose-sinensis</i>
Chinese juniper	<i>Juniperus chinensis</i>
Chionoides rhododendron	<i>Rhododendron catawbiense</i>
Chives	<i>Allium schoenoprasum</i>
Cholla cactus	<i>Opuntia Cholla</i>
Cleyera	<i>Cleyera spp.</i>
Cleyera	<i>Temstroemia gymnanthera</i>
Coffee	<i>Coffea arabica</i>
Coleus	<i>Coleus x hybridus</i>
Cologreen	<i>Juniperus scopulorum</i>
Common boxwood	<i>Buxus sempervirens</i>
Common yarrow	<i>Achillea millefolium</i>
Compact burningbush	<i>Kochia scoparia trychophylla</i>
Compact cranberrybush viburnum	<i>Viburnum trilobum</i>
Compact inkberry	<i>Ilex glabra</i>
Concolor fir	<i>Abies concolor</i>
Coral beauty	<i>Cotoneaster dammeri</i>
Coral bells	<i>Rhododendron obtusum</i>
Cornelian cherry dogwood	<i>Cornus mas</i>
Coronation gold	<i>Achillea filipendulina</i>
Cotoneaster	<i>Cotoneaster repens</i>
Cranesbill	<i>Geranium pratense</i>
Creeping Charlie	<i>Pilea nummulariifolia</i>
Creeping fig	<i>Ficus repens</i>
Crepe myrtle	<i>Lagerstroemia indica</i>
Crimson pygmy	<i>Berberis thunbergii</i>
Hinoki falsecypress	<i>Chamaecyparis obtusa</i>
Crispa spirea	<i>Spiraea x bumalda</i>
Crossandra	<i>Crossandra nilotica</i>

Common Name/Variety	Scientific Name
Croton	<i>Codiaeum variegatum</i>
Crown Vetch	<i>Vicia sp.</i>
Daylily	<i>Hemerocallis hybrids</i>
Debbie, Jennie, Mahogany, Stargaze	<i>Gladiolus x hortulanus</i>
Delaware Valley white	<i>Rhododendron sp.</i>
Densata	<i>Picea glauca</i>
Dense yew	<i>Taxus x media</i>
Desert fern tree	<i>Lysiloma thornberii</i>
Desert gum	<i>Eucalyptus rudis</i>
Desert willow	<i>Pittosporum, phillyraeoides</i>
Doublefile viburnum/tomentosum	<i>Viburnum plicatum</i>
Douglas fir	<i>Pseudotsuga menziesii</i>
Dusty miller	<i>Centaurea cineraria</i>
Dwarf Alberta	<i>Picea glauca</i>
Dwarf burford holly	<i>Ilex comuta</i>
Dwarf Ninebark, Nanus	<i>Physocarpus opulifolius</i>
Dwarf Swiss mountain pine	<i>Pinus mugo</i>
Dwarf yaupon/Tall yaupon	<i>Ilex vomitoria</i>
Eastern hemlock	<i>Tsuga canadensis</i>
Eastern white pine	<i>Pinus strobus</i>
Elizabeth Gable	<i>Rhododendron "Gable Hybrid"</i>
Ellen Danica, grape ivy	<i>Cissus rhombifolia</i>
Emerald green	<i>Thuja occidentalis</i>
Emerald mound	<i>Lonicera xylosteum</i>
English ivy	<i>Hedera helix</i>
English roseum	<i>Rhododendron catawbiense</i>
Ethiopia banana	<i>Musa aurelii</i>
Exotica weeping fig	<i>Ficus benjamina</i>
False spirea	<i>Astilbe x arendsii</i>
Fashion	<i>Rhododendron sp.</i>
Fastadiata	<i>Erythrina fusca</i>
Fatshedera	<i>Fatshedera lizei</i>
Feathery cassia	<i>Cassia artemisioides</i>
Femleaf yarrow	<i>Achillea filipendulina</i>
Firecracker	<i>Justicia spicigera</i>
Firewheel tree	<i>Stenocarpus sinuatus</i>
Flaviramea	<i>Cornus sericea</i>
Flowering almond	<i>Prunus triloba</i>
Flowering dogwood	<i>Cornus florida</i>
Fosteri holly	<i>Ilex x attenuata</i>
Fransher evergreen	<i>Aglaonoma commutatum</i>
Froebelii	<i>Spiraea x bumalda</i>

Common Name/Variety	Scientific Name
Gardenia, dwarf	<i>Gardenia jasminoides</i>
Gay feather	<i>Liatris spicata</i>
Gazania gold ush	<i>Gazania splendens</i>
Geranium	<i>Pelargonium domesticum</i>
Gerard's rose	<i>Rhododendron sp.</i>
Giant bird of paradise	<i>Strelitzia nicolai</i>
Giant dumbcane	<i>Dieffenbachia amoena</i>
Giant/king protea	<i>Protea cynaroids</i>
Gibraltar	<i>Rhododendron sp.</i>
Globosa	<i>Thuja occidentalis</i>
Gloria	<i>Rhododendron sp.</i>
Glossy abelia	<i>Abelia grandiflora</i>
Golden bamboo	<i>Phyllostachys aurea</i>
Golden fruited palm	<i>Chrysalidocarpus lutescens(small)</i>
Gold coast juniper	<i>Juniperus chinensis</i>
Gold drop	<i>Physocarpus fruiticosa</i>
Gold drop ,Primrose beauty	<i>Potentilla fruiticosa</i>
Gold flame	<i>Spiraea x bumalda</i>
Gold tip	<i>Juniperus chinensis</i>
Grapefruit	<i>Citrus paradisi</i>
Green lirioppe/Variiegated lirioppe	<i>Liroipe muscari</i>
Green palo verde	<i>Parkinsonia aculeata</i>
Green stone crop	<i>Sedum brevifolium</i>
Greeting	<i>Rhododendron sp.</i>
Gumpo pink	<i>Rhododendron sp.</i>
Gumpo white	<i>Rhododendron sp.</i>
Gum-barked coolibah	<i>Eucalyptus microtheca</i>
Hahnii/Mother-in-law's tongue	<i>Sansevieria Trifasciata</i>
Hahm red	<i>Rhododendron sp.</i>
Hahn's ivy	<i>Hedera helix hahnii</i>
Hedgehog cactus	<i>Echniocactus sp.</i>
Hen and chickens	<i>Sempervivum tectorum</i>
Herbert	<i>Rhododendron sp.</i>
Hicks yew	<i>Taxus x media</i>
Hino red	<i>Rhododendron sp.</i>
Hollyhock	<i>Alcea rosea</i>
Hollywood	<i>Juniperus chinensis</i>
Honey locust/shade master	<i>Gleditsia triacanthos var. inermis</i>
Hybrid tea rose	<i>Rosa hybrida</i>
H.H. Hume	<i>Rhododendron sp.</i>
Indian laurel	<i>Ficus macrocarpa nitiida</i>
Indian laurel	<i>Ficus nitida</i>

Common Name/Variety	Scientific Name
Ironwood	<i>Oleña tesota</i>
Italian cypress	<i>Cupressus sempervirens</i>
Ivy geranium	<i>Pelargonium peltatum</i>
Ixora	<i>Ixora coccinea</i>
Jacaranda	<i>Jacaranda acutifolia</i>
Jackmanni	<i>Physocarpus fruiticosa</i>
James McFarlane Liliac	<i>Syringa villosa</i>
Japanese boxwood	<i>Buxus microphylla var. japonica</i>
Japanese holly	<i>Ilex crenata</i>
Japanese pachysandra	<i>Pachysandra terminalis</i>
Japanese yew	<i>Taxus cuspidata</i>
Jim wheat acacia	<i>Acacia schafnerii</i>
Jojoba	<i>Simmondsia chinensis</i>
Judd	<i>Viburnum x juddii</i>
Kaempo	<i>Rhododendron sp.</i>
Kaffir lily	<i>Clivia miniata</i>
Keteleeri	<i>Juniperus chinensis</i>
Kluis sensation	<i>Rhododendron sp.</i>
Korean azalea/Poukhanense	<i>Rhododendron yedoense</i>
Korean boxwood	<i>Buxus microphylla var. koreana</i>
Korean lilac	<i>Syringa patula</i>
Lavender cotton	<i>Santolina chamaecyparissus</i>
Lees dark purple	<i>Rhododendron catawbiense</i>
Lily-of-the-valley bush	<i>Pieris japonica</i>
Liriope	<i>Liriope spicata</i>
Lodense pyracantha	<i>Pyracantha koidzumii</i>
Mahonia	<i>Mahonia aquifolium</i>
Manila Ripple	<i>Schefflera arboricola</i>
Maple/Japanese	<i>Acer palmatum</i>
Marigold	<i>Tagetes sp.</i>
Marigold	<i>Calendula sp.</i>
Masasoit	<i>Rhododendron sp.</i>
Mediterranean fan palm	<i>Chamaerops humilis</i>
Mentor barberry	<i>Berberis mentorensis</i>
Meserve Holy	<i>Ilex x Meserveae</i>
Mexican border pine	<i>Pinus strobiformis</i>
Mexican fan palm	<i>Washingtonia robusta</i>
Mexican indigo	<i>Justicia spicigera</i>
Micans velvetleaf philodendron	<i>Philodendron oxycardium</i>
Mirror plant	<i>Coprosma baueri</i>
Mojave firethorn	<i>Pyracantha koidzumii x coccinea</i>
Moneywort/Wandering Sally	<i>Lysimachia nummularia</i>