1/ /10



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

NOTIFICATION

APR 15 2014

James L. Kunstman PBI/Gordon Corporation P.O. Box 014090 Kansas City, Missouri 64101

Subject:

Notification per PR Notice 98-10: Minor Label Revision

DM 969 Liquid Weed & Feed

Application Dated: February 24, 2014

EPA Reg. No.: 2217-752 Decision No.: 489234

Dear Dr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of both PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please feel free to contact Shanta Adeeb at (703) 347-0502 or adeeb.shanta@epa.gov.

Sincerely,

Kathryn Montague Product Manager 23

Herbicide Branch

Registration Division (7505P)

Please read instructions on re	verse before completi	rm.		Form Ap	proveç"	' <u>'B No. 20</u>	70-0060	Approval Expires 2-28-95
<b>⊕</b> EPA		United States  1tal Protectic shington, DC 2046	•	Çy		Registrati Amendme		OPP Identifier Number 7
······································	A	pplication fo	r Pestic	ide - Sect	tion	1		<u></u>
1. Company/Product Numb				A Product Ma	nager	•	3. Pr	roposed Classification
4. Company/Product (Nam <b>DM 969</b>	e) Liquid Weed & F	eed	PM#	oduct Mana				None Restricted
5. Name and Address of A PBI/Gordon Corporati Post Office Box 0140 Kansas City, Missouri	pplicant (Include ZIF ion , 90 ,	<sup>?</sup> Code)	6. Exp (b)(i), EPA I	pedited Review product is Reg. No	ew. Ir s simila	n accordance ar or identica	l in com	FRA Section 3(c)(3) position and labeling to:
		S	ection -	<u> 11</u>				
Amendment - Explain  Resubmission in respo	onse to Agency letter da	ated	[]	Final printed Agency lette "Me Too" Ap Other - Expla	r dated plication	on.	1	
Explanation: Use addition NOTIFICATION: Lal Amendm Certification statement: This changes have been made to to willfully make any false state 152.46, this product may be to	beling notification nents. Section(s) Il is notification is consistent to the labeling or the confirment to the EPA. I fur	per PRN 98-10 I.N, and IV.F ent with the provision idential statement of ther understand tha	D: Notifica  ons of PR Not  formula of t.  t if this notifit	tions, Non- ice 98-10 and his product. I to cation is not co	notifi EPA re underst onsiste	ications and egulations at a tand that it is a nt with the ter	d Mino 40 CFR A a violations of PR	152.46, and no other on of 18 U.S.C. Sec. 1001 to R Notice 98-10 and 40 CFR
· · · · · · · · · · · · · · · · · · ·		S	ection -	111				
Material This Product Will	Be Packaged In:							
Child-Resistant Packaging Yes* No  * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per If	Ater Soluble I Yes No "Yes" ackage wgt.	No. per Container		2. Type of Cor  Metal  Plastic  Glass  Paper		
3. Location of Net Contents In		4. Size(s) Retail Co 1 quart, ½ ga		5 gallon		cation of Label On Label On Labeling acc	Direction	ns .
6. Manner in Which Label is A	ffixed to Product	Lithograph Paper glued Stenciled		Other		. ( . c c		cc n c c
		Se	ection -	IV .		Ĺ	(	(
1. Contact Point (Complete ite	ms directly below for id	entification of individ	lual to be con	tacted, if neces	ssary, t			
Name James L. K	unstman, Ph.D.	Title	Director of	Regulatory	Serv			No. (Include Area Code) 816-460-6292
I certify that the statemer I acknowledge that any k both under applicable lav	nowingly false or misle	ading statement may	/ be punishab					6. Date Application Secured (Stamped)
2. Signature				ctor of Regulatory Services			( ( ( (	
4. Typed Name James L. Kunstman, Ph.D.			te Febr	February 24, 2014				



An Employee-Owned Company

1217 W. 12<sup>th</sup> STREET · P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 · 1-800-821-7925 FAX: 816-474-0462

February 24, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Ms. Kathryn V. Montague, PM Team 23

Dear Ms. Montague:

Subject:

NOTIFICATION: Labeling notification per PRN 98-10: Notifications, Nonnotifications and Minor Formulation Amendments. Section(s) II.N, and IV.F DM 969 Liquid Weed & Feed (EPA Reg. No. 2217-752).

- 1. We ask to include language explaining how to obtain product specific information. This information is highlighted on page 3 of the enclosed draft label.
- 2. Also, we request to add additional advertising claims that are consistent with the previously-approved claims. These can be seen on page 7 of the enclosed draft label

#### Certification statement:

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

#### Enclosures:

The administrative portion of this application includes the following:

- 1. Application for Pesticide Amendment (EPA Form 8570-1).
- 2. One copy of the draft labeling with annotations
- 3. One copy of the draft labeling without annotations
- 4. One CD containing copies of the draft label

Please contact me at 816/460-6292 or via e-mail at <u>ikunstman@pbigordon.com</u> if you in the questions concerning this submission.

Sincerely,

James L. Kunstman, Ph.D.

Director of Regulatory Services

## **DM 969 LIQUID WEED & FEED**

NOTIFICATION APR 1.5 2014

## EPA: Reg. No. 2217-752

ACTIVE INGREDIENT:	
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	2.26%
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	1.17%
INERT INGREDIENTS:	<u>96.57%</u>
TOTAL	100.00%

#### THIS PRODUCT CONTAINS:

0.178 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 1.88%

0.092 lb (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 0.97% Isomer Specific by AOAC Methods.

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if absorbed through the skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wear long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid	
If on skin or on clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>



If swallowed	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do-not-induce vomiting unless told-to-do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

#### **Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### [Environmental Hazards (alternate per PRN 2008-1)

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.]

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **GENERAL PRECAUTIONS AND RESTRICTIONS:**

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### **USE PRECAUTIONS:**

Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85°F. Seed can be sown 3 to 4 weaks after application. Do not use on carpetgrass, dichondra, centipedegrass, nor on lawns creturf where the desirable clovers are present. Do not exceed specified dosages for any area.

#### Other Use Precautions:

- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only.

WEEDS				
Black medic	Dock	Mouseear chickweed	Purslane	
Dock	English daisy	Oxalis	Ragweed	
Clover	Knotweed	Pigweed	and many other	
Common chickweed	Lambsquarters	Plantain	broadleaf lawn weeds.	
Dandelion	Mallow			

#### For 20-0-0

<b>GUARANT</b>	EED ANALYSIS:	
Total Nitro	gen (N)	20.0%
20% Nitrog	en Derived From Urea.	1

#### For 26-0-0

GUARANTEED ANALYSIS:	
Total Nitrogen (N)	26.0%
14.0% Urea Nitrogen	
12.0% Other Water Soluble Nitrogen*	
*12% Slowly available nitrogen from Urea-triazone solution.	

#### OPTION A OR B TO BE USED DEPENDING ON THE SUBREGISTRATION

#### OPTION (A)

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies 0.19 pounds of nitrogen per 1,000 square feet with each application. [For 26-0-0: When applied as directed this product supplies 0.27 pounds of nitrogen per 1,000 square feet with each application.] Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local agricultural extension agent for the proper amount of nitrogen to be applied in your area.

#### **OPTION (B)**

DM 969 Liquid Weed & Feed should be supplemented by Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office concerning a regular fertilizer program.

Information regarding the contents and levels of metals in this product is available on the internet at: <a href="http://www.aapfco.org/metals.htm">http://www.aapfco.org/metals.htm</a>.

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed on this label, and referring to the batch number found on this container.

#### WHERE TO USE:

DM 969 Liquid Weed & Feed may be used on bentgrass, bermudagrass, Kentucky blüegrass, fescues, perennial ryegrass, and St. Augustinegrass lawns, vacant lots, playgrounds where broadleaf weeds afe present. DM 969 Liquid Weed & Feed controls most broadleaf weeds, including sensitive weeds such as chickweed, clover, dandelion, knotweed and plantain.

#### WHEN TO USE:

- 1. Spray during the growing season when weeds are actively growing.
- 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait three (3) weeks after application before sowing seed or planting stolons.

- 3. Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results, mow 1 to 2 days before treating.
- 5. Do not water lawn within 24 hours after treatment.

#### **HOW TO USE:**

Shake Well Before Using.

Limitations on broadcast applications to turfgrass:

The maximum application rate is 13 fl.oz. of product per 1,000 sq.ft. per application (0.79 lb 2,4-D acid equivalent and 0,41 lb MCPP-p ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 26 fl.oz. of product per 1,000 sq.ft. (1.57 lb 2,4-D ae and 0.82 lb MCPP-p ae per acre), excluding spot treatments.

**HOW TO USE:** One of the following options (Options 1 to 4) to be used depending on the hose-end applicator or container packaging used:

#### **OPTION (1) FOR OPERATION OF HOSE-END SPRAYER:**

#### For Operation of Hose-End Sprayer:

Make sure knob control lever is in the "OFF" position. Shake well and attach to hose. Turn water on at faucet, aim nozzle toward lawn and turn knob control lever to "ON" to begin spraying. When finished, turn control lever to "OFF" position. Turn faucet to "OFF" position. Discard residual water pressure by turning "ON" and "OFF" again.

#### **OPTION (2) FOR OPERATION OF HOSE-END SPRAYER:**

- 1. Attach garden hose to connector on dispenser.
- 2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two.
- 3. Remove both parts of separated lock ring.
- 4. Turn arrow on activator switch to OFF position.
- 5. Push activator switch securely down against top of sprayer, which will pierce the safety seal inside the dispenser.
- 6. To begin spraying, turn on water and then move activator switch to the ON position.
- 7. To stop dispensing the product, turn off water.

#### **OPTION (3) FOR OPERATION OF HOSE-END SPRAYER:**

- 1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
- 2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
- 3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
- 4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to the graduated scale on side of container to guide coverage.
- 5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off water at the faucet

# OPTION (4) FOR USE WITH ONE GALLON PACKAGE INTENDED AS A REFILL ROR ONE-HALF GALLON HOSE-END APPLICATOR/CONTAINER:

This one gallon package is intended as a refill.

One-half gallon covers 5,000 square feet. One gallon covers up to 10,000 square feet.

FOR BERMUDAGRASS, KENTUCKY BLUEGRASS, FESCUES, AND PERENNIAL RYEGRASS: Option (C) or (D) to be used depending on the subregistration.

#### OPTION (C):

FOR BERMUDAGRASS, KENTUCKY BLUEGRASS, FESCUES, AND PERENNIAL RYEGRASS: Apply 13 fluid ounces (26 tablespoons) of product per 1,000 square feet of turfgrass. This product at this rate provides 0.19 pounds of nitrogen per 1,000 square feet per application. [For 26-0-0: This product at this rate provides 0.27 pounds of nitrogen per 1,000 square feet per application.] One half gallon of product will treat up to 5,000 square feet of turfgrass. One quart of product will treat up to 2,500 square feet of turfgrass.

#### OPTION (D):

FOR BERMUDAGRASS, KENTUCKY BLUEGRASS, FESCUES, AND PERENNIAL RYEGRASS: Hose-end sprayers that require pre-mixing with water: Pour 13 fluid ounces (26 tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Fill the sprayer jar with water to the proper level and spray to cover 1,000 square feet of turf.

Hose-end sprayers that do not require pre-mixing with water: Pour 13 fluid ounces (26 tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Do not add water to the sprayer jar. Adjust the metering dial and spray.

Area to Treat,	Amount of Product		
Square Feet (Sq.Ft.)	English Measure	Fluid Ounces (fl.oz.)	
1,000	3/4 cup	13	
2,500	1.0 quart	32	
5,000	2.0 quarts	64	
10,000	1.0 gallon	128	

#### FOR ST. AUGUSTINEGRASS AND BENTGRASS:

Option (E) or (F) to be used depending on the subregistration.

#### OPTION (E):

#### FOR ST. AUGUSTINEGRASS AND BENTGRASS:

Apply 8 fluid ounces (16 tablespoons) of product per 1,000 square feet of turfgrass. This product at this rate provides 0.13 pounds of nitrogen per 1,000 square feet per application. One-half gallon of product will treat up to 7,500 square feet of turfgrass. One quart of product will treat up to 3,750 square feet of turfgrass.

#### OPTION (F):

#### FOR ST. AUGUSTINEGRASS AND BENTGRASS:

Hose-end sprayers that require pre-mixing with water: Pour 8 fluid ounces (16 tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Fill the sprayer jar with water to the proper level and spray to cover 1,000 square feet of turf.

Hose-end sprayers that do not require pre-mixing with water: Pour 8 fluid ounces (46 tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Do not add water to the sprayer jar. Adjust the metering dial and spray.

Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

Area to Treat,	to Treat, Amount of Product		
Square Feet (Sq.Ft.)	English Measure	Fluid Ounces (fl.oz.)	
1,000	1 cup	8	
3,750	1.0 quart	32	
7,500	2.0 quarts	64	
15,000	1.0 gallon	128	

#### Limitations on spot treatments to residential turfgrass:

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 13 fl.oz. per 1,000 sq.ft. per application (0.41 lb MCPP-p acid equivalent per acre).

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. Avoid contamination of food or feedstuffs.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

### LIMITED WARRANTY AND DISCLAIMER

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX		( ( (
1. Statements which may appear on different label components depending configuration.	on packaging	(
<ul> <li>See next panel for additional Precautionary Statements and First Aid</li> <li>Net Contents:</li> </ul>	( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	
• EPA Est. No	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1
2. Advertising claims that may be presented an container labeling, advertis	romanta broch	urioin <sup>( (</sup>

- Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:
  - 20-0-0 [OR 26-0-0]
  - KEEP FROM FREEZING
  - Ready to spray

- Fertilizer and control weeds in one easy application.
- One-half gallon covers up to 5,000 to 7,500 square feet.
- Controls dandelion, chickweed, knotweed, plantain, clover, mallow, purslane, and many other broadleaf lawn weeds.
- No spreading. No complicated mixing.
- Kill broadleaf weeds and fertilize in one easy application.
- Kills broadleaf weeds and fertilizes in one easy application.
- Phosphorous free formulation [Note: to be used only on formulations without phosphorus]
- Controls black medic, clover, common chickweed, dandelion, dock, English daisy, knotweed, Lambsquarters, mallow, mouseear, chickweed, oxalis, pigweed, plantain, purslane, ragweed, and many other broadleaf lawn weeds
- Family made in America

## **DOCUMENT CONTROL INFORMATION**

- 1. Unique Label Identifier: 002217-00752.20140224.notif-proposed-clean.doc
- 2. Reason for Issue: ad claims

