PM 25, 2217-765

EPA Form 8570-1 (Rev. 12-90) Previous editions are obsolete.

No lifection No lifection

United States Environment				70-0060. Approval expires 11-30-93			
Office of Pesticide Pro	ograms (H7	7505Č)	Registrat	tion			
United States Environment Office of Pesticide Pro Washington, D Application for			Amendm Other	192066			
Section I							
Company/Product Number	²	2. EPA Product Manage	er	3. Proposed Classification			
2217-765		Robert Taylor PM#		None Restricted			
4. Company/Product (Name)]			The Tresmoion			
Embark® 1-L Plant Growth Regulator		(PM 25)					
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:					
PO Box 4090		io.					
1217 West 12th Street	1	EPA Reg. No					
Kansas City, MO 64101 Check if this is a new address	ŀ	0					
		Product Name					
Sect	tion I i						
Amendment - Explain below		Final printed labels in response to Agency letter dated					
Resubmission in response to Agency letter dated		"Me Too" Applica	ition.				
Notification - Explain below.		Other - explain below.					
NOTIFICATION: Revision of the wetlands warning statement within the Environ Notice 93-3, "Labeling Statement Prohibiting Application to Wat PR-Notice 88-6. Three copies of the revised labeling are enclosed.	nmental Ha ter", March	azards section according h 9, 1993. This is to cert	ify that this notific	need in Pesticide Regulation (PR) ation meets every requirement of NOTIFICATION ABEL NOT REVIEWED PER PR NOTICE 48-4			
Section	on III		DAT				
Material This Product Will Be Packaged in:							
Child-Resistant Packaging Unit Packaging	Water S	Soluble Packaging	2. Type of C	ontainer			
Yes* Yes		es Metal					
No No		lo		Plastic Glass			
If "Yes," No. per	If 'Yes,'		·	Paper			
* Certification must be Unit Package wgt. container	Packag		1 1 1	Other (Specify)			
submitted.							
3. Location of Net Contents Information 4. Size(s) of Retail Cuntainer 5. Location of Label Directions On Label							
Label Container	 	On Labeling accompanying product					
6. Manner in Which Label Is Affixed To Product Lithog	graph r glued	Other (·)			
Stend	_			·			
	ction IV						
Contact Point (Complete items directly below for identification		dual to be contacted, if i					
Name	Title , ,	· ·	l'	Telephone No. (Include Area Code)			
		lgr. Regulatory Services (316)421-4070					
Certificatio)n			6. Date Application			
Certificatio I certify that the statements I have made on this form and all a lacknowledge that any knowingly false or misleading statem both under applicable law.	οπ attachmen	nts thereto are true, accu	urate and comple	6. Date Application Received			
Certification I certify that the statements I have made on this form and all a lacknowledge that any knowingly false or misleading statements both under applicable law. 2 Signature	attachmen nent may b AV 3. Title	nts thereto are true, accu	erate and comple r imprisonment of	6. Date Application Received			
Certification I certify that the statements I have made on this form and all a lacknowledge that any knowingly false or misleading statements both under applicable law. 2 Signature	attachmen nent may b AV 3. Title	nts thereto are true, accu be punishable by fine of ALABLE	erate and comple r imprisonment of	6. Date Application Received			

EPA File Copy (original)

EMBARK® 1-L PLANT GROWTH REGULATOR

ACTIVE INGREDIENT:

**Potassium salt of mefluidide*(N-[2,4-dimethyl-5-[[

(trifluoromethyl)-sulfonyl]amino]phenyl]acetamide) 12.0%

*U.S. Patent Nos. 3,639,474; 3,894,078; 4,013,444.

**Equivalent to 1.0 lbs. (11% by weight) (N-[2,4-dimethyl-5-[[(trifluoromethyl)-sulfonyl]amino]phenyl]acetamide) per gallon.

EMBARK® is a registered trademark of PBI/GORDON CORPORATION for Mefluidide.

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 89-6

DATE. _________

KEEP OUT OF REACH OF CHILDREN

CAUTION

NET CONTENTS ONE GALLON

AP052093

EPA REG. NO. 2217-765 EPA EST. NO. 2217-KS-01

Mfd. BY PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

STOPI READ THE ENTIRE LABEL BEFORE USING OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact w.'h skin, eyes or clothing. Wear protective clothing; including rubber gloves when handling. In case of contact immediately flush eyes or skin with plenty of water for 15 minutes. Get medical attention if irritation persists. If swallowed, crink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to takes, ponds, or streams. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not allow spray to drift onto nontarget crops or vegetation.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE and DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Store product in original container in locked storage area, inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION: EMBARK 1-L Plant Growth Regulator (PGR) is recommended for use in public, commercial, and industrial areas for regulating the growth of various species of turf grasses and broadleaf vegetation. EMBARK 1-L PGR reduces moving requirements for up to 8 weeks following treatment by regulating growth and suppressing seedhead formation.

SPRAY EQUIPMENT: EMBARK 1-L PGR may be applied to localized areas with small spray units, such as backpack sprayers, or to larger areas with conventional spray equipment. To be assured of proper dosage and uniform spray coverage it is essential that spray equipment is properly calibrated. When calibrating with small spray equipment, a trial application is recommended over a small measured turn area. Do not apply this product through any type of irrigation system.

MIXING: Pour the required amount of EMBARK 1-L PGR into the spray tank containing approximately 1/2 the required amount of water. Fill the tank as required with water and spray as recommended. Minimal agitation in the spray tank is necessary since the 1-L formulation is soluble in water.

RINSING: Rinse EMBARK 1-L PGR container with water and pour the rinse solution into the spray tank prior to spraying. Do not use spray equipment for other purposes until thoroughly cleaned. Flush spray equipment with plenty of water immediately after use to avoid contamination of later sprays.

RECOMMENDED APPLICATION

Apply EMBARK 1-L PGR uniformly to green, actively growing turf. At the time of treatment, turf should be at the height which is desired to be maintained during the period of growth regulation. For season long seedhead suppression of cool season grasses apply no later than when the seedhead can be felt at the base of the stem. (Approximately 2 weeks prior to seedhead appearance.) Do not apply to closely mowed areas where most of the green growth has been cut. Turf may be mowed up to 1 day before or 3 to 7 days after application. Remove all grass clippings and leaves prior to treatment. Avoid spray overlaps that will increase dosage above those recommended. EMBARK 1-L PGR may be applied twice per season on Kentucky bluegrass, fescues, and Bermudagrass; however, an interval of at least 6 weeks should occur before the second application. Use the higher rate of application where the greatest growth regulation and seedhead suppression are desired.

RECOMMENDED USE AREAS: EMBARK 1-L PGR applied uniformly as a broadcast spray to turf will reduce mowing requirements for up to 8 weeks in the following commercial and public areas:

<u>Commercial-Industrial:</u> Highway Rights-of-way, Utility Rights-of-way, Buildings, Industrial Parks, Tank Farms, Airports.

<u>Public:</u> Schools, Libraries, Hospitals, Cemeteries, Golf Coursed, Parks, Roads and V/alkways.

Tank Mixing with 2,4-D or Mecoprop (MCPP): EMBARK 1-L PGR may be tank mixed with up to 2.0 lbs. active ingredient per acre of 2,4-D in low volatility ester and amine salt formulations of MCPP in amine salt formulations. Follow the instructions and precautionary statements on the 2,4-D and MCPP product labels.

ADDLICATION DATE TABLE.

APPLICATION RATE TABLE:							
TURFGRASSES:		=======================================	5 222222	=======			
Kentucky Bluegrass Tall, Red, and Chewings Fescues Perennial Ryegrass Timothy Teed Canarygrass Quackgrass Centipedegrass Kikuyugrass	2-4 pints	8-16 fl.oz.					
Crested Wheatgrass Orchardgrass Smooth Brome	3-4 pints	12-16 fl.oz.		1			
St. Augustinegrass	2 pints	8 fl oz.	· · · · · · · · · · · · · · · · · · ·	•			
Common Bermudagrass	8 pints	32 fl.oz.		ı			
***************************************	**************	***************************************					

CALIFORNIA NATIVE GRASSES AND BROADLEAF VEGETATION:

Grasses:

Wild Barley, Red Brome, Ripgut Brome, Wild Oats

Broadleaves:

4-8 pints

16-32 fl.oz.

Ice Plant, Algerian Ivy, Cheeseweed, Sour Clover, Fiddleneck, Redstern Filaree, Black Mustard

NOTE: In comparison with untreated, actively growing turf areas, treated turf which is being maintained

NOTE: In comparison with untreated, actively growing turf areas, treated turf which is being maintained in height by EMBARK 1-L. PGR may appear less dense and temporarily discolored following application. However, with increasing time, turf may appear darker green than untreated areas.

Limitations:

EMBARK 1-L PGR should not be applied to golf greens.

Do not apply EMBARK 1-L PGR to turf areas within 4 growing months after seeding and do not reseed within 2 weeks following application. Do not allow animals to graze on treated areas. Optimum results may not be obtained if rainfall or overhead irrigation occurs within 8 hours following application.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied acording to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

