US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767)

WASHINGTON, DC 20460

NOTICE OF PESTICIDE:  $\frac{\{|\mathbf{X}|\}\|_{\mathbf{R}} \in \mathsf{GISTRATION}}{\|\mathbf{Y}\|_{\mathbf{X}} = \|\mathbf{Y}\|_{\mathbf{X}}}$ [ ] REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

EPA REGISTRATION NO. 2217-772

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT

DM Weed-No-More

NAME AND ADDRESS OF REGISTRANT (Include ZIP cour)

PBI/Gordon Corporation 1217 W. 12th Street P.O. Box 4090 Kansas City, MO 64101

NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. E.PA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an ind- ement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required registration/reregistration of your product under FIFRA 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA sec. 3(c)(5).
- 2. Make the labeling changes listed below before you release the product for shipment:
  - Add the phrase "EPA Registration No. 2217-772."
- Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.
- Please note that the Confidential Statemert of Formula dated May 29, 1992 for the alternate formulation is still in the process of being reviewed. At this time, only the Confidential Statement of Formula for the basic formulation is considered to be acceptable.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE


#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (H7505C)

**Enclosures** 



**DM WEED-NO-MORE** 

## - KEEP FROM FREEZING -

ONE QUART COVERS UP TO 6,000 SQUARE FEET.

. CONTROLS: Dandelion, Chickweed, Knotweed, Plantains, Clover, Mallow, Purslane and many other broadleaf lawn weeds; some of which are shown on this label.

Ready-To-Use -- No complicated mixing

Just attach to a garden hose and spray.

# ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)	
propionic acid INERT INGREDIENTS	4.66% 90.83%

TOTAL 100.00%

## THIS PRODUCT CONTAINS:

\*0.32 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 3.75%.

# KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for Statement of Practical Treatment and additional Precautionary Statements.

NET CONTENTS ONE COMMENTS TO BEPA Letter Dated

XXX/492 APXXXXXX EPA REG NO. 2217-XXX EPA EST. NO. 2217-KS-1

21 MAY 1992

MFD. BY

PBI/GORDON CORPORATION KANSAS CITY, MO 64101

Under the Federal Inserticide, Punnicide, and Real or of Act as amended, for the post order registered under EPA Ren.

<sup>\*\*0.33</sup> lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.85%.

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. When handling this product, wear chemical resistant gloves. Avoid contamination of food or feedstuffs.

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

#### STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Do not store near food or feedstuffs. Do not store near fertilizers, seeds, insecticides, or fungicides. Store in original container and place in locked storage area.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

#### - USE PRECAUTIONS -

<u>EQUIPMENT</u>: Use only lawn type sprayers. Coarse droplets are less likely to drift and cause damage to non-target plants.

<u>DOSAGE FATES</u>: Do not exceed specified dosage rates for any treated area. Specifically be careful within the dripline of trees and ornamental species.

NON-TARGET PLANTS: Do not allow spray to drift onto vegetables, ground covers, ornamentals, shrubs, trees, and other desirable plants. Do not pour spray solutions near these sensitive species. Do not spray the roots of trees and ornamentals.

SENSITIVE TURFGRASS SPECIES: This product may injure St. Augustinegrass and centipedegrass. Only spot treatments of limited areas applied with pressure sprayers are recommerided. Do not use a hose-end sprayer for spot treatments.

5:46

MODERATELY SUSCEPTIBLE WEEDS: Moderately susceptible weeds such as clover, ground ivy, oxalis, sheepsorrel, dock, thistles, and morningglory may require higher desage rates and additional applications. A second application in two to three weeks may be necessary. Use higher labeled rates on moderately susceptible weeds.

#### SUSCEPTIBLE WEEDS:

Bedstraw **Black Medic** Chickweed

Knotweed Lambsquarters Peppergrass Plantain, buckhorn

Oxalis

Ragweed Sheperdspurse Wild Lettuce

Purslane

Dandelion

Clover

#### MODERATELY SUSCEPTIBLE WEEDS:

Chicory Dock Ground lvy Healall Lespedeza

Pigweed Poison Ivy Poison Oak Sheepsorrel Mallov/ Speedwell Morningglory

Spurge Wild Carrot Wild Onion Yarrow

> and many other broadleaf weeds.

WHERE TO USE: DM WEED-NO-MORE may be applied to residential yards, lawns, turf, playgrounds, vacant lots, and other areas associated with households. DM WEED-NO-MORE controls clover. dandelion, knotweed, plantains, and other broadleaf weeds in cool season and warm season turf. Cool season species include bluegrass, fine fescues, tall fescue, and perennial ryegrass. Warm season species include St. Augustinegrass, bahiagrass, bermudagrass, centipedegrass, and zoysiagrass.

Spraying can be effective throughout the growing season. For the best results, apply DM WEED-NO-MORE when the broadleaf weeds have emerged and are actively growing during the soring or fall.

Management practices for the best results are listed as follows:

- Spray during the spring or fall when weeds are actively growing. Temperatures above 70 °F will enhance the herbicide's activity. Poor weed control may result if spray is applied during drought or just before rain.
- 2. Irrigate the lawn 2 or 3 days prior to spraying to ensure that weeds are growing actively.
- Mow 1 to 2 days before treating.
- On new lawns, wait until the grass has reached a height of 2 inches before making a broadcast treatment. However, a spot-treatment may be made at any time with a small pressure-sprayer. Wait 3 weeks before seeding grass or planting stolons, plugs or sprigs.
- 5. Do not water for 24 hours after treatment.
- Do not mow for 48 hours after treatment.

1) +0

### - HOW MUCH TO USE (Broadcast Treatments) -

HOSE-END SPRAYER: Apply 5 - 6 fluid ounces of WEED-NO-MORE per 950 square feet of turf with a hose-end sprayer. Refer to the spray preparation Chart I for treated areas ranging form 950 to 3800 square feet. Measure recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2) and spray uniformly on area shown in Column 3.

#### CHART I

Colu	umn I	Column 2	Column 3
	-No-More To Use   Fluid Ounces	Bottle Marking, Gallons	Area To Be Treated, Square Feet
10 - 12 20 - 24 30 · 36 40 - 48	5 - 6   10 - 12   15 - 18   20 - 24	5 10 15 20	950   1900   2850   3800

PRESSURE SPRAYERS: Mix 5 - 6 fluid ounces of WEED-NO-MORE with 3.75 gallons of water and apply uniformly to 950 square feet of turf. For treated areas less than 950 square feet, refer to the spray preparation Chart II.

#### CHART II

	-No-More To Use   Fluid Ounces	Amount of Water In Sprayer,   Gallons	Area To Be Treated, Square Feet
2 - 2.4	· 1 - 1.2	3/4	190
4 - 4.8	2 - 2.4	1-1/2	380
8 - 9.6	4 - 4.8	3	760
6 - 12	5 - 6.0	3.75 !	950

SPOT TREATMENTS FOR ST. AUGUSTINEGRASS AND CENTIPEDEGRASS: Mix 2 fluid ounces (4 tablespoons) of WEED-NO-MORE with 1 gallon of water and apply with a pressurized sprayer only. Do not use a hose-end sprayer. Apply the diluted sprays to allow complete wetting of the leaves and stems of the broadleaf weeds.

LIMITED WARRANTY AND DISCLAIMER. The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPO II, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc., These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warrar y and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

