

AFTER TEXT

# TRIMEC<sup>®</sup> 959 BROADLEAF HERBICIDE

Controls DANDELION, CHICKWEED, KNOTWEED, PLANTAIN, HENBIT, SPURGE and many other broadleaf weeds, some of which are shown on the side panel.


KEEP FROM FREEZING

**ACTIVE INGREDIENTS:**

*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid.....	38.68%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	16.30%
***Dimethylamine Salt of Dicamba(3,6-dichloro-o-anisic acid).....	3.81%
INERT INGREDIENTS.....	41.21%
TOTAL	100.00%

**THIS PRODUCT CONTAINS:**

- \*3.00 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 31.59%.
- \*\*1.28 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 13.47%.
- \*\*\*0.30 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 3.16%.



KEEP OUT OF REACH OF CHILDREN

**DANGER**


IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

See side panel for additional Precautionary Statements and Statement of Practical Treatment.

TRIMEC<sup>(®)</sup> is a registered trademark of PBI/GORDON CORPORATION.

NET CONTENTS \_\_\_ U.S. GALLONS

770/1092 AP101492  
 EPA REG NO 2217-773  
 EPA EST NO 2217-KS-X  
 Mfd. by PBI/GORDON CORPORATION  
 KANSAS CITY, MISSOURI 64101



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

**DANGER:** Corrosive, causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Avoid exposure to spray mist. Wear long pants, long-sleeved shirt, shoes, gloves, and face shield or goggles when mixing, loading, or handling this concentrated product. After product has been diluted in accordance with "Directions for Use" below, face shield or goggles are not necessary. Harmful or fatal if swallowed or absorbed through skin. Harmful if inhaled. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

### Statement of Practical Treatment:

**IF IN EYES:** In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

**IF IN SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN:** Wash promptly with soap and water. Rinse thoroughly.

**NOTES TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Environmental Hazards:** Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift away from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit workers to reenter treated areas until sprays have dried or dusts have settled.

### STORAGE & DISPOSAL

**STORAGE:** Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near herbicides, fertilizers, insecticides, fungicides, or seeds.

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** For Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. For Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

OTHER USE PRECAUTIONS - OBSERVE CAREFULLY.

3 4 4

1. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
2. Do not pour spray solutions near these plants.
3. Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present.
4. Use only lawn-type sprayers.
5. NOTE: Coarse sprays are less likely to wind-drift.
6. Avoid application to exposed active feeder roots of shallow-rooted trees such as poplar species and sensitive ornamentals. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
7. Do not spray bermudagrass or zoysiagrass while emerging from dormancy, unless injury can be tolerated.
8. Applications to newly seeded lawns may cause injury. Delay application until well established or after two or three mowings.
9. Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F.
10. Seed can be safely sown 3 to 4 weeks after application.
11. Do not contaminate domestic or irrigation waters.
12. Some injury can be expected to turf when used on centipedegrass or St. Augustinegrass lawns. If injury cannot be tolerated, "spot spray" weeds only on these types of grasses. Clover will be damaged if sprayed.
13. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
14. Failure to observe the above precautions may result in injury to desirable plants.
15. Do not apply this product through any type of irrigation system.

ORNAMENTAL LAWNS & TURF (other than bentgrass): Apply at the rate of 3 to 4 1/4 pints in 20 to 240 gallons of water per acre. Maximum kill of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at the recommended rates. Do not broadcast apply to dichondra, carpetgrass and St. Augustinegrass or centipedegrass.

BENTGRASS TURF: In closely-mowed bentgrass (putting and bowling greens) apply at a maximum rate of 1 fluid ounce per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bentgrasses or injury may result. Large volumes of spray water (i.e. 1 fluid ounce in 5 gallons of water per 1,500 square feet) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom. Sweeping movements with a multiple nozzle boom will result in heavy local over-application and subsequent turf discoloration or injury.

WEEDS CONTROLLED:

BEDSTRAW  
 BLACK MEDIC  
 BUCKHORN  
 BURDOCK  
 CHICORY  
 CHICKWEED  
 CLOVER  
 DANDELION  
 DOCK  
 GROUND IVY  
 HEAL-ALL  
 HENBIT

KNOTWEED  
 LAMBSQUARTER  
 LESPEDEZA  
 MALLOW  
 MORNINGGLORY  
 PEPPERGRASS  
 PIGWEED  
 PLANTAINS  
 POISON IVY  
 POISON OAK  
 PURSLANE  
 RAGWEED

SHEEP SORREL  
 SHEPHERDSPURSE  
 SPEEDWELL  
 SPURGE  
 WILD CARROT  
 WILD GARLIC  
 WILD ONION  
 YARROW  
 and many other  
 broadleaf weeds  
 in lawns & turf.

**BEST AVAILABLE COPY**

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

