


PM 23 2217-77-

Doris
Page 1 of 3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 185136
	Application for Pesticide:		
	Section I		

1. Company/Product Number 2217-773	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Trinec 950 Broadleaf Herbicide	PMS (PM-23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 4090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II	
<input type="checkbox"/> Amendment - Explain below	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated March 22, 1993
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of five printed labels to verify compliance with FIFRA provisions.

BEST AVAILABLE COPY

Section III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	If "Yes," Package wgt. No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other (_____)	

Section IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James A. Armbruster, Ph.D.	Title Mgr. Regulatory Services	Telephone No. (Include Area Code) (816)421-4070

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Mgr. Regulatory Services	
4. Typed Name James A. Armbruster, Ph.D.	5. Date May 20, 1993	

TRIMEC[®] 959

BROADLEAF HERBICIDE

*For use by professional turf maintenance personnel,
landscaping or commercial applicators only.*

CONTROLS: DANDELION, CHICKWEED,
KNOTWEED, PLANTAIN, HENBIT, SPURGE
and many other broadleaf weeds, some of
which are shown in this booklet.




In Accordance with FIFRA Notice 82-24
Based on Draft Labeling Dated

773/493 AP032293
EPA REG. NO. 2217-773

20 MAY 1993


G MANUFACTURED BY
pbi/gordon
corporation
KANSAS CITY, MISSOURI 64101

BEST AVAILABLE COPY



For use by professional turf maintenance personnel,
landscaping or commercial applicators only.

**CONTROLS: DANDELION, CHICKWEED,
KNOTWEED, PLANTAIN, HENBIT, SPURGE**
and many other broadleaf weeds, some of
which are shown in this booklet.



773493 AP032293
EPA REG. NO. 2217-773

- KEEP FROM FREEZING -

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	38.68%
Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	16.30%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	3.81%
INERT INGREDIENTS	41.21%
	TOTAL 100.00%

THIS PRODUCT CONTAINS:

3.00 lbs. 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon
1.28 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 13.47%
0.30 lbs. 3,6-dichloro-o-anisic acid equivalent per gallon or 3.81%
TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

NOT REVIEWED
in accordance with PR Notice 82-5
Based on Draft Labeling Dated

KEEP OUT OF REACH OF CHILDREN
DANGER
See below for additional Precautionary Statements
and Statement of Practical Treatment.

20 MAY 1993



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Avoid exposure to spray mist. Wear long pants, long-sleeved shirt, shoes, gloves, and face shield or goggles when mixing, loading, or handling this concentrated product. After product has been diluted in accordance with "Directions for Use" below, face shield or goggles are not necessary. Harmful or fatal if swallowed or absorbed through skin. Harmful if inhaled. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.
IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air and apply respiration if indicated.
IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.
NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift away from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not reenter or permit workers to reenter treated areas until sprays have dried or dusts have settled.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near herbicides, fertilizers, insecticides, fungicides, or seeds.
PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

BEST AVAILABLE COPY

Trimec 959 Broadleaf Herbicide provides selective broadleaf control in warm season and cool season turfgrass. Established turf of warm season grasses include, but are not limited to, bermudagrass, bahiagrass, and zoysiagrass. Established turf of cool season grasses include, but are not limited to, Kentucky bluegrass, perennial ryegrass, tall fescue, and turf-type tall fescues. Do not apply this product on carpetgrass, dichondra, or established turf containing desirable clovers.

OTHER USE PRECAUTIONS - OBSERVE CAREFULLY

- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Do not pour spray solutions near these plants.
- Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present.
- Use only lawn-type sprayers.
- NOTE: Coarse sprays are less likely to wind-drift.
- Avoid application to exposed active feeder roots of shallow-rooted trees such as poplar species and sensitive ornamentals. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
- Do not spray bermudagrass or zoysiagrass while emerging from dormancy, unless injury can be tolerated.
- Applications to newly seeded lawns may cause injury. Delay application until well established or after two or three mowings.
- Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F.
- Seed can be sown 3 to 4 weeks after application.
- Do not contaminate domestic or irrigation waters.
- Some injury can be expected to turf when used on carpetgrass or St. Augustine-grass; only "spot spray" seeds on these types of grasses. Clover will be damaged if sprayed.
- After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
- Failure to observe the above precautions may result in injury to desirable plants.
- Do not apply this product through any type of irrigation system.

ORNAMENTAL LAWNS & TURF (other than bentgrass): Apply at the rate of 3 to 4 1/2 pints in 20 to 240 gallons of water per acre. Maximum kill of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be sown 3 to 4 weeks after application at the recommended rates.

CONTROLLED DROPLET APPLICATOR (CDA): Add 1.75 pints of product to the Herbicide container and fill with water. Spray contents over 33,000 sq. ft. Avoid overlapping between spray patterns.

BENTGRASS TURF: In closely-mowed bentgrass (putting and bowling greens) apply at a maximum rate of 1 fluid ounce of product per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bentgrasses or injury may result. High spray volumes (i.e. 1 fluid ounce of product in 5 gallons of water per 1,500 square feet) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom. Sweeping movements with a multiple nozzle boom will result in heavy local over-application and subsequent turf discoloration or injury.

WEEDS CONTROLLED

BEDSTRAW	KNOTWEED	SHEEP SOREL
BLACK MEDIC	LAMBSQUARTER	SHEPHERDS PURSE
BUCKHORN	LESPEDEZA	SPEEDWELL
BURDOCK	MALLOW	SPURGE
CHICORY	MORNINGGLORY	WILD CARROT
CHICKWEED	PEPPERGRASS	WILD GARLIC
CLOVER	PIGWEEED	WILD ONION
DANDELION	PLANTAINS	YARROW
DOCK	POISON IVY	and other
GROUND IVY	POISON OAK	broadleaf weeds
HEAL-ALL	PURSLANE	in lawns & turf
HENBIT	RAGWEED	

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.